

DOCUMENT SUMMARY LIST

Item: TRAVERSING MECHANISM
 NSN: 1015-01-292-5243
 Control Number/PRON: P11FPTX1

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-2549 Table DIP 4-1	Configuration Management Data Interface	30 Jun 97 Cat 2
1b. DI-CMAN-81554 (seq A001)	Configuration Change Control Data Information Packet	30 Jun 97 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1
4a. MIL-DTL-16232G (TDPL)	Phosphate Coating Heavy Manganese or Zinc Base	07 Jan 00 Cat 2
4b. DI-NDTI-80603 (DD Form 1423)	Test Procedure	01 Jun 88 Cat 1

DOCUMENT SUMMARY LIST

Item: BREECH BASE SOCKET
 NSN: 1015-01-285-3084
 Control Number/PRON: P11FPEX1

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-2549 Table DIP 4-1	Configuration Management Data Interface	30 Jun 97 Cat 2
1b. DI-CMAN-81554 (seq A001)	Configuration Change Control Data Information Packet	30 Jun 97 Cat 2
2. ANSI/ISO/ASQC Q9003 or equivalent	Quality Systems-Model for Quality Assurance in Final Inspection and Test	18 Jul 94
3a. MIL-DTL-16232G (TDPL)	Phosphate Coating Heavy Manganese or Zinc Base	07 Jan 00 Cat 2
3b. DI-NDTI-80603 (DD Form 1423)	Test Procedure	01 Jun 88 Cat 1

PRON P11FPTX1

AMC 1

AMSC G

ATC FTMGG

TDP 12577019

TDPL DATE 09/12/00

NSN 1015012925243

NOMENCLATURE TRAVERSING GEAR ASSY

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DRAWING 12577020, CHANGE NOTE 2, ZONE D-4

FROM: 2. MATERIAL: .27-.46C PLAIN CARBON STEEL AISI 10XX ANNEALED OR NORMALIZED.

TO: 2. MATERIAL: .27-46C AISI-SAE CABON (10XX) STEEL. MERCHANT QUALITY AND FREE-MACHINING GRADES ARE NOT ALLOWED. ANNEALED OR NORMALIZED.

DRAWING 12577023, CHANGE NOTE 2, ZONE D-4

FROM: 2. MATERIAL: .12-.46C PLAIN CARBON STEEL AISI (10XX) ONLY NORMALIZED OR ANNEALED.

TO: 2. MATERIAL: .12-.46C AISI-SAE CARBON (10XX) STEEL. MERCHANT QUALITY AND FREE-MACHINING GRADES ARE NOT ALLOWED. NORMALIZED OR ANNEALED

DRAWING 12577025, CHANGE NOTE2,ZONE D-8

FROM: 2. MATERIAL: CASTING PER DWG C11577275 COMP 1,5 OR 9 CLASS C & E OR .27-.34 ALLOY STEEL AISI 4XXX OR 8XXX.

TO: 2. MATERIAL: CASTING PER DWG C11577275 COMP 1,5 OR 9 CLASS C & E OR .27-.34C ALLOY (4XXX OR 8XXX) STEEL. FREE-MACHINING GRADES ARE NOT ALLOWED.

DRAWING 12577029, CHANGE NOTE 2, ZONE H-8

FROM: 2. MATERIAL: AISI 4340 PER MIL-S-5000

TO: 2. MATERIAL: UNS G43400 PER SAE AMS 6484

DRAWING 12577031, CHANGE NOTE 2, ZONE D-4

FROM: 2. MATERIAL: .27-.46C ALLOY STEEL, AISI 4XXX OR AISI 8XXX.

TO: 2. MATERIAL: .27-.46C AISI-SAE ALLOY (4XXX OR 8XXX) STEEL. FREE-MACHINING GRADES ARE NOT ALLOWED.

DRAWING 12577034, CHANGE NOTE 2, ZONE D-4

FROM: 2. MATERIAL: .13-.28C PLAIN CARBON STEEL AISI 10XX COLD ROLLED OR COLD DRAWN.

TO: 2. MATERIAL: .13-.28C AISI-SAE CARBON (10XX) STEEL. MERCHANT QUALITY AND FREE-MACHINING GRADES ARE NOT ALLOWED. COLD ROLLED OR COLD DRAWN.

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: TRAVERSING MECHANISM
TO CONTRACT/PR: P11FPTX1

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

1. A001		14. AMSTA-AR-CCL-F (ECALS)	/ / / /
2. CONFIGURATION CHANGE CONTROL*			
3. ENGINEERING ACTIONS			
4. DI-CMAN-81554			
5. SECTION C			
6. AMSTA-AR-ES	7. NO	8. -	9. **
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13. ASREQ	
16. REMARKS	PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE HTTP://EDMD4.PICA.ARMY.MIL/ . *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973)724-6626 LEES@PICA.ARMY.MIL.		

1. A002		14. AMSTA-AR-QAA (D) QAR CO (LT ONLY) AMSTA-AR-QAW-C (LT ONLY) (R)	(1) / 1/ / / / (2) / / / /
2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.			
3. AIE DESIGN DOCUMENTATION			
4. DI-QCIC-81006*			
5. SECTION E			
6. AMSTA-AR-QA	7. XX	8. A	9. N/A
10. ONE/R	11. N/A		15. TOTAL 0/ 1/ 0
12. **		13. WHEN REV.	
16. REMARKS	* BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2, 10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID. SUBMIT FOR ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP. ** BLOCK 12: SUBMIT 30 DAYS PRIOR TO FA, OR PRODUCTION, IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 30 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS. REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE. IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT		

ONLY EVIDENCE OF PRIOR APPROVALS.

email: (1)aie-qaa@pica.army.mil (2)amsta-ar-qa-cdrl@ria-emh2.army.mil

Text:Microsoft Office 97

Drawings:AutoCAD-Release 14(Expressed mailed hard copies will be accepted)

Files may be compressed using ZIP program.

WARNING: Large packages may cause delays in delivery using mail internet.

Email subject line must contain end item nomenclature.

1. A003	14.		
	PROCUREMENT	/	/
2. TEST PROCEDURE/ PHOSPHATE COATING PRE-	CONTRACTING	/	/
3. PRODUCTION PROCEDURE	OFFICER	/	1/
4. DI-NDTI-80603*			
5. MIL-DTL-16232, PARA 3.1			
6. AMSTA-AR-WEP-RM	7. XX	8. A	9. N/A
10. ONE/R	11. N/A	15. TOTAL	0/ 1/ 0
12. 60 DAC	13. N/A		

16. REMARKS

BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD. A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 09/27/2000

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: BREECH BASE SOCKET
TO CONTRACT/PR: P11FPEX1

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD	8. APP
	250	CODE
		9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. AMSTA-AR-CCL-F (ECALS)	/ / / /
2. CONFIGURATION CHANGE CONTROL*		
3. ENGINEERING ACTIONS		
4. DI-CMAN-81554		
5. SECTION C		
6. AMSTA-AR-ES	7. NO	8. -
		9. **
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS
PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81554 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE [HTTP://EDMD4.PICA.ARMY.MIL/](http://EDMD4.PICA.ARMY.MIL/). *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.

1. A002	14. PROCUREMENT	/ /
2. TEST PROCEDURE/ PHOSPHATE COATING PRE-	CONTRACTING	/ /
3. PRODUCTION PROCEDURE	OFFICER	/ 1/
4. DI-NDTI-80603*		
5. MIL-DTL-16232, PARA 3.1		
6. AMSTA-AR-WEP-RM	7. XX	8. A
		9. N/A
10. ONE/R	11. N/A	15. TOTAL 0/ 1/ 0
12. 60 DAC	13. N/A	

16. REMARKS
BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD. A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).