



**CONTINUATION SHEET****Reference No. of Document Being Continued****Page 2 of 4**

PIIN/SIIN DAAE20-01-T-0138

MOD/AMD 0001

**Name of Offeror or Contractor:**SUPPLEMENTAL INFORMATION  
0001AA

0002AA

NOUN: PIN, STRAIGHT, HEADED  
NSN: 5315-01-271-8039  
P/N: 12009340-3NOUN: PIN, STRAIGHT, HEADED  
NSN: 5315-01-293-5478  
P/N: 12909043

1. THE PURPOSE OF THIS MODIFICATION IS TO COREECT ONE OF THE SECTIONS C'S THAT WAS INCORRECT. SECTION C THAT APPLIES TO CLIN 0002AA AND REFERENCED PART NUMBER 11578912 IS HERE BY DELETED IN ITS ENTIRETY AND REPLACED BY SECTION C THAT APPLIES TO CLIN 0002AA PART NUMBER 12909043.
2. THE SECTION D THAT APPLIES TO CLIN 0002AA AND REFERENCED PART NUMBER 11578912 IS HERE BY DELETED IN ITS ENTIRETY AND REPLACED BY SECTION D THAT APPLIES TO CLIN 0002AA PART NUMBER 12909043.
3. THE BID SETS THAT WERE INCORRECT HAVE BEEN REPLACED TO ADD THE CORRECT PART NUMBER 12909043.
4. THE OPENING DATE IS HEREBY EXTENDED TO 07 MAY 01.

\*\*\* END OF NARRATIVE A 002 \*\*\*

**CONTINUATION SHEET****Reference No. of Document Being Continued****Page 3 of 4**

PIIN/SIIN DAAE20-01-T-0138

MOD/AMD 0001

**Name of Offeror or Contractor:**

## DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

<u>Status</u>	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1 CHANGED	52.210-4501 TACOM-RI	DRAWINGS/SPECIFICATION	MAR/1988

APPLICABLE TO CLIN 0001AA

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with enclosed Technical Data Package Listing - TDPL 12009340-3 with revisions in effect as of 24 OCT 00 (except as follows):

12009340: NOTE 2, CHANGE TO READ "2. MATERIAL: STEEL BAR ALLOY, 4130, SAE-AMS-S-6758 OR 4140, AMS6382 OR AMS6349."

TDPL: MIL-S-6758 - CANCELLED; USE SAE-AMS-S-6758, 98.

MIL-S-5626 - USE AMS66382, L, 95 OR AMS6349, B, 93.

(CS6100)

APPLICABLE TO CLIN 0002AA

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with enclosed Technical Data Package Listing - TDPL 12909043 with revisions in effect as of 28 NOV 00 (except as follows):

LEVEL A PACKAGING SHALL BE IN ACCORDANCE WITH METHOD 31 OF MIL-STD-2073-1 UNLESS OTHERWISE STATED IN THE CONTRACT OR SOLICITATION.

(CS6100)

PACKAGING AND MARKING

2 CHANGED	52.211-4501 TACOM-RI	PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	FEB/2000
-----------	-------------------------	---	----------

APPLICABLE TO CLIN 0002AA

a. Military preservation, packing, and marking shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of MIL-STD-2073-1, Revision C, Date 01 OCT 96 and the Special Packaging Instruction contained in the TDP.

Preservation: MILITARY

Level of Packing: B

Quantity Per Unit Package: ONE EACH

SPI Number: P12909043, DATED 01 NOV 00

b. Unitization Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall not exceed 4,000 pounds and should not exceed 52 inches in length or width, or 54 inches in height. The load shall be contained in a manner that will permit safe handling during shipment and storage.

c. Marking: In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision N, Date 15 MAY 97, including bar coding in accordance with ANSI/AIM-BC1, Uniform Symbology Specification Code 39.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> DAAE20-01-T-0138 <b>MOD/AMD</b> 0001	<b>Page</b> 4 <b>of</b> 4
---------------------------	---	---------------------------

**Name of Offeror or Contractor:**

d. This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions in paragraph e below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided the contractor notifies the Administrative Contracting Officer.60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to the Contracting Officer and the Administrative Contracting Officer. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

e. SUPPLEMENTAL INSTRUCTIONS: N/A

(End of clause)

(DS6411)