

CONTRACT C WORKSHEET

PRON P21HNJ02 AMC 1 AMSC G ATC AWFDP

TDP 12336194-2 TDPL DATE 11/21/00

NSN 1015011953972 NOMENCLATURE RACK

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DECUMENT	DELETE	REPLACE WITH
SPI-12336194-2	MIL-P-116/MIL-14232	MIL-STD-2073-1
	MIL-STD-647	X
	NN-P-530	A-A-55057
	PPP-F-320	ASTM D4727
	PPP-B-636	ASTM D5118
	PPP-T-60	ASTM D1974

DELETE MIL-STD-372 USE AWS D1.2 ON 12336428

QAR 12336428 AQLS MIL-STD-1916 VL IV for MAJOR
& VL II for MINOR characteristics

For QAR 12336428 Pg. 3 under PART III-CERTIFICATION REQUIREMENTS delete (STA FORM 4452, PARA. 3.5 APPLIES) and replace with "The Certification Provisions of MIL-W-63150 for Certification of Conformance (COC) and Certified Test Reports (CTR) apply.

DRAWING CHANGE FROM TO
12336194 BASIC REV REV A DTD 11/02/87 3 SHT's

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

Attachment 001 Clin0001AA

CONTRACT C WORKSHEET

PRON P21HNJ01 AMC 1 AMSC G ATC AWFDP

TDP 12336196 TDPL DATE 10/12/00

NSN 1015012060878 NOMENCLATURE HOUSING,AMMO

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DOCUMENT	DELETE	REPLACE WITH
SPI-12336196	MIL-C-12803	ASTM-F104

DELETE MS122125 SUPERSEDED BY NASM122116 THRU NASM122155 ON DWG 12336196
DELETE MS21209 SUPERSEDED BY NASM21209 ON DWG 12336196
DELETE MIL-STD-1946 USE AWS D1.2 ON DWG 12336127
DELETE MIL-STD-372 USE AWS D1.2 ON DWG 12336127
DELETE QQ-A-200 USE SAE AMS-QQ-A-200, ASTM B221, ASTM B308 ON DWGS 12336222
AND 12336223
DELETE QQ-A-200/8 USE SAE AMS-QQ-A-200/8, ASTM B221, ASTM B308 ON DWGS
12336222 AND 12336223

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

Attachment 002 c/m 0002AA

Packaging Requirements Sheet
(Special Packaging Instructions) DS6411

PRON: P21HNJ02 DATE: 31 JAN 2001

NSN: 1015-01-195-3972

MILSTRIP: SUE LERCH/28202

- A. Military preservation, packing, and marking for the item identified above shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of MIL-STD-2073-1, Revision D, Date 15 DEC 99, and the Special Packaging Instruction contained in the TDP.

PRESERVATION: MILITARY
LEVEL OF PACKING: B
QUANTITY PER UNIT PACKAGE: 001
SPI NUMBER P12336194-2, REV.-, DATED 25 SEP 86

- B. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall not exceed 4,000 pounds and should not exceed 52 inches in length or width, or 54 inches in height. The load shall be contained in a manner that will permit safe handling during shipment and storage.
- C. Marking: In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129 Revision N, Date 15 May 97, including bar coding iaw ANSI/AIM-BC1, Uniform Symbology Specification Code 39.
- D. This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions in Paragraph E below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.
- E. SUPPLEMENTAL INSTRUCTIONS: DELETE MIL-P-116 AND MIL-P-14232 AND REPLACE WITH MIL-STD-2073-1. DELETE NN-P-530 AND REPLACE WITH A-A-55057. DELETE MIL-STD-731 AND REPLACE WITH ASTM D6199. DELETE PPP-F-

Attachment 3 Clin 0001AA

320 AND REPLACE WITH ASTM D4727. DELETE PPP-B-636 AND REPLACE WITH
ASTM D5118, AND DELETE PPP-T-60 AND REPLACE WITH ASTM D5486.

Attachment 3 c/m 0001AA

Packaging Requirements Sheet
(Special Packaging Instructions) DS6411

PRON: P21HNJ01 DATE: 31 JAN 2001

NSN: 1015-01-206-0878

MILSTRIP: SUE LERCH/28202

- A. Military preservation, packing, and marking for the item identified above shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of MIL-STD-2073-1, Revision D, Date 15 DEC 99, and the Special Packaging Instruction contained in the TDP.

PRESERVATION: MILITARY

LEVEL OF PACKING: B

QUANTITY PER UNIT PACKAGE: 001

SPI NUMBER P12336196, REV. -, DATED 11 MAR 85

- B. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall not exceed 4,000 pounds and should not exceed 52 inches in length or width, or 54 inches in height. The load shall be contained in a manner that will permit safe handling during shipment and storage.
- C. Marking: In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129 Revision N, Date 15 May 97, including bar coding in accordance with ANSI/AIM-BC1, Uniform Symbology Specification Code 39.
- D. This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions in Paragraph E below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.
- E. SUPPLEMENTAL INSTRUCTIONS: DELETE MIL-P-116 AND MIL-P-14232 AND REPLACE WITH MIL-STD-2073-1. DELETE PPP-F-320 AND REPLACE WITH ASTM D4727. DELETE MIL-C-12803 AND REPLACE WITH ASTM F104. DELETE MIL-

Attachment 004 Clin002AA

STD-731 AND REPLACE WITH ASTM D6199, AND DELETE PPP-T-42 AND
REPLACE WITH A-A-883.

Attachment 004 C1170002AA

DOCUMENT SUMMARY LIST

Item: HOUSINGS, AMMO
NSN:
Control Number/PRON: P21HNJ01, 02

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-2549 Table DIP 4-1	Configuration Management Data Interface	30 Jun 97 Cat 2
1b. DI-CMAN-81554 (seq A001)	Configuration Change Control Data Information Packet	30 Jun 97 Cat 2
2. ANSI/ISO/ASQC Q9003 or equivalent	Quality Systems-Model for Quality Assurance in Final Inspection and Test	18 Jul 94

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: HOUSINGS,AMMO
TO CONTRACT/PR: P21HNJ01,02

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

1. A001		14. AMSTA-AR-CCL-F (ECALS)	/ /
2. CONFIGURATION CHANGE CONTROL*			/ /
3. ENGINEERING ACTIONS			
4. DI-CMAN-81554			
5. SECTION C			
6. AMSTA-AR-ES	7. NO	8. -	9. **
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13. ASREQ	

16. REMARKS
PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE [HTTP://EDMD4.PICA.ARMY.MIL/](http://EDMD4.PICA.ARMY.MIL/). *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 01/31/2001

Exhibit A