

Distribution Statement A

SECTION C

Start No: C32IAAXX
TDPL: 136-30-165
dated: n/a

Nomenclature: Scattering Chamber

The following engineering exceptions apply to this TDPL, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. This item shall be procured as sole source procurement from:

Hamilton Associates Inc.
1716 Whitehead Road
Baltimore, MD 21207
Part Number: TDA 9C, with 100K housing

3. The contractor shall certify that the form, fit and function of the Scattering Chambers is compatible with the Scattering Chambers provided on previous contracts with the Government.

* ~~4. A first article (FA) sample specified on the contract Section E shall be tested for form fit and function on the M14 Tester at Pine Bluff Arsenal.~~

5. No shelf life markings are required for this procurement.

* Modified per memo dated 25 Nov 02.

D.S.

SECTION C (Cont)

TDPL: 136-30-166

NOMEN: Scattering Chambers

TECHNICAL STATEMENT, CERTIFICATIONS AND APPROVAL CLASS I OZONE
DEPLETING CHEMICALS (ODC)

1. x The above referenced procurement is for a commercial item.
Therefore, no review for ODC was performed.

Distribution Statement A

SECTION C

Start No: C32IABXX

TDPL: 136-30-166

Nomenclature: Percent Penetration Indicator (PPI)

dated: n/a

The following engineering exceptions apply to this TDPL, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. This item shall be procured as sole source procurement from:

Hamilton Associates Inc.
1716 Whitehead Road
Baltimore, MD 21207
Part Number: TDA 8E

3. The contractor shall certify that the form, fit and function of the PPI is compatible with PPIs provided on previous contracts with the Government.

* ~~4. A first article (FA) sample specified on the contract Section F shall be tested for form fit and function on the M14 Tester at Pine Bluff Arsenal.~~

5. No shelf Life markings are required for this procurement.

* Modified per memo dated 25 Nov 02.

A.12

SECTION C (Cont)

TDPL: 136-30-166

NOMEN: Percent Penetration Indicators

TECHNICAL STATEMENT, CERTIFICATIONS AND APPROVAL CLASS I OZONE
DEPLETING CHEMICALS (ODC)

1. The above referenced procurement is for a commercial item.
Therefore, no review for ODC was performed.

SECTION C

TDPL: N/A TDPL DATED: N/A START #: C42IADXX Part# T9C0-0702

NSN: 5980-01-314-4556 NOMEN: Holder, Photoelectric

Distribution Statement: A End Item Code: 666

The following engineering exceptions apply to this TDPL, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. This item, part number T9C0-0702, shall be procured as a Sole Source Procurement from:

Air Techniques, International
Division of Hamilton Associates, Inc.
11403 Cronridge Drive
Owings Mill, MD 21117

2. The contractor shall certify that the form, fit and function of the Holder, Photoelectric is compatible with the same item provided on previous contracts (e.g. DAAE20-98-D-0002) with the government.

3. TECHNICAL STATEMENT, CERTIFICATIONS AND APPROVAL CLASS I OZONE DEPLETING CHEMICALS (ODC)

a. X The above referenced procurement is for a commercial item. Therefore, no review for ODC was performed.

4. No shelf life markings are required for this procurement.

DOCUMENT SUMMARY LIST

Item: CHAMBER, SCATTERING, PANEL INDICATOR AND HOLDER, PHOTOELECTRIC
 NSN: 6665-01-148-4730, 6665-01-148-4751 AND 5980-01-314-4556
 Control Number/PRON: C32IAAXX, C32IABXX AND C42IADXX

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9002	Model for Quality Assurance in Production, Installation & Servicing OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems-Requirements	13 Dec 00

ADDRESS CODE DISTRIBUTION – for ECPs/RFDs/RFWs/VECPS
(Configuration Management)

1. Concurrent transmittal of Engineering Change Proposals (ECPs), Requests for Deviation (RFDs), Requests for Waivers (RFWs) or Value Engineering Change Proposals (VECPS) shall be submitted by the Contractors by either emailing or faxing engineering actions as follows:

2. The contractor shall electronically transmit copies to:

a. (SBCCOM (RI) Engineering Office)
OFFICE: AMSSB-RSO-IPM (RI)
POC: Dale Gustafson
EMAIL: gustafson@ria.army.mil
FAX: (309) 782-4651

b. (Contracting Officer)
OFFICE: AMSTA-AQ-ARCC
POC: Joyce L. Klein
EMAIL: kleinj@ria.army.mil
FAX: (309) 782-1218

c. Administrative Contracting Officer

3. For VECPS only:

a. (Design Agency)
OFFICE: AMSSB-REN-R (A)
POC: Kimberly Walton
EMAIL: krwalton@sbccom.apgea.army.mil
FAX: (410) 436-3912

LIST OF ADDRESSES

(see block 14 of DD Form 1423 for symbols that apply)

Commander
U.S. Army TACOM-RI
ATTN: AMSTA-AQ-ARCC
Rock Island, IL 61299-7630

Commander
U.S. Army TACOM-RI
ATTN: AMSTA-LCRS
Rock Island, IL 61299-7630

Commander
U.S. Army Soldier and Biological Chemical Command
ATTN: AMSSB-RSO-ADM (RI)
Rock Island, IL 61299-7390

Commander
U.S. Army Soldier and Biological Chemical Command
ATTN: AMSSB-RSO-IPM (RI)
Rock Island, IL 61299-7390

Commander
U.S. Army Soldier and Biological Chemical
ATTN: AMSSB-RIM-____ or AMSSC-RIM-____ (N)
Kansas Street
Natick, MA 01760-5052

Commander
U.S. Army Soldier and Biological Chemical Command
ATTN: AMSSB-REN-____ (A)
Aberdeen Proving Ground, MD 21010-5423

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CHAMBER, SCATTERING; PANEL INDICATOR
AND HOLDER, PHOTOELECTRIC
TO CONTRACT/PR: C32IAAXX; C321ABXX AND C42IADXX

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD	8. APP	9. DIST STATEMENT
	250	CODE	REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION		
16. REMARKS			

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80639C*			
5. SECTION C			
6. AMSSB-RSO	7. LT	8. -	9. **
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13. ASREQ	

16. REMARKS
*SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVERNMENT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). MIL-HDBK-61 MAY BE USEFUL IN DEFINING CONTENT. **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SEE CONTRACT SECTION C. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE ECP Short Form and ECP Page 1 LOCATED AT [HTTP://W4.PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM](http://w4.pica.army.mil/ardec-ri/cmform.htm) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692 AND 1693)

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80640C*			
5. SECTION C			
6. AMSSB-RSO	7. LT	8. -	9. **
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13. ASREQ	

16. REMARKS
* SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVERNMENT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). MIL-HDBK-61 MAY BE USEFUL IN DEFINING CONTENT. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SEE CONTRACT SECTION C. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE RFD/W FORM LOCATED AT [HTTP://W4.PICA.AMRY.MIL/ARDEC-RI/CMFORM.HTM](http://w4.pica.army.mil/ardec-ri/cmform.htm) IS THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORM 1694)

1. A003			14.	
			SEE ADDRESS CODE	/ /
2. NOTICE OF REVISION (NOR)			DISTRIBUTION	/ /
3.			ATTACHED**	/ /
4. DI-CMAN-80642C*				
5. SECTION C				
6. AMSSB-RSO	7. LT	8. -	9. ***	
10. ASREQ	11. ---			15. TOTAL 0/ 0/ 0
12. ASREQ		13. ASREQ		

16. REMARKS

*SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVERNMENT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). MIL-HDBK-61 MAY BE USEFUL IN DEFINING CONTENT. **SEE CONTRACT SECTION C. ELECTRONIC FILES MUST BE LESS THAN 7MB. NOR FORM LOCATED AT [HTTP://W4PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM](http://w4pica.army.mil/ardec-ri/cmform.htm) IS THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORM 1695) ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

THE DATA DELIVERY DESCRIPTIONS ARE AVAILABLE ON THE ATTACHED TACOM-RI INTRANET SITE:
[HTTPS://AAIS.RIA.ARMY.MIL/AAIS/SOLINFO/STANDARD_ATTACHMENTS/INDEX*20OF*20ATTACHMENTS.HTML](https://aa.is.ria.army.mil/aa.is/solinfo/standard_attachments/index*20of*20attachments.html)

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAC

DATE: 05/28/02