CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)
CATEGORY: MISC SYSTEM/ITEM:HIT SENSOR ASSY,HIT SENSOR ELECTRONICS
TO CONTRACT/PR: M121CB36,M121CD05

1. SEQUENCE NUMBER
14. DISTRIBUTION — DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM
3. SUBTITLE
4. DATA ITEM NUMBER
5. CONTRACT REFERENCE
6. TECHNICAL OFFICE 7. DD 250 8. APP CODE 9. DIST STATEMENT REQUIRED
10. FREQUENCY 11. AS OF DATE 15. TOTAL:
12. DATE OF 1ST SUBMISSION 13. DATE OF SUBSEQUENT SUBMISSION
16. REMARKS

---

1. A001
14. SEE ADDRESS CODE / /
2. ENGINEERING CHANGE PROPOSAL (ECP) DISTRIBUTION / /
3. ATTACHED*** / /
4. DI-CMAN-80639C*
5. SECTION C
6. AMSTA-AR-QAW 7. LT 8. - 9. **
10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0
12. ASREQ 13. ASREQ
16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://W4.PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)

---

1. A002
14. SEE ADDRESS CODE / /
2. REQUEST FOR DEVIATION (RFD) DISTRIBUTION / /
3. ATTACHED*** / /
4. DI-CMAN-80640C*
5. SECTION C
6. AMSTA-AR-QAW 7. LT 8. - 9. **
10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0
12. ASREQ 13. ASREQ
16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://W4.PICA.AMRY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694, AND/OR 1695)

Exhibit A

1. A003

2. NOTICE OF REVISION (NOR)

3.

14.
SEE ADDRESS CODE / /
DISTRIBUTION / /
ATTACHED** / /

4. DI-CMAN-80642C*

5. SECTION C

6. AMSTA-AR-QAW 7. LT 8. - 9. ***

10. ASREQ 11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ 13. ASREQ

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. FORMS LOCATED AT HTTP://W4PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.
The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAC DATE: 04/26/2002

DAAE20-02-R-0157 **PRICING EVALUATION SHEET** **Exhibit B**

CLIN 0001: Hit Sensor

NSN: 6920-01-350-7760 **PN: 12599363** **Estimated Order Quantity: Requirement**

	Ordering Period 1		Ordering Period 2		Ordering Period 3		Ordering Period 4		Ordering Period 5	
First Article Test										
Range	Unit Price	Wgt	Unit Price	Wgt	Unit Price	Wgt	Unit Price	Wgt	Unit Price	Wgt
500 - 1,000		10%		10%		10%		10%		10%
1,001 - 1,800		10%		10%		10%		10%		10%
1,801 - 2,500		80%		80%		80%		80%		80%

Weighted Total:

Evaluated Price for CLIN 0001:

CLIN 0002: Hit Sensor

NSN: 6920-01-158-8069 **PN: 11829348**

First Article Test										
Range	Unit Price	Wgt	Unit Price	Wgt	Unit Price	Wgt	Unit Price	Wgt	Unit Price	Wgt
500 - 800		10%		10%		10%		10%		10%
801 - 1,100		80%		80%		80%		80%		80%
1,101 - 1,500		10%		10%		10%		10%		10%

Weighted Total:

Evaluated Price for CLIN 0002:

Total Evaluated Price for All Years:

1. This will be an all or none procurement. Contractor's failing to bid on all items, all years, and all ranges may be disqualified.
2. For evaluation purposes, the Government has weighted the ranges based on the likelihood that if an order is placed, it will be placed in that particular range. An evaluation price will be calculated by multiplying the offered unit prices by their respective weights and minimum quantities for each range on each line item and adding the totals for all years. If first article cost is not waived, the first article test cost will be added to the total evaluated price for each CLIN.
3. A total evaluation price will be determined by adding the adjusted totals on all line items and all years.
4. If first article test cost is required, its cost will be amortized into the unit price for the initial delivery order for each item.

Exhibit B

Mendoza, Cathy K

From: [redacted]mil]
Sent: Monday, July 29, 2002 10:14 AM
To: [redacted]
Subject: M121CB36 - Rev - sectionc

Clin 0001

Revised
CONTRACT C WORKSHEET

PRON M121CB36 AMC 1 AMSC G ATC

TDP 12599363 TDPL DATE 04/17/02

NSN 6920013507760 NOMENCLATURE HIT SENSOR ASSEMBLY

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DOCUMENT	DELETE	REPLACE WITH
SPI-12599363	MIL-B-117	MIL-DTL-117

Drawing 11784582
Vendor Address Block
Remove: Dewey and Almy Chemical Division - Emerson and Cuming
Add: National Starch and Chemical Company Drawing 11784583
Vendor Address Block
Remove: Dewey and Almy Chemical Division - Emerson and Cuming
Add National Starch and Chemical Company
Drawing 12599363
Zone E3
From MS3367-4 to SAE AS33671-4

Attachment 002

Mendoza, Cathy K

From: [redacted]el@pica.army.mil]
Sent: Tuesday, July 09, 2002 9:31 AM
To: [redacted]
Subject: M121CDO5 - Revised - sectionc

CONTRACT C WORKSHEET

PRON M121CDO5 AMC 1 AMSC G ATC

TDP 11829348 TDPL DATE 04/11/02

NSN 6920011588069 NOMENCLATURE HIT SENSOR ELECTRONICS

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DOCUMENT	DELETE	REPLACE WITH
SPI-11829348	MIL-P-116	MIL-STD-2073-1
	MIL-B-117	MIL-DTL-117
	ASTM D5486	ASTM D1974

Drawing 9369287
Sheet 2 (2 places)
From MIL-S-8660B to SAE AS8660

Drawing 11829348
Note 1
From Fan strands in area shown and solder using item no. 8. Solder flash permissible outside indicated area. Inspect for continuity only.
To: Fan strands in area shown and solder in accordance with best commercial practice to ensure compliance with drawing. Solder flash permissible outside indicated area. Inspect for continuity only.
Zone D5
Change Item 8 within circle to note 1 in triangle

PL11829358
Item 7
From MIL-I-23053/2-105-0 to SAE-AMS-DTL-23053/2-105-0
Remove Item 8 QQ-S-571

Drawing 11829350
Note 1 From MIL-C-6183 to SAE AMS-C-6183

Drawing 11829351
Note 1 From DOD-STD-1376 to MIL-STD-1376

PL 11829356
Item 2 From MIL-C-27500-22ML2TO1 to MIL-DTL-27500-22ML2T01
Item 3 From MIL-W-16878/4-BGE7 to MIL-DTL-16878/4-BGE7
Item 9 From MIL-I-23053/5-106-9 to SAE-AMS-DTL-23053/5-106-9

Drawing 11829355
Note 1
From: Neoprene rubber sheet, .062 thk per MIL-R-3065, class SC510.
To: Rubber, .062 thk per ASTM D2000, class 2BC510A14B33F17.

Add Distribution Statement A to all documents.

Drawing 11829376

Attachment 003

Sheet 2
From 59 Walpole to 869 Washington St.

GFM/GFE: DRAWING NO.

DOCUMENT SUMMARY LIST

Item: HIT SENSOR ASSY, HIT SENSOR ELECTRONICS
NSN:
Control Number/PRON: M121CB36, M121CD05

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9002	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
	OR	
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems-Requirements	13 Dec 00

Attachment 0004