

PRICING EVALUATION SHEET

DAAE20-01-R-00024
 CLIN 0001: Periscope, Armored
 NSN: 6650-01-320-5628

PN: 12357848

Ordering Period 1 Ordering Period 2 Ordering Period 3 Ordering Period 4 Ordering Period 5

First Article Test

The estimated total quantity for Ordering Period 1 for CLIN 0001 includes the "guaranteed minimum" quantity of 1,000 each.

Range	Unit Price	Wgt								
500 - 999		40%		5%		5%		5%		5%
1,000 - 1,499		50%		40%		40%		40%		40%
1,500 - 1,999		5%		50%		50%		50%		50%
2,000 - 2,500		5%		5%		5%		5%		5%

Weighted Total:

Evaluated Price for CLIN 0001:

CLIN 0002: Periscope, Armored
 NSN: 1240-01-319-5340 PN: 12357841

Range	Unit Price	Wgt								
250 - 499		10%		10%		10%		10%		10%
500 - 999		60%		60%		60%		60%		60%
1,000 - 1,500		30%		30%		30%		30%		30%

Weighted Total:

Evaluated Price for CLIN 0002:

CLIN 0003: Periscope, Armored
 NSN: 1240-01-319-5339 PN: 12357840

Range	Unit Price	Wgt								
250 - 499		20%		20%		20%		20%		20%
500 - 999		75%		75%		75%		75%		75%
1,000 - 1,500		5%		5%		5%		5%		5%

Weighted Total:

Evaluated Price for CLIN 0003:

Total Evaluated Price for All Years:

1. If the offeror fails to submit prices for all CLINs, all ordering periods, all quantity ranges, and/or the First Article Test, then the Government may determine that this offer should be rejected and no longer considered for award.
2. For evaluation purposes, the Government has weighted the ranges based on the likelihood that if an order is placed, it will be placed in that particular range. An evaluation price will be calculated by multiplying the offered unit prices by their respective weights and minimum quantities for each range on each line item and adding the totals for all years. When appropriate, the first article test cost will be added to the total evaluated price for CLIN 0001, Ordering Period 1.
3. A total evaluation price will be determined by adding the adjusted totals on all line items and all years.
4. If first article test cost is required, its cost will be amortized into the unit price for the delivery order.

CONTRACT C WORKSHEET

PRON P20HND03 : AMC 1 AMSC G ATC AWFLB

TDP 12357848 TDPL DATE 11/22/99

NSN 6650013205628 NOMENCLATURE PERISCOPE,ARM

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DOCUMENT	DELETE	REPLACE WITH
SPI12357848	MIL-P-116	MIL-STD-2073-1C
12316159	MIL-C-11866	ASTM 26/26M,ASTM B80,ASTM B584 AND ASTM B148
MS35751	MS35751	NASM35751
QAR 12285078	AQLS	MIL-STD-1916 VL IjV for MAJOR & VL II for MINOR characteristics
QAR 12385079	"	"
QAR 12385081	"	"
QAR 12322177	"	"

For all the above QARS Pgs. 2 or 3 as applicable under PART III-CERTIFICATION REQUIREMENTS delete "(STA FORM 4452 PARA 3.5 APPLIES)" and add "The Certification Provisions of MIL-F-13926 for Certification pf Conformance (COC) and Certified Test Reports (CTR) shall apply for the followins":

DOCUMENT	DELETE	REPLACE WITH	ADD (Pg. 1)
QAR 12285078	MIL-O-13830	MIL-PRF-13830	MIL-F-13926
	L-P-393	MIL-PRF-13930	
QAR 12285079	B-D-451	ASTM-C-1036	MIL-F-13926
	MIL-O-13830	MIL-PRF-13830	
QAR 12285081	MIL-O-13830	MIL-PRF-13830	MIL-F-13926
	MIL-P-46329	MIL-DTL-62420	
QAR 12322177	QQ-A-250/11	ASTM-B209	MIL-F-13926
	MIL-O-13830	MIL-PRF-13830	
QAR 12357797	MIL-O-13830	MIL-PRF-13830	MIL-F-13926

"The following Government Acceptance Inspection Equipment (AIE) designs drawings, cited elsewhere in the technical data, are appropriate for use during performance of this contract to inspect the applicable characteristics

o All AIE designs specified for critical Characteristics/Defects

o Other -Lists by citing individual drawing numbers or equipment list(s).

7641866 SURFACE QUALITY STD FOR OPTICAL ELEMENTS

7680606 TESTER ABRASION, OPTICAL COATING

All other Government AIE designs which are cited in the Technical Data Package List or in any of the documents in the technical data package are no longer being maintained by the Government, may not reflect the latest component configuration and are, therefore, included for information purposes only. Except for the AIE designs

CONTRACT C WORKSHEET

PRON P20HND03 AMC 1 AMSC G ATC AWFLB
 TDP 12357848 TDPL DATE 11/22/99
 NSN 6650013205628 NOMENCLATURE PERISCOPE,ARM

listed above, the contractor is responsible for the design and submission to the Government for review of all other AIE in accordance with Clause _____ specified elsewhere in Section E of this contract."

"CAUTION" This Technical Data Package may contain documentation/data that has been superceded. A higher revision may be available from the prime contractor General Dynamics. AS of the delivery data of this TDP, TACOM-ARDEC is not in a position to reliably synchronize its data with that of prime contractor.

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

CERTIFICATION SIGNATURE(s)/CONCURRENCE

Eng					
Act	RICHARD SHECKFE	RICHARD SHECKFEE	12/6/99	AMSTA-AR-FSF	880-6854
	Type/Print Name	Signature/Concurrence	Date	Office Sym	DSN Tel
LCSE					
Act	LORI GELATO	LORI GELATO	11/24/99	AMSTA-AR-LCS	880-3536
	Type/Print Name	Signature/Concurrence	Date	Office Sym	DSN Tel
Pkg					
Act	JAMES F. ZOLL	JAMES F. ZOLL	11/23/99	AMSTA-AR-EPK	880-2865
	Type/Print Name	Signature/Concurrence	Date	Office Sym	DSN Tel
PAD					
Act	JOHN DUDAS	JOHN DUDAS	12/10/99	AMSTA-AR-QAD	880-6541
	Type/Print Name	Signature/Concurrence	Date	Office Sym	DSN Tel

CONTRACT C WORKSHEET

PRON P20HND02

AMC 1

AMSC G

ATC AWFLEB

TDP 12357841

TDPL DATE 11/16/99

NSN 1240013195340

NOMENCLATURE PERISCOPE,ARM

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DELETE MIL-P-14232 ON SPI 12357841 AND REPLACE THE FOLLOWING NARRATIVE:

**CLEANING OF OPTICAL SURFACES SHALL BE AS FOLLOWS:

--LOOSE PARTICLES OF DUST SHALL BE REMOVED FROM THE SURFACE OF THE OPTICAL ELEMENTS WITH A CAMEL HAIR BRUSH.

--THE SURFACES SHALL BE WIPED WITH A CIRCULAR MOTION USING COTTON, LENS TISSUE PAPER OR FRESHLY LAUNDERED CHEESE CLOTH WHICH IS SATURATED WITH ALCOHOL.

CAUTION: ONLY LENS TISSUE PAPER OR BATISTE CLOTH SHALL BE USED TO CLEAN PLASTIC ELEMENTS. THE SURFACES SHALL BE DRIED BY WIPING WITH CLEAN COTTON, LENS PAPER OR FRESHLY LAUNDERED CHEESE CLOTH.

--A SWAB SHALL BE MADE BY WRAPPING ONE PIECE OF LENS TISSUE PAPER AROUND THE END OF AN ORANGE STICK OR EQUAL. ONE OR TWO DROPS OF ALCOHOL SHALL BE ADDED ON THE TIP OF THE SWAB. EXERT LIGHT

DOWNWARD

PRESSURE ON THE SWAB END WHILE MOVING IN A CIRCULAR MOTION BEGINNING

AT THE CENTER OF THE POLISHED SURFACE. INCREASE RADIUS OF SWABBING AREA UNTIL THERE IS NO TRACE OF DIRT, LINT, OR SMEARS ON THE SWABBED SURFACE.

--A RUBBER SYRINGE SHALL BE USED AS BELLOWS TO REMOVE ANY PARTICLES REMAINING ON THE CLEANED SURFACE.

DOCUMENT	DELETE	REPLACE WITH
SPI 12953841	MIL-P-116	MIL-STD-2073-1C
QAR 12285093 VL II	AQLS	MIL-STD-1916 VL IV for MAJOR & for MINOR characteristics
QAR 12285094	"	"
QAR 12285095	"	"
QAR 12285096	"	"
QAR 12285097	"	"
QAR 12285100	"	"
QAR 12285104	"	"
QAR 12285105	"	"

For all the above QARS Pg. 2 or 3 as applicable under PART

III-CERTIFICATION REQUIREMENTS delete "(STA FORM 4452 PARA 3.5 APPLIES)" and add "The Certification Provisions of MIL-F-13926 for Certification of Conformance (COC) and Certified Test Reports (CTR) shall apply for the following: Delete (3.5.1) & (3.5.4) under CERTIFICATION METHOD where applicable.

DOCUMENT	DELETE	REPLACE WITH	ADD
QAR 12285093 MIL-F-13926	DD-G451	ASTM-C1036	
QAR 12285094 MIL-F-13926	MIL-O-13830	MIL-PRF-13830	
QAR 12285095 MIL-F-13926	MIL-O-13830	MIL-PRF-13830	
QAR 12285096 MIL-F-13926	MIL-O-13830	MIL-PRF-13830	

CONTRACT C WORKSHEET

PRON P20HND02 AMC 1 AMSC G ATC AWFLB

TDP 12357841 TDPL DATE 11/16/99

NSN 1240013195340 NOMENCLATURE PERISCOPE,ARM

QAR 12285097	MIL-0-13830	MIL-PRF-13830
MIL-F-13926		
QAR 12285100	MIL-0-13830	MIL-PRF-13830
MIL-F-13926		
QAR 12285104	MIL-P-46239	MIL-PRF-62420
MIL-F-13926		
QAR 12285105	MIL-O-13830	MIL-PRF-13830
MIL-F-13926		

"The following Government Acceptance Inspection Equipment (AIE) designs drawings, cited elsewhere in the technical data, are appropriate for use during performance of this contract to inspect the applicable characteristics

- o All AIE designs specified for critical Characteristics/Defects

- o Other -Lists by citing individual drawing numbers or equipment list(s).

7641866 SURFACE QUALITY STD FOR OPTICAL ELEMENTS

7680606 TESTER, ABRASION, OPTICAL COATING

All other Government AIE designs which are cited in the Technical Data Package List or in any of the documents in the technical data package are no longer being maintained by the Government, may not reflect the latest component configuration and are, therefore, included for information purposes only. Except for the AIE designs listed above, the contractor is responsible for the design and

submission to the Government for review of all other AIE in accordance with Clause _____ specified elsewhere in Section E of this contract."

"CAUTION" This Technical Data Package may contain documentation/data that has been superceded. A higher revision may be avail- able from the prime contractor General Dynamics. As of the delivery date of this TDP, TACOM-ARDEC is not in a position to reliably synchronize its data with that of the prime contractor.

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

CERTIFICATION SIGNATURE(s)/CONCURRENCE

Eng

Act	RICHARD SHECKFE	RICHARD SHECKFEE	12/6/99	AMSTA-AR-FSF	
880-6854	Type/Print Name	Signature/Concurrence	Date	Office Sym	DSN
Tel					
LCSE					
Act	EUNICE MACKENN	EUNICE MACKENN	11/17/99	AMSTA-AR-FSF	
880-3587					

CONTRACT C WORKSHEET

PRON P20HND02

AMC 1

AMSC G

ATC AWFLB

TDP 12357841

TDPL DATE 11/16/99

NSN 1240013195340

NOMENCLATURE PERISCOPE,ARM

Type/Print Name	Signature/Concurrence	Date	Office Sym
DSN Tel Pkg ActJAMES F. ZOLL 880-2865	JAMES F. ZOLL	11/17/99	AMSTA-AR-EPK
Type/Print Name	Signature/Concurrence	Date	Office Sym
DSN Tel PAD ActJOHN DUDAS 880-6541	JOHN DUDAS	12/10/99	AMSTA-AR-QAD
Type/Print Name	Signature/Concurrence	Date	Office Sym
DSN Tel			

ATTACH 004

CONTRACT C WORKSHEET

PRON P21HPDX2 AMC 1 AMSC G ATC AWFLB

TDP 12357840 TDPL DATE 01/24/01

NSN 1240013195339 NOMENCLATURE PERISCOPE

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DOCUMENT	DELETE	REPLACE WITH
SPI-12357840	MIL-P-116/MIL-P-14232	MIL-STD-2073-1
12357796	MIL-P-46144C	A-A-59502
12357796	NOTE 7	NEW NOTE 7 (see below)
12357796	MIL-C-83409	

NEW NOTE 7:

- (a) Both side of plastic window to be coated with a clear abrasive coating. The abrasive test in accordance with ASTM D1044 using a CS10F cali-brase wheels for 100 cycles under a 500 gram load. OPTIONAL: One face (external) coated plastic window may be used.
- (b) Coating adhesion shall be tested after humidity exposure in accordance with MIL-STD-810, METHOD 507 for 240 hrs. (10 cycles) and then subjected to the adhesion test. The adhesion test shall be applied to the unexposed test specimen.
- (c) ADHESION TEST METHOD:
The coating is cut or scribed in a cross hatch pattern. A tape, 3M670, is applied to the cross hatched area and firmly press down. The tape is removed using a snap motion 90 degrees to the test specimen.
- (d) ENVIRONMENTAL:
TEMPERATURE RANGE: -65 deg F to plus 160 deg F
(2 hours at each temperature).

12285104 drawing is a "E" size not a "D".

QAR 12285093	AQLS	MIL-STD-1916 VL IV for MAJOR and VL II for MINOR sharakteristics
QAR 12285094	"	"
QAR 12285095	"	"
QAR 12285096	"	"
QAR 12285097	"	"
QAR 12285099	"	"
QAR 12285100	"	"
QAR 12285104	"	"
QAR 12285105	"	"

For QARS 12285093, 12285094, 12285095, 12285096, 12285097, 12285099, 12285100, 12285104, & 12285105 under PART III CERTIFICATION REQUIREMENTS delete "(STA FORM 4452, PARA. 3.5 APPLIES)" and add "The Certification Provisions of MIL-P-13926 for Certification of Conformance (COC) and Certified Test Reports (CTR) shall apply. On PG. 1 under SPECIFICATIONS add MIL-F-13926.

"The following Government Acceptance Inspection Equipment (AIE) designs drawings, cited elsewhere in the technical data, are

CONTRACT C WORKSHEET

PRON P21HPDX2 AMC 1 AMSC G ATC AWFLB
 TDP 12357840 TDPL DATE 01/24/01
 NSN 1240013195339 NOMENCLATURE PERISCOPE

appropriate for use during performance of this contract to inspect the applicable characteristics

- o All AIE designs specified for critical Characteristics/Defects

- o Other -Lists by citing individual drawing numbers or equipment list(s).

7641866 SURFACE QUALITY STD FOR OPTICAL ELEMENTS
 7680606 TESTER, ABRASION, OPTICAL COATING

All other Government AIE designs which are cited in the Technical Data Package List or in any of the documents in the technical data package are no longer being maintained by the Government, may not reflect the latest component configuration and are, therefore, included for information purposes only. Except for the AIE designs listed above, the contractor is responsible for the design and submission to the Government for review of all other AIE in accordance with Clause _____ specified elsewhere in Section E of this contract."

SQ 12357797 Sheet 4 change rev from B to C.

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

CERTIFICATION SIGNATURE(s)/CONCURRENCE

Eng				
Act	RICHARD SHECKFE	RICHARD SHECKFEE	2/9/01	AMSTA-AR-FSF 880-6854
	Type/Print Name	Signature/Concurrence	Date	Office Sym DSN Tel
LCSE				
Act	EUNICE MACKENN	EUNICE MACKENN	1/25/01	AMSTA-AR-FSF 880-3587
	Type/Print Name	Signature/Concurrence	Date	Office Sym DSN Tel
Pkg				
Act	JAMES F. ZOLL	JAMES F. ZOLL	1/26/01	AMSTA-AR-WEP 880-2865
	Type/Print Name	Signature/Concurrence	Date	Office Sym DSN Tel
PAD				
Act	JOHN DUDAS	JOHN DUDAS	2/13/01	AMSTA-AR-QAD 880-6541
	Type/Print Name	Signature/Concurrence	Date	Office Sym DSN Tel

APPENDIX I

GOVERNMENT-DESIGNED ACCEPTANCE INSPECTION EQUIPMENT

AVAILABLE EQUIPMENT					Estimated Weight		
<u>QTY</u>	<u>DRAWING NUMBER</u>	<u>REV</u> <u>SYM</u>	<u>COST</u> <u>EACH</u>	<u>QTY</u>	<u>DRAWING NUMBER</u>	<u>REV</u> <u>SYM</u>	<u>COST</u> <u>EACH</u>
1	7641866	N	\$2000.00			5 lb	

DOCUMENT SUMMARY LIST

 Item: PERISCOPE, ARMORED VEHICLE

NSN: 1240-01-319-5628

P/N: 12357848

Control Number/PRON: P20HND03

 Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-2549 Table DIP 4-1	Configuration Management Data Interface	30 Jun 97 Cat 2
1b. DI-CMAN-81554 (seq A001)	Configuration Change Control Data Information Packet	30 Jun 97 Cat 2
2. ANSI/ISO/ASQC Q9003 or equivalent	Quality Systems-Model for Quality Assurance in Final Inspection and Test	18 Jul 94
3. MIL-PRF-13830 Rev B	Optical Components For Fire Control Instruments; Gen.Spec.	09 Jan 97 Cat 2

DOCUMENT SUMMARY LIST

 Item: PERISCOPE, ARMORED VEHICLE

NSN: 1240-01-319-5340

P/N: 12357841

Control Number/PRON: P20HND02

 Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-2549 Table DIP 4-1	Configuration Management Data Interface	30 Jun 97 Cat 2
1b. DI-CMAN-81554 (seq A001)	Configuration Change Control Data Information Packet	30 Jun 97 Cat 2
2. ANSI/ISO/ASQC Q9003 or equivalent	Quality Systems-Model for Quality Assurance in Final Inspection and Test	18 Jul 94
3. MIL-PRF-13830 Rev B	Optical Components For Fire Control Instruments; Gen.Spec.	09 Jan 97 Cat 2

DOCUMENT SUMMARY LIST

Item: PERISCOPE
 NSN: 1240-01-319-5339 *P/W: 12357840*
 Control Number/PRON: P21HPDX2

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-2549 Table DIP 4-1	Configuration Management Data Interface	30 Jun 97 Cat 2
1b. DI-CMAN-81554 (seq A001)	Configuration Change Control Data Information Packet	30 Jun 97 Cat 2
2. ANSI/ISO/ASQC Q9003 or equivalent	Quality Systems-Model for Quality Assurance in Final Inspection and Test	18 Jul 94
3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1
4. MIL-PRF-13830 Rev B	Optical Components For Fire Control Instruments; Gen.Spec.	09 Jan 97 Cat 2

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: PERISCOPE, ARMORED VEHICLE
TO CONTRACT/PR: P20HND03

D/W 12357848

- 1. SEQUENCE NUMBER
- 2. TITLE OF DATA ITEM
- 3. SUBTITLE
- 4. DATA ITEM NUMBER
- 5. CONTRACT REFERENCE
- 6. TECHNICAL OFFICE
- 7. DD 250
- 8. APP CODE
- 9. DIST STATEMENT REQUIRED
- 10. FREQUENCY
- 11. AS OF DATE
- 12. DATE OF 1ST SUBMISSION
- 13. DATE OF SUBSEQUENT SUBMISSION
- 14. DISTRIBUTION
- 15. DRFT/REG/REPRO COPIES
- 16. REMARKS

-
- 1. A001
 - 2. CONFIGURATION CHANGE CONTROL*
 - 3. ENGINEERING ACTIONS
 - 4. DI-CMAN-81554
 - 5. SECTION C
 - 6. AMSTA-AR-ES
 - 7. NO
 - 8. -
 - 9. **
 - 10. ASREQ
 - 11. ---
 - 12. ASREQ
 - 13. ASREQ
 - 14. AMSTA-AR-ES (ECALS) / /
 - 15. TOTAL 0/ 0/ 0

16. REMARKS
 PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE [HTTP://EDMD4.PICA.ARMY.MIL/](http://EDMD4.PICA.ARMY.MIL/). *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD DATE: 01/26/2000

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: PERISCOPE, ARMORED VEHICLE

TO CONTRACT/PR: P20HND02

P/W 12357841

- 1. SEQUENCE NUMBER
- 2. TITLE OF DATA ITEM
- 3. SUBTITLE
- 4. DATA ITEM NUMBER
- 5. CONTRACT REFERENCE
- 6. TECHNICAL OFFICE
- 7. DD 250
- 8. APP CODE
- 9. DIST STATEMENT REQUIRED
- 10. FREQUENCY
- 11. AS OF DATE
- 12. DATE OF 1ST SUBMISSION
- 13. DATE OF SUBSEQUENT SUBMISSION
- 14. DISTRIBUTION
- 15. TOTAL:
- 16. REMARKS

-
- 1. A001
 - 2. CONFIGURATION CHANGE CONTROL*
 - 3. ENGINEERING ACTIONS
 - 4. DI-CMAN-81554
 - 5. SECTION C
 - 6. AMSTA-AR-ES
 - 7. NO
 - 8. -
 - 9. **
 - 10. ASREQ
 - 11. ---
 - 12. ASREQ
 - 13. ASREQ
 - 14. AMSTA-AR-ES (ECALS)
 - 15. TOTAL 0/ 0/ 0

16. REMARKS
 PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE [HTTP://EDMD4.PICA.ARMY.MIL/](http://EDMD4.PICA.ARMY.MIL/). *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD DATE: 01/26/2000

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: PERISCOPE
TO CONTRACT/PR: P21HPDX2

P/N 12357840

- 1. SEQUENCE NUMBER
- 2. TITLE OF DATA ITEM
- 3. SUBTITLE
- 4. DATA ITEM NUMBER
- 5. CONTRACT REFERENCE
- 6. TECHNICAL OFFICE
- 7. DD 250
- 8. APP CODE
- 9. DIST STATEMENT REQUIRED
- 10. FREQUENCY
- 11. AS OF DATE
- 12. DATE OF 1ST SUBMISSION
- 13. DATE OF SUBSEQUENT SUBMISSION
- 14. DISTRIBUTION
- 15. DRFT/REG/REPRO COPIES
- 16. REMARKS

-
- 1. A001
 - 2. CONFIGURATION CHANGE CONTROL*
3. ENGINEERING ACTIONS
 - 4. DI-CMAN-81554
 - 5. SECTION C
 - 6. AMSTA-AR-ES
 - 7. NO
 - 8. -
 - 9. **
 - 10. ASREQ
 - 11. ---
 - 12. ASREQ
 - 13. ASREQ
 - 14. AMSTA-AR-CCL-F (ECALS) / /
 - 15. TOTAL 0/ 0/ 0
 - 16. REMARKS

PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE [HTTP://EDMD4.PICA.ARMY.MIL/](http://EDMD4.PICA.ARMY.MIL/). *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.

-
- 1. A002
 - 2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.
 - 3. AIE DESIGN DOCUMENTATION
 - 4. DI-QCIC-81006*
 - 5. SECTION E
 - 6. AMSTA-AR-QA
 - 7. XX
 - 8. A
 - 9. N/A
 - 10. ONE/R
 - 11. N/A
 - 12. **
 - 13. WHEN REV.
 - 14. AMSTA-AR-QAC (D) (1) / 1/ / /
 - 15. TOTAL 0/ 1/ 0
 - 16. REMARKS

* BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2, 10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID. SUBMIT FOR ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP. ** BLOCK 12: SUBMIT 30 DAYS PRIOR TO FA, OR PRODUCTION, IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 30 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS. REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE. IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT

ONLY EVIDENCE OF PRIOR APPROVALS.

email: (1)aie-qac@pica.army.mil (2)amsta-ar-qa-cdrl@ria-emh2.army.mil

Text:Microsoft Office 97

Drawings:AutoCAD-Release 14(Expressed mailed hard copies will be accepted)

Files may be compressed using ZIP program.

WARNING: Large packages may cause delays in delivery using mail internet.

Email subject line must contain end item nomenclature.

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 02/28/2001