

SPECIAL PACKAGING INSTRUCTION				Form Approved OMB No. 0704-0188	
<small>The public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and reviewing the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Service, Directorate for Information Operations and Reports (9704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subjected to any penalty for failing to comply with a collection of information if it does not display a properly valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS.</small>					
1. PART OR DRAWING NO. NOMENCLATURE		2. CODE INDENT		3. SPI NO.	
12357918 PERISCOPE		19207		(AM) P 12357918	
4. NATIONAL STOCK NO.		5. DATE OF DRAWING/SP/YYMMDD		6. REVISION / ERR NO.	
6850-01-317-9138		02-02-19		E/H2K2003	
7. QUP / UNIT OF ISSUE	8. ICG	9. UNIT PACK WT. (LBS) (0 0)	10. UNIT PACK CU. (CU. FT) (0 000)	11. UNIT PACK SIZE (INCHES)(00 0)	
1/EA	-	10.25	0.238	10.5 X 9.2 X 4.2	
12. MILITARY PRESERVATION			13. STEPS	14. REQD	15. DESCRIPTION
MIL-STD-2073-1, METHOD 41			1	AR	LENS TISSUE, SEE NOTE ** AND NOTE (A)
13. CLEANING			2	AR	TAPE, A-A-883
* AND **			3	AR	CUSHIONING, PPP-C-795, TY-THIN, CL-2
14. DRYING			4	1	BAG, MIL-DTL-117, TY-I, CL-E
*			5	1	CONTAINER, ASTM D5118, ST-FOL, GR-125
16. PACKING			6		CLOSURE, ASTM D1974, SEALING METHOD B
a. LEVEL A					
MIL-STD-2073-1					
b. LEVEL B					
MIL-STD-2073-1					
18. MARKING					
MIL-STD-129					
17. NOTES/DRAWINGS					
<p>* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.</p> <p>**CLEANING OF OPTICAL SURFACES SHALL BE AS FOLLOWS: -LOOSE PARTICLES OF DUST SHALL BE REMOVED FROM THE SURFACE OF THE OPTICAL ELEMENTS WITH A CAMEL HAIR BRUSH. -THE SURFACES SHALL BE WIPED WITH A CIRCULAR MOTION USING COTTON, LENS TISSUE PAPER OR FRESHLY LAUNDERED CHEESECLOTH WHICH IS SATURATED WITH ALCOHOL. -LENS TISSUE SHALL BE OF LINT-FREE PAPER DESIGNED TO CLEAN AND PROTECT OPTICAL SURFACES WITHOUT SCRATCHING. SHALL HAVE A BASIS WEIGHT OF 8.5 +/- 0.8 LBS. DRY TENSILE STRENGTH (15mm WIDTH) IN THE MACHINE AND CROSS DIRECTION SHALL BE A MINIMUM OF 450 GRAMS.</p> <p>CAUTION: ONLY LENS TISSUE PAPER OR BATISTE CLOTH SHALL BE USED TO CLEAN PLASTIC ELEMENTS. THE SURFACES SHALL BE DRIED BY WIPING WITH CLEAN COTTON, LENS PAPER OR FRESHLY LAUNDERED CHEESE CLOTH. -A SWAB SHALL BE MADE BY WRAPPING ONE PIECE OF LENS TISSUE PAPER AROUND THE END OF AN ORANGE STICK OR EQUAL. ONE OR TWO DROPS OF ALCOHOL SHALL BE ADDED ON THE TIP OF THE SWAB. EXERT LIGHT DOWNWARD PRESSURE ON THE SWAB END WHILE MOVING IN A CIRCULAR MOTION BEGINNING AT THE CENTER OF THE POLISHED SURFACE. INCREASE RADIUS OF SWABBING AREA UNTIL THERE IS NO TRACE OF DIRT, LINT, OR SMEARS ON THE SWABBED SURFACE. -A RUBBER SYRINGE SHALL BE USED AS BELLOWES TO REMOVE ANY PARTICLES REMAINING ON THE CLEANED SURFACE.-- (A) COVER OPTICAL SURFACES WITH A DOUBLE THICKNESS OF LENS TISSUE AND SECURE WITH TAPE.</p>					
WSC: MM ITEM SIZE: 9.5 X 8.06 X 3.03 ITEM WEIGHT: 9.5 APPROVED: VISHWA N. KHANNA					
DISTRIBUTION STATEMENT A, UNLIMITED					

SPECIAL PACKAGING INSTRUCTION				Form Approved OMB No. 0704-0188	
<small>The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subjected to any penalty for failing to comply with a collection of information if it does not display a unique OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS.</small>					
1. PART OR DRAWING NO. 12357840 PERISCOPE ASSY (COMDR SIDE)		2. CODE INCIDENT 19207		3. SPI NO. (AM) P12357840	
4. NATIONAL STOCK NO. 1240-01-319-533		5. DATE OF DRAWING/REV (YYMMDD) 02-02-19		6. REVISION / EWR NO. DH2K2003	
7. QUP / UNIT OF ISSUE 1/EA	8. ICC -	9. UNIT PACK WT. (LB) (0 0) 8.7	10. UNIT PACK CU (CU FT.) (0.000) 0.224	11. UNIT PACK SIZE (INCHES) (00.0) 10.0 x 9.7 x 4.0	
12. MILITARY PRESERVATION MIL-STD-2073-1, METHOD 41			12a. STEPS	12b. REQD	12c. DESCRIPTION
13. CLEANING * AND **			1	AR	LENS TISSUE, SEE NOTE ** AND NOTE (A)
14. DRYING			2	AR	TAPE, A-A-883
15. PACKING			3	AR	CUSHIONING, PPP-C-785, TY-THIN, CL-2
a. LEVEL A MIL-STD-2073-1			4	1	BAG, MIL-DTL-117, TY-1, CL-E
b. LEVEL B MIL-STD-2073-1			5	1	CONTAINER, ASTM D5118, ST-RSC, GR-W5C
16. MARKING MIL-STD-129			6		CLOSURE, ASTM D1974, SEALING METHOD B
17. NOTES/DRAWINGS					
<p>* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.</p> <p>**CLEANING OF OPTICAL SURFACES SHALL BE AS FOLLOWS: --LOOSE PARTICLES OF DUST SHALL BE REMOVED FROM THE SURFACE OF THE OPTICAL ELEMENTS WITH A CAMEL HAIR BRUSH. --THE SURFACES SHALL BE WIPED WITH A CIRCULAR MOTION USING COTTON, LENS TISSUE PAPER OR FRESHLY LAUNDERED CHEESECLOTH WHICH IS SATURATED WITH ALCOHOL. --LENS TISSUE SHALL BE OF LINT-FREE PAPER DESIGNED TO CLEAN AND PROTECT OPTICAL SURFACES WITHOUT SCRATCHING. SHALL HAVE A BASIS WEIGHT OF 8.5 +/- 0.6 LBS. DRY TENSILE STRENGTH (15mm WIDTH) IN THE MACHINE AND CROSS DIRECTION SHALL BE A MINIMUM OF 450 GRAMS.</p> <p>CAUTION: ONLY LENS TISSUE PAPER OR BATISTE CLOTH SHALL BE USED TO CLEAN PLASTIC ELEMENTS. THE SURFACES SHALL BE DRIED BY WIPING WITH CLEAN COTTON, LENS PAPER OR FRESHLY LAUNDERED CHEESE CLOTH. --A SWAB SHALL BE MADE BY WRAPPING ONE PIECE OF LENS TISSUE PAPER AROUND THE END OF AN ORANGE STICK OR EQUAL. ONE OR TWO DROPS OF ALCOHOL SHALL BE ADDED ON THE TIP OF THE SWAB. EXERT LIGHT DOWNWARD PRESSURE ON THE SWAB END WHILE MOVING IN A CIRCULAR MOTION BEGINNING AT THE CENTER OF THE POLISHED SURFACE. INCREASE RADIUS OF SWABBING AREA UNTIL THERE IS NO TRACE OF DIRT, LINT, OR SMEARS ON THE SWABBED SURFACE. --A RUBBER SYRINGE SHALL BE USED AS BELLOW TO REMOVE ANY PARTICLES REMAINING ON THE CLEANED SURFACE.-- (A) COVER OPTICAL SURFACES WITH A DOUBLE THICKNESS OF LENS TISSUE AND SECURE WITH TAPE.</p>					
WSC: JE		ITEM SIZE: 9.0 X 8.75 X 3.0		ITEM WEIGHT: 7.9	
DISTRIBUTION STATEMENT A, UNLIMITED		APPROVED: VISHWA N. KHANNA			

SPECIAL PACKAGING INSTRUCTION				Form Approved OMB No. 0704-0188	
<small>The public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Service, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, Va 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS.</small>					
1. PART OR DRAWING NO. NOMENCLATURE		2. CODE INCIDENT		3. SPI NO.	
12357841 PERISCOPE, ARMORED VEHICLE		19207		(AM) P 12357841	
4. NATIONAL STOCK NO.		5. DATE OF DRAWING/SPR(Y/M/DO)		6. REVISION / ERR NO.	
1240-01-319-5340		02-02-19		DH2K2003	
7. QUP / UNIT OF ISSUE	8. ICQ	9. UNIT PACK WT. (LB) (0.0)	10. UNIT PACK CU. (CU. FT.)(0.000)	11. UNIT PACK SIZE (INCHES)(00 0)	
1/EA	-	8.5	0.359	15.5 X 10.0 X 4.0	
12. MILITARY PRESERVATION			12a. STEPS	12b. REQD	12c. DESCRIPTION
MIL-STD-2073-1, METHOD 41			1	AR	LENS TISSUE, SEE NOTE ** AND NOTE (A)
13. CLEANING			2	AR	TAPE, A-A-883
* AND **			3	AR	CUSHIONING, PPP-C-795, TY-THIN, CL-2
14. DRYING			4	1	BAG, MIL-DTL-117, TY-I, CL-E
.			5	1	CONTAINER, ASTM D5118, ST-RSC, GR-W5C
15. PACKING			6		CLOSURE, ASTM D1974, SEALING METHOD B
a. LEVEL A					
MIL-STD-2073-1					
b. LEVEL B					
MIL-STD-2073-1					
16. MARKING					
MIL-STD-129					
17. NOTES/DRAWINGS					
<p>* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.</p> <p>**CLEANING OF OPTICAL SURFACES SHALL BE AS FOLLOWS: -LOOSE PARTICLES OF DUST SHALL BE REMOVED FROM THE SURFACE OF THE OPTICAL ELEMENTS WITH A CAMEL HAIR BRUSH. -THE SURFACES SHALL BE WIPED WITH A CIRCULAR MOTION USING COTTON, LENS TISSUE PAPER OR FRESHLY LAUNDERED CHEESECLOTH WHICH IS SATURATED WITH ALCOHOL. -LENS TISSUE SHALL BE OF LINT-FREE PAPER DESIGNED TO CLEAN AND PROTECT OPTICAL SURFACES WITHOUT SCRATCHING. SHALL HAVE A BASIS WEIGHT OF 8.5 +/- 0.6 LBS. DRY TENSILE STRENGTH (15mm WIDTH) IN THE MACHINE AND CROSS DIRECTION SHALL BE A MINIMUM OF 450 GRAMS.</p> <p>CAUTION: ONLY LENS TISSUE PAPER OR BATISTE CLOTH SHALL BE USED TO CLEAN PLASTIC ELEMENTS. THE SURFACES SHALL BE DRIED BY WIPING WITH CLEAN COTTON, LENS PAPER OR FRESHLY LAUNDERED CHEESE CLOTH. --A SWAB SHALL BE MADE BY WRAPPING ONE PIECE OF LENS TISSUE PAPER AROUND THE END OF AN ORANGE STICK OR EQUAL. ONE OR TWO DROPS OF ALCOHOL SHALL BE ADDED ON THE TIP OF THE SWAB. EXERT LIGHT DOWNWARD PRESSURE ON THE SWAB END WHILE MOVING IN A CIRCULAR MOTION BEGINNING AT THE CENTER OF THE POLISHED SURFACE. INCREASE RADIUS OF SWABBING AREA UNTIL THERE IS NO TRACE OF DIRT, LINT, OR SMEARS ON THE SWABBED SURFACE. --A RUBBER SYRINGE SHALL BE USED AS BELLOWES TO REMOVE ANY PARTICLES REMAINING ON THE CLEANED SURFACE.-- (A) COVER OPTICAL SURFACES WITH A DOUBLE THICKNESS OF LENS TISSUE AND SECURE WITH TAPE.</p>					
WSC: JE ITEM SIZE: 14.05 X 8.6 X 3.0 ITEM WEIGHT: 8.00 APPROVED: VISHWA N. KHANNA					
DISTRIBUTION STATEMENT A, UNLIMITED					

SPECIAL PACKAGING INSTRUCTION				Form Approved OMB No. 0704-0188	
<small>The public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subjected to any penalty for failing to comply with a collection of information if it does not display a valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ADDRESS</small>					
1. PART OR DRAWING NO. NOMENCLATURE 12357848 PERISCOPE, DRIVER UNITY		2. CODE INCIDENT 19207		3. SPI NO. (AM) P12357848	
4. NATIONAL STOCK NO. 6850-01-320-5628		5. DATE OF DRAWING/SPI(YMMDD) 02-02-19		6. REVISION / ERR NO. C/H2K2003	
7. QUP / UNIT OF ISSUE 1/EA	8. ICO -	9. UNIT PACK WT. (LB) (0 0) 8.8	10. UNIT PACK CU. (CU. FT.) (0 000) 0.273	11. UNIT PACK SIZE (INCHES)(00 0) 12.0 X 6.8 X 5.8	
12. MILITARY PRESERVATION MIL-STD-2073-1, METHOD 41		13a. STEPS	13b. REQD	13c. DESCRIPTION	
13. CLEANING		1	AR	LENS TISSUE, SEE NOTE ** AND NOTE (A)	
* AND **		2	AR	TAPE, A-A-883	
		3	AR	CUSHIONING, PPP-C-785, TY-THIN, CL-2	
14. DRYING		4	1	BAG, MIL-DTL-117, TY-I, CL-E	
*		5	1	CONTAINER, ASTM D5118, ST-RSC, GR-W5C	
15. PACKING		6		CLOSURE, ASTM D1974, SEALING METHOD B	
a. LEVEL A MIL-STD-2073-1					
b. LEVEL B MIL-STD-2073-1					
16. MARKING MIL-STD-129					
17. NOTES/DRAWINGS					
<p>* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.</p> <p>**CLEANING OF OPTICAL SURFACES SHALL BE AS FOLLOWS: --LOOSE PARTICLES OF DUST SHALL BE REMOVED FROM THE SURFACE OF THE OPTICAL ELEMENTS WITH A CAMEL HAIR BRUSH. --THE SURFACES SHALL BE WIPED WITH A CIRCULAR MOTION USING COTTON, LENS TISSUE PAPER OR FRESHLY LAUNDERED CHEESE CLOTH WHICH IS SATURATED WITH ALCOHOL. --LENS TISSUE SHALL BE OF LINT-FREE PAPER DESIGNED TO CLEAN AND PROTECT OPTICAL SURFACES WITHOUT SCRATCHING. SHALL HAVE A BASIS WEIGHT OF 8.5 +/- 0.6 LBS. DRY TENSILE STRENGTH (15mm WIDTH) IN THE MACHINE AND CROSS DIRECTION SHALL BE A MINIMUM OF 450 GRAMS.</p> <p>CAUTION: ONLY LENS TISSUE PAPER OR BATISTE CLOTH SHALL BE USED TO CLEAN PLASTIC ELEMENTS. THE SURFACES SHALL BE DRIED BY WIPING WITH CLEAN COTTON, LENS PAPER OR FRESHLY LAUNDERED CHEESE CLOTH. --A SWAB SHALL BE MADE BY WRAPPING ONE PIECE OF LENS TISSUE PAPER AROUND THE END OF AN ORANGE STICK OR EQUAL. ONE OR TWO DROPS OF ALCOHOL SHALL BE ADDED ON THE TIP OF THE SWAB. EXERT LIGHT DOWNWARD PRESSURE ON THE SWAB END WHILE MOVING IN A CIRCULAR MOTION BEGINNING AT THE CENTER OF THE POLISHED SURFACE. INCREASE RADIUS OF SWABBING AREA UNTIL THERE IS NO TRACE OF DIRT, LINT, OR SMEARS ON THE SWABBED SURFACE. --A RUBBER SYRINGE SHALL BE USED AS BELLOWES TO REMOVE ANY PARTICLES REMAINING ON THE CLEANED SURFACE.-- (A) COVER OPTICAL SURFACES WITH A DOUBLE THICKNESS OF LENS TISSUE AND SECURE WITH TAPE.</p>					
WSC: JE		ITEM SIZE: 10.75 X 5.7 X 4.56		ITEM WEIGHT: 8.0	
				APPROVED: VISHWA N. KHANNA	
DISTRIBUTION STATEMENT A, UNLIMITED					

SPECIAL PACKAGING INSTRUCTION				Form Approved OMB No. 0704-0188	
<small>The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Service, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, Va 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subjected to any penalty for failing to comply with a collection of information if it does not display a valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ADDRESS</small>					
1. PART OR DRAWING NO. NOMENCLATURE 12357908 PERISCOPE 15° ULOOK		2. CODE IDENT 19207		3. SPI NO. (AM) P 12357908	
4. NATIONAL STOCK NO. 6650-01-317-9139		5. DATE OF DRAWING/SPR(YMMDD) 02-02-19		6. REVISION / SPR NO. C/H2K2003	
7. QUP / UNIT OF ISSUE 1/EA	8. ICG -	9. UNIT PACK WT. (LB) (0.0) 10.25	10. UNIT PACK CU (CU FT.)(0.000) 0.347	11. UNIT PACK SIZE (INCHES)(00 0) 11.8 X 10.6 X 4.0	
12. MILITARY PRESERVATION MIL-STD-2073-1, METHOD 41			12a. STEPS	12b. RECD	12c. DESCRIPTION
13. CLEANING * AND **			1	AR	LENS TISSUE, SEE NOTE ** AND NOTE (A)
14. DRYING *			2	AR	TAPE, A-A-883
15. PACKING			3	AR	CUSHIONING, PPP-C-795, TY-THIN, CL-2
			4	1	BAG, MIL-DTL-117, TY-1, CL-E
			5	1	CONTAINER, ASTM D5118, ST-RSC, GR-W5C
			6		CLOSURE, ASTM D1974, SEALING METHOD B
13. LEVEL A MIL-STD-2073-1					
13. LEVEL B MIL-STD-2073-1					
16. MARKING MIL-STD-129					
17. NOTES/DRAWINGS					
<p>* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.</p> <p>**CLEANING OF OPTICAL SURFACES SHALL BE AS FOLLOWS: --LOOSE PARTICLES OF DUST SHALL BE REMOVED FROM THE SURFACE OF THE OPTICAL ELEMENTS WITH A CAMEL HAIR BRUSH. --THE SURFACES SHALL BE WIPED WITH A CIRCULAR MOTION USING COTTON, LENS TISSUE PAPER OR FRESHLY LAUNDERED CHEESE CLOTH WHICH IS SATURATED WITH ALCOHOL. --LENS TISSUE SHALL BE OF LINT-FREE PAPER DESIGNED TO CLEAN AND PROTECT OPTICAL SURFACES WITHOUT SCRATCHING. SHALL HAVE A BASIS WEIGHT OF 8.5 +/- 0.6 LBS. DRY TENSILE STRENGTH (15mm WIDTH) IN THE MACHINE AND CROSS DIRECTION SHALL BE A MINIMUM OF 450 GRAMS.</p> <p>CAUTION: ONLY LENS TISSUE PAPER OR BATISTE CLOTH SHALL BE USED TO CLEAN PLASTIC ELEMENTS. THE SURFACES SHALL BE DRIED BY WIPING WITH CLEAN COTTON, LENS PAPER OR FRESHLY LAUNDERED CHEESE CLOTH. --A SWAB SHALL BE MADE BY WRAPPING ONE PIECE OF LENS TISSUE PAPER AROUND THE END OF AN ORANGE STICK OR EQUAL. ONE OR TWO DROPS OF ALCOHOL SHALL BE ADDED ON THE TIP OF THE SWAB. EXERT LIGHT DOWNWARD PRESSURE ON THE SWAB END WHILE MOVING IN A CIRCULAR MOTION BEGINNING AT THE CENTER OF THE POLISHED SURFACE. INCREASE RADIUS OF SWABBING AREA UNTIL THERE IS NO TRACE OF DIRT, LINT, OR SMEARS ON THE SWABBED SURFACE. --A RUBBER SYRINGE SHALL BE USED AS BELLOWES TO REMOVE ANY PARTICLES REMAINING ON THE CLEANED SURFACE.-- (A) COVER OPTICAL SURFACES WITH A DOUBLE THICKNESS OF LENS TISSUE AND SECURE WITH TAPE.</p>					
WSC: MM		ITEM SIZE: 10.61 X 9.5 X 3.6		ITEM WEIGHT: 9.5	
DISTRIBUTION STATEMENT A, UNLIMITED		APPROVED: VISHWA N. KHANNA			

SPECIAL PACKAGING INSTRUCTION				Form Approved OMB No. 0704-0188	
<small>The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Service, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subjected to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ADDRESS.</small>					
1. PART OR DRAWING NO. 12357909 PERISCOPE 20° UPLOOK		2. CODE INCIDENT 18207		3. SPI NO. (AM) P12357909	
4. NATIONAL STOCK NO. 1240-01-319-8994		6. DATE OF DRAWING/IMP(YMMDD) 02-02-19		5. REVISION / ENR NO. B/H2K2003	
7. QUP / UNIT OF ISSUE 1/EA	8. ICG -	9. UNIT PACK WT. (LB) (0 0) 6.7	10. UNIT PACK CU. (CU. FT) (0 000) 0.208	11. UNIT PACK SIZE (INCHES)(00 0) 10.0 X 7.8 X 4.6	
12. MILITARY PRESERVATION			13. CLEANING		
MIL-STD-2073-1, METHOD 41			13a. STEPS 1	13b. REQD AR	13c. DESCRIPTION LENS TISSUE, SEE NOTE ** AND NOTE (A)
* AND **			2	AR	TAPE, A-A-883
14. DRYING			3	AR	CUSHIONING, PPP-C-795, TY-THIN, CL-2
*			4	1	BAG, MIL-DTL-117, TY-I, CL-E
15. PACKING			5	1	CONTAINER, ASTM D5118, ST-RSC, GR-W5C
a. LEVEL A			6		CLOSURE, ASTM D1974, SEALING METHOD B
MIL-STD-2073-1					
b. LEVEL B					
MIL-STD-2073-1					
16. MARKING					
MIL-STD-129					
17. NOTES/DRAWINGS					
<p>* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.</p> <p>**CLEANING OF OPTICAL SURFACES SHALL BE AS FOLLOWS: --LOOSE PARTICLES OF DUST SHALL BE REMOVED FROM THE SURFACE OF THE OPTICAL ELEMENTS WITH A CAMEL HAIR BRUSH. --THE SURFACES SHALL BE WIPED WITH A CIRCULAR MOTION USING COTTON, LENS TISSUE PAPER OR FRESHLY LAUNDERED CHEESE CLOTH WHICH IS SATURATED WITH ALCOHOL. --LENS TISSUE SHALL BE OF LINT-FREE PAPER DESIGNED TO CLEAN AND PROTECT OPTICAL SURFACES WITHOUT SCRATCHING. SHALL HAVE A BASIS WEIGHT OF 8.5 +/- 0.8 LBS. DRY TENSILE STRENGTH (15mm WIDTH) IN THE MACHINE AND CROSS DIRECTION SHALL BE A MINIMUM OF 450 GRAMS.</p> <p>CAUTION: ONLY LENS TISSUE PAPER OR BATISTE CLOTH SHALL BE USED TO CLEAN PLASTIC ELEMENTS. THE SURFACES SHALL BE DRIED BY WIPING WITH CLEAN COTTON, LENS PAPER OR FRESHLY LAUNDERED CHEESE CLOTH. --A SWAB SHALL BE MADE BY WRAPPING ONE PIECE OF LENS TISSUE PAPER AROUND THE END OF AN ORANGE STICK OR EQUAL. ONE OR TWO DROPS OF ALCOHOL SHALL BE ADDED ON THE TIP OF THE SWAB. EXERT LIGHT DOWNWARD PRESSURE ON THE SWAB END WHILE MOVING IN A CIRCULAR MOTION BEGINNING AT THE CENTER OF THE POLISHED SURFACE. INCREASE RADIUS OF SWABBING AREA UNTIL THERE IS NO TRACE OF DIRT, LINT, OR SMEARS ON THE SWABBED SURFACE. --A RUBBER SYRINGE SHALL BE USED AS BELLOW TO REMOVE ANY PARTICLES REMAINING ON THE CLEANED SURFACE-- (A) COVER OPTICAL SURFACES WITH A DOUBLE THICKNESS OF LENS TISSUE AND SECURE WITH TAPE.</p>					
WSC: MM		ITEM SIZE: 8.5 X 8.68 X 3.63		ITEM WEIGHT: 6.1	
DISTRIBUTION STATEMENT A, UNLIMITED		APPROVED: VISHWA N. KHANNA			

SPECIAL PACKAGING INSTRUCTION				Form Approved OMB No. 0704-0188	
<small>The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and reviewing the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Service, Directorate for Information Operations and Reports (DDI-0402), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subjected to any penalty for failing to comply with a collection of information if it does not display a uniquely valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ADDRESS</small>					
1. PART OR DRAWING NO. NOMENCLATURE 12357792 PERISCOPE, M27		2. CODE INCIDENT 19207		3. SPI NO. (AM) P 12357792	
4. NATIONAL STOCK NO. 1240-01-319-8995		5. DATE OF DRAWING(S) (YYMMDD) 02-02-19		6. REVISION / ENR NO. C/H2K2003	
7. QUP / UNIT OF ISSUE 1/EA	8. ICG -	9. UNIT PACK WT. (LB) (0 0) 10.3	10. UNIT PACK CU (CU FT.) (0 000) 0.309	11. UNIT PACK SIZE (INCHES) (00.0) 11.8 X 10.8 X 4.2	
12. MILITARY PRESERVATION			16. STEPS	18. REQD	20. DESCRIPTION
MIL-STD-2073-1, METHOD 41			1	AR	LENS TISSUE, SEE NOTE ** AND NOTE (A)
13. CLEANING * AND **			2	AR	TAPE, A-A-883
			3	AR	CUSHIONING, PPP-C-795, TY-THIN, CL-2
14. DRYING *			4	1	BAG, MIL-DTL-117, TY-I, CL-E
			5	1	CONTAINER, ASTM D5118, ST-RSC, GR-W5C
15. PACKING			6		CLOSURE, ASTM D1974, SEALING METHOD B
a. LEVEL A MIL-STD-2073-1					
b. LEVEL B MIL-STD-2073-1					
16. MARKING MIL-STD-129					
17. NOTES/DRAWINGS					
<p>* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.</p> <p>**CLEANING OF OPTICAL SURFACES SHALL BE AS FOLLOWS: --LOOSE PARTICLES OF DUST SHALL BE REMOVED FROM THE SURFACE OF THE OPTICAL ELEMENTS WITH A CAMEL HAIR BRUSH. --THE SURFACES SHALL BE WIPED WITH A CIRCULAR MOTION USING COTTON, LENS TISSUE PAPER OR FRESHLY LAUNDERED CHEESE CLOTH WHICH IS SATURATED WITH ALCOHOL. --LENS TISSUE SHALL BE OF LINT-FREE PAPER DESIGNED TO CLEAN AND PROTECT OPTICAL SURFACES WITHOUT SCRATCHING. SHALL HAVE A BASIS WEIGHT OF 8.5 +/- 0.6 LBS. DRY TENSILE STRENGTH (15mm WIDTH) IN THE MACHINE AND CROSS DIRECTION SHALL BE A MINIMUM OF 450 GRAMS.</p> <p>CAUTION: ONLY LENS TISSUE PAPER OR BATISTE CLOTH SHALL BE USED TO CLEAN PLASTIC ELEMENTS. THE SURFACES SHALL BE DRIED BY WIPING WITH CLEAN COTTON, LENS PAPER OR FRESHLY LAUNDERED CHEESE CLOTH. --A SWAB SHALL BE MADE BY WRAPPING ONE PIECE OF LENS TISSUE PAPER AROUND THE END OF AN ORANGE STICK OR EQUAL. ONE OR TWO DROPS OF ALCOHOL SHALL BE ADDED ON THE TIP OF THE SWAB. EXERT LIGHT DOWNWARD PRESSURE ON THE SWAB END WHILE MOVING IN A CIRCULAR MOTION BEGINNING AT THE CENTER OF THE POLISHED SURFACE. INCREASE RADIUS OF SWABBING AREA UNTIL THERE IS NO TRACE OF DIRT, LINT, OR SMEARS ON THE SWABBED SURFACE. --A RUBBER SYRINGE SHALL BE USED AS BELLOWS TO REMOVE ANY PARTICLES REMAINING ON THE CLEANED SURFACE.-- (A) COVER OPTICAL SURFACES WITH A DOUBLE THICKNESS OF LENS TISSUE AND SECURE WITH TAPE.</p>					
WSC: MM		ITEM SIZE: 10.75 X 9.75 X 3.25		ITEM WEIGHT: 9.5	
DISTRIBUTION STATEMENT A, UNLIMITED		APPROVED: VISHWA N. KHANNA			

SPECIAL PACKAGING INSTRUCTION				Form Approved OMB No. 0704-0188	
<small>The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (DOD-PIRS), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be penalized for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ADDRESS</small>					
1. PART OR DRAWING NO. NOMENCLATURE 12357850 PERISCOPE, M28		2. CODE INDENT 19207		3. SPI NO. (AM) P 12357850	
4. NATIONAL STOCK NO. 6950-01-370-3875		5. DATE OF DRAWING(SPI)(YYMMDD) 02-02-19		6. REVISION / ERM NO. C/H2K2003	
7. QUP / UNIT OF ISSUE 1/EA	8. ICG -	9. UNIT PACK WT. (LBS) (0 0) 9.0	10. UNIT PACK CU. (CU. FT.) (0 000) 0.445	11. UNIT PACK SIZE (INCHES)(00 0) 14.0 X 11.0 X 5.0	
12. MILITARY PRESERVATION			18. STEPS	19. REQD	20. DESCRIPTION
MIL-STD-2073-1, METHOD 41			1	AR	LENS TISSUE, SEE NOTE ** AND NOTE (A)
13. CLEANING * AND **			2	AR	TAPE, A-A-883
			3	AR	CUSHIONING, PPP-C-795, TY-THIN, CL-2
14. DRYING -			4	1	BAG, MIL-DTL-117, TY-I, CL-E
			5	1	CONTAINER, ASTM D5118, ST-RSC, GR-W6C
15. PACKING			6		CLOSURE, ASTM D1974, SEALING METHOD B
a. LEVEL A MIL-STD-2073-1					
b. LEVEL B MIL-STD-2073-1					
16. MARKING MIL-STD-129					
17. NOTES/DRAWINGS					
<p>* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.</p> <p>**CLEANING OF OPTICAL SURFACES SHALL BE AS FOLLOWS: -LOOSE PARTICLES OF DUST SHALL BE REMOVED FROM THE SURFACE OF THE OPTICAL ELEMENTS WITH A CAMEL HAIR BRUSH. -THE SURFACES SHALL BE WIPED WITH A CIRCULAR MOTION USING COTTON, LENS TISSUE PAPER OR FRESHLY LAUNDERED CHEESECLOTH WHICH IS SATURATED WITH ALCOHOL. -LENS TISSUE SHALL BE OF LINT-FREE PAPER DESIGNED TO CLEAN AND PROTECT OPTICAL SURFACES WITHOUT SCRATCHING. SHALL HAVE A BASIS WEIGHT OF 8.5 +/- 0.6 LBS. DRY TENSILE STRENGTH (15mm WIDTH) IN THE MACHINE AND CROSS DIRECTION SHALL BE A MINIMUM OF 450 GRAMS.</p> <p>CAUTION: ONLY LENS TISSUE PAPER OR BATISTE CLOTH SHALL BE USED TO CLEAN PLASTIC ELEMENTS. THE SURFACES SHALL BE DRIED BY WIPING WITH CLEAN COTTON, LENS PAPER OR FRESHLY LAUNDERED CHEESE CLOTH. -A SWAB SHALL BE MADE BY WRAPPING ONE PIECE OF LENS TISSUE PAPER AROUND THE END OF AN ORANGE STICK OR EQUAL. ONE OR TWO DROPS OF ALCOHOL SHALL BE ADDED ON THE TIP OF THE SWAB. EXERT LIGHT DOWNWARD PRESSURE ON THE SWAB END WHILE MOVING IN A CIRCULAR MOTION BEGINNING AT THE CENTER OF THE POLISHED SURFACE. INCREASE RADIUS OF SWABBING AREA UNTIL THERE IS NO TRACE OF DIRT, LINT, OR SMEARS ON THE SWABBED SURFACE. -A RUBBER SYRINGE SHALL BE USED AS BELLOW TO REMOVE ANY PARTICLES REMAINING ON THE CLEANED SURFACE.- (A) COVER OPTICAL SURFACES WITH A DOUBLE THICKNESS OF LENS TISSUE AND SECURE WITH TAPE.</p>					
WSC: MV		ITEM SIZE: 13.03 X 10.0 X 3.5		ITEM WEIGHT: 7.82	
DISTRIBUTION STATEMENT A, UNLIMITED		APPROVED: VISHWA N. KHANNA			

SPECIAL PACKAGING INSTRUCTION				Form Approved OMB No. 0704-0188	
<p>The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subjected to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ADDRESS</p>					
1. PART OR DRAWING NO. Nomenclature 12370033 PERISCOPE, M45		2. CODE INCIDENT 19207		3. SPI NO. (AM) P12370033	
4. NATIONAL STOCK NO. 6850-01-418-6858		5. DATE OF DRAWING/SPK(YMMDD) 02-02-19		6. REVISION / ENR NO. B/H2K2003	
7. QUP / UNIT OF ISSUE 1/EA	8. ICQ -	9. UNIT PACK WT. (LB) (0 0) 15.4	10. UNIT PACK CU (CU FT)(0 000) 0.336	11. UNIT PACK SIZE (INCHES)(00 0) 14.5 X 10.2 X 4.0	
12. MILITARY PRESERVATION			13. CLEANING		
MIL-STD-2073-1, METHOD 41			16. STEPS	17. RECD	18. DESCRIPTION
			1	AR	LENS TISSUE, SEE NOTE ** AND NOTE (A)
* AND **			2	AR	TAPE, A-A-883
14. DRYING			3	AR	CUSHIONING, PPP-C-795, TY-THIN, CL-2
*			4	1	BAG, MIL-DTL-117, TY-I, CL-E
15. PACKING			5	1	CONTAINER, ASTM D5118, ST-RSC, GR-W5C
			6		CLOSURE, ASTM D1974, SEALING METHOD B
a. LEVEL A MIL-STD-2073-1					
b. LEVEL B MIL-STD-2073-1					
16. MARKING MIL-STD-129					
17. NOTES/DRAWINGS					
<p>* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.</p> <p>**CLEANING OF OPTICAL SURFACES SHALL BE AS FOLLOWS: --LOOSE PARTICLES OF DUST SHALL BE REMOVED FROM THE SURFACE OF THE OPTICAL ELEMENTS WITH A CAMEL HAIR BRUSH. --THE SURFACES SHALL BE WIPED WITH A CIRCULAR MOTION USING COTTON, LENS TISSUE PAPER OR FRESHLY LAUNDERED CHEESE CLOTH WHICH IS SATURATED WITH ALCOHOL. --LENS TISSUE SHALL BE OF LINT-FREE PAPER DESIGNED TO CLEAN AND PROTECT OPTICAL SURFACES WITHOUT SCRATCHING. SHALL HAVE A BASIS WEIGHT OF 8.5 +/- 0.6 LBS. DRY TENSILE STRENGTH (15mm WIDTH) IN THE MACHINE AND CROSS DIRECTION SHALL BE A MINIMUM OF 450 GRAMS.</p> <p>CAUTION: ONLY LENS TISSUE PAPER OR BATISTE CLOTH SHALL BE USED TO CLEAN PLASTIC ELEMENTS. THE SURFACES SHALL BE DRIED BY WIPING WITH CLEAN COTTON, LENS PAPER OR FRESHLY LAUNDERED CHEESE CLOTH. --A SWAB SHALL BE MADE BY WRAPPING ONE PIECE OF LENS TISSUE PAPER AROUND THE END OF AN ORANGE STICK OR EQUAL. ONE OR TWO DROPS OF ALCOHOL SHALL BE ADDED ON THE TIP OF THE SWAB. EXERT LIGHT DOWNWARD PRESSURE ON THE SWAB END WHILE MOVING IN A CIRCULAR MOTION BEGINNING AT THE CENTER OF THE POLISHED SURFACE. INCREASE RADIUS OF SWABBING AREA UNTIL THERE IS NO TRACE OF DIRT, LINT, OR SMEARS ON THE SWABBED SURFACE. --A RUBBER SYRINGE SHALL BE USED AS BELLOW TO REMOVE ANY PARTICLES REMAINING ON THE CLEANED SURFACE.-- (A) COVER OPTICAL SURFACES WITH A DOUBLE THICKNESS OF LENS TISSUE AND SECURE WITH TAPE.</p>					
WSC: KF ITEM SIZE: 14.0 X 9.63 X 3.1 ITEM WEIGHT: 14.0 APPROVED: VISHWA N. KHANNA					
DISTRIBUTION STATEMENT A, UNLIMITED					