

SECTION C

TDPL: 5-1-1050-20

TDPL DATED: 14 Nov 02

START #: N/A

NSN: 4240-01-268-0392 NOMEN: Deflector Post Subassembly, Medium/Large

The following engineering exceptions apply to this TDPL, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. TDPL, under PRODUCT DRAWINGS AND ASSOCIATED LISTS, delete drawing 5-1-1014.

3. TDPL, under SPECIFICATIONS AND STANDARDS, delete the following entries:

MIL-A-81801

PPP-B-26

PPP-P-291

4. TDPL, under SPECIFICATIONS AND STANDARDS, add the following entries related to the SPI P5-1-1050-20:

A-A-1051

A-A-3174

5. Drawing 5-1-1083, Note 4, Anodizing specification MIL-A-81801 has been cancelled. If the contractor wishes to use this alternate material (zinc) and anodizing process the contractor must submit a written request to the government for use of this cancelled specification under this contract. If the contractor wishes to use a different anodizing specification, he must submit evidence that the anodizing requirements meet or exceed those of the cancelled specification MIL-A-81801.

6. SPI P5-1-1050-20, Level A Unit Pack Requirements, change as follows:

From: PPP-P-291, Style 1, Type III

From: PPP-F-320

From: PPP-B-26

To: A-A-1051, Type II

To: ASTM D4727

To: See Note F

ATTACHMENT 001

7. SPI P5-1-1050-20, REMARKS section, Note (B) change as follows:

From: PPP-T-76 (2 places) To: ASTM D5486, Type V (2 places)

8. SPI P5-1-1050-20, REMARKS section, add Note (F) as follows:

(F) Container bag shall be a 4 inch by 6 inch flat bag made of material conforming to A-A-3174, type I or II, grade A or B, finish 1 or 2 with .003 nominal thickness, and capable of being closed using a heat seal. Bags fabricated from two sheets shall have two side seams and one bottom seam. Bags formed by folding one sheet of material shall be made with two seams, one side and one bottom. All heat seals shall be continuous.

9. QAP 5-1-1050 and NOR Y73-0105-032, page 1 of 6, under PART I, SPECIFICATIONS, change entries as follows:

From: QQ-A-225/3 To: ASTM B211
QQ-A-591 ASTM B85

10. Shelf life markings are not applicable for this procurement.

11. The following Statement of Work for Ozone Depleting Chemicals also applies:

STATEMENT OF WORK - OZONE DEPLETING CHEMICALS

I.a. The following specifications and standards may be listed and included as part of this Technical Data Package (TDP)/ Scope of Work (SOW):

MIL-STD-2073/1
MIL-STD-171

b. Other specifications and standards, which identify ODCs among alternative substances for use, are part of this TDP/SOW as follows:

c. The above specifications and standards allow the optional use of Ozone Depleting Substances (ODS) or Ozone Depleting Chemicals (ODC). Preference should be given to the Non-ODS/ODC choices in compliance with Executive Order 12843, dated April 21, 1993, "Procurement Requirements and Policies for Federal Agencies for Ozone Depleting Substances".

II. Other specifications and standards containing ODS/ODC materials and included in this TDP for which a substitute is provided are as follows:

N/A

III. Other specifications and standards included in this TDP that specify use of an ODS/ODC and have been approved for use are as follows:

N/A

IV. NOTE: Offerers are requested, although not obligated, to perform their own screening of the TDP specifications and standards or SOW and identify any additional potential ODS/ODC to the contracting officer.