

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: INSTALLATION KIT
TO CONTRACT/PR: M121F092

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD	8. APP	9. DIST STATEMENT
	250	CODE	REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION		
16. REMARKS			

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80639C*			
5. SECTION C			
6. AMSTA-AR-QAW	7. LT	8. -	9. **
10. ASREQ	11. ---	15. TOTAL	0/ 0/ 0
12. ASREQ	13. ASREQ		

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://W4.PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80640C*			
5. SECTION C			
6. AMSTA-AR-QAW	7. LT	8. -	9. **
10. ASREQ	11. ---	15. TOTAL	0/ 0/ 0
12. ASREQ	13. ASREQ		

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://W4.PICA.AMRY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694, AND/OR 1695)

1. A003		14.	
2. NOTICE OF REVISION (NOR)		SEE ADDRESS CODE	/ /
3.		DISTRIBUTION	/ /
		ATTACHED**	/ /
4. DI-CMAN-80642C*			
5. SECTION C			
6. AMSTA-AR-QAW	7. LT	8. -	9. ***
10. ASREQ	11. ---	15. TOTAL	0/ 0/ 0
12. ASREQ	13. ASREQ		

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. FORMS LOCATED AT HTTP://W4PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: INSTALLATION KIT

TO CONTRACT/PR: M121F093

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD	8. APP	9. DIST STATEMENT
	250	CODE	REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION		
16. REMARKS			

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80639C*			
5. SECTION C			
6. AMSTA-AR-QAW	7. LT	8. -	9. **
10. ASREQ	11. ---	15. TOTAL	0/ 0/ 0
12. ASREQ	13. ASREQ		

16. REMARKS
 *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://W4.PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80640C*			
5. SECTION C			
6. AMSTA-AR-QAW	7. LT	8. -	9. **
10. ASREQ	11. ---	15. TOTAL	0/ 0/ 0
12. ASREQ	13. ASREQ		

16. REMARKS
 *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://W4.PICA.AMRY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694, AND/OR 1695)

1. A003				14.		
				SEE ADDRESS CODE	/	/
2. NOTICE OF REVISION (NOR)				DISTRIBUTION	/	/
3.				ATTACHED**	/	/
4. DI-CMAN-80642C*						
5. SECTION C						
6. AMSTA-AR-QAW	7. LT	8. -	9. ***			
10. ASREQ	11. ---			15. TOTAL	0/	0/ 0
12. ASREQ		13. ASREQ				

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. FORMS LOCATED AT HTTP://W4PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

DOCUMENT SUMMARY LIST

Item: INSTALLATION KIT
NSN: 1025-01-068-8736
Control Number/PRON: M121F092

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9002	Model for Quality Assurance in Production, Installation & Servicing OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

DOCUMENT SUMMARY LIST

Item: INSTALLATION KIT
 NSN: 1025-01-068-8737
 Control Number/PRON: M121F093

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9002	Model for Quality Assurance in Production, Installation & Servicing OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems-Requirements	13 Dec 00

CONTRACT C WORKSHEET

PRON M121F092M1 AMC 1 AMSC G ATC FTF33

TDP 11727849 TDPL DATE 06/06/02

NSN 1025010688736 NOMENCLATURE INSTL KIT F/MT TLSCP/M172

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

11727849:
Delete reference to Parts List.
Add Note "Apply Part No. per MIL-STD-130."

11739589:
Delete MIL-L-52909 and substitute "Finish per 20.24 of MIL-STD-171, Forest Green".

12961258:
Add Note "Apply Part No. per MIL-STD-130".
Delete MS35691-7; substitute "NASM316-4".

12961259, 11727849:
Add Note "Apply Part No. per MIL-STD-130".

On all drawing, delete reference to MIL-F-13926; no longer required.

TDPL:

Document:	Delete:	Substitute:	Add:
PL11727849	In its entirety	- -	- -
PL11785479-2	In its entirety	- -	- -
PL11785479-3	In its entirety	- -	- -
PL11785479-4	In its entirety	- -	- -
PL11785479-5	In its entirety	- -	- -
PL11785479-6	In its entirety	- -	- -
PL11785479-7	In its entirety	- -	- -
PL11785479-8	In its entirety	- -	- -
11785479	In its entirety	- -	- -
NAS/DEFICIENCY	In its entirety	- -	- -
NASM16996	- -	- -	04/00/98 *

SQAPs:

Delete MIL-STD-105; substitute MIL-STD-1916 VL IV for MAJOR & VL II for MINOR characteristics.

CONTRACT C WORKSHEET

PRON M121F093M1 AMC 1 AMSC G ATC FTF33

TDP 11727848 TDPL DATE 06/06/02

NSN 1025010688737 NOMENCLATURE INSTL KIT F/MT TLSCP/M171

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

SQAP 11727809:

Delete MIL-STD-105; substitute MIL-STD-1916 VL IV for MAJOR & VL II for MINOR characteristics

"The following Government Acceptance Inspection Equipment (AIE) designs drawings, cited elsewhere in the technical data, are appropriate for use during performance of this contract to inspect the applicable characteristics.

- o All AIE designs specified for critical Characteristics/Defects
- o Other -Lists by citing individual drawing numbers or equipment list(s).

NONE

All other Government AIE designs which are cited in the Technical Data Package List or in any of the documents in the Technical Data Package are no longer being maintained by the Government, may not reflect the latest component configuration and are, therefore, included for information purposes only. Except for the AIE designs listed above, the contractor is responsible for the design and submission to the Government for review of all other AIE in accordance with Clause _____ specified elsewhere in Section E of this contract."

12961258:

Delete reference to Parts List.

TDPL:

Document:	Delete:	Substitute:	Add:
10934603	In its Entirety	- -	- -
PL10934603	In its Entirety	- -	- -
11727320-6	In its Entirety	- -	- -
PL11727848	In its Entirety	- -	- -
PL12961258-1	In its Entirety	- -	- -
PL12961258-2	In its Entirety	- -	- -
PL12961258-3	In its Entirety	- -	- -
PL12961258-4	In its Entirety	- -	- -
PL12961258-5	In its Entirety	- -	- -
PL12961258-6	In its Entirety	- -	- -
PL12961258-7	In its Entirety	- -	- -
PL12961258-8	In its Entirety	- -	- -
MS51100	In its Entirety	- -	- -
NAS	In its Entirety	- -	- -
NASM16996	- -	- -	04/00/98
MIL-PRF-121	DEFICIENCY	G, 4/30/01, Barrier Materials	*
MIL-DTL-31000	In its Entirety	- -	- -
MIL-W-63150	In its Entirety	- -	- -
ASME-B46.1	In its Entirety	- -	- -
ASME B18.2.1	- -	- -	10/08/99
MIL-L-52926	In its Entirety	- -	- -