CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: SPACER,SLEEVE
TO CONTRACT/PR: M132F875

1. SEQUENCE NUMBER
14. DISTRIBUTION DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM
3. SUBTITLE
4. DATA ITEM NUMBER
5. CONTRACT REFERENCE
6. TECHNICAL OFFICE 7. DD 250 8. APP CODE 9. DIST STATEMENT REQUIRED
10. FREQUENCY 11. AS OF DATE 15. TOTAL:
12. DATE OF 1ST SUBMISSION 13. DATE OF SUBSEQUENT SUBMISSION
16. REMARKS

---

1. A001
14. SEE ADDRESS CODE / /
2. ENGINEERING CHANGE PROPOSAL (ECP) DISTRIBUTION / /
3. ATTACHED*** / /
4. DI-CMAN-80639C*
5. SECTION C
6. AMSTA-AR-QAW 7. LT 8. - 9. **
10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0
12. ASREQ 13. ASREQ
16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM.(DDFORMS 1692,1694,1695)

---

1. A002
14. SEE ADDRESS CODE / /
2. REQUEST FOR DEVIATION (RFD) DISTRIBUTION / /
3. ATTACHED*** / /
4. DI-CMAN-80640C*
5. SECTION C
6. AMSTA-AR-QAW 7. LT 8. - 9. **
10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0
12. ASREQ 13. ASREQ
16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

---

1. A003

2. NOTICE OF REVISION (NOR)
3.

4. DI-CMAN-80642C*

5. SECTION C

6. AMSTA-AR-QAW 7. LT 8. - 9. ***

10. ASREQ 11. ---

12. ASREQ 13. ASREQ

14.
SEE ADDRESS CODE / /
DISTRIBUTION / /
ATTACHED** / /

15. TOTAL 0/ 0/ 0

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CON TENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIB LE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@ RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695) ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.
The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

DATE: 08/06/2002

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)
CATEGORY: MISC SYSTEM/ITEM: SPACER, SLEEVE
TO CONTRACT/PR: M131F876

1. SEQUENCE NUMBER
14. DISTRIBUTION DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM
3. SUBTITLE
4. DATA ITEM NUMBER
5. CONTRACT REFERENCE
6. TECHNICAL OFFICE 7. DD 250 8. APP CODE 9. DIST STATEMENT REQUIRED
10. FREQUENCY 11. AS OF DATE 15. TOTAL:
12. DATE OF 1ST SUBMISSION 13. DATE OF SUBSEQUENT SUBMISSION
16. REMARKS

---

1. A001
14. SEE ADDRESS CODE / /
2. ENGINEERING CHANGE PROPOSAL (ECP) DISTRIBUTION / /
3. ATTACHED*** / /
4. DI-CMAN-80639C*
5. SECTION C
6. AMSTA-AR-QAW 7. LT 8. - 9. **
10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0
12. ASREQ 13. ASREQ
16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM.(DD FORMS 1692,1694,1695)

---

1. A002
14. SEE ADDRESS CODE / /
2. REQUEST FOR DEVIATION (RFD) DISTRIBUTION / /
3. ATTACHED*** / /
4. DI-CMAN-80640C*
5. SECTION C
6. AMSTA-AR-QAW 7. LT 8. - 9. **
10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0
12. ASREQ 13. ASREQ
16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

---

1. A003

2. NOTICE OF REVISION (NOR)
3.

4. DI-CMAN-80642C*

5. SECTION C

6. AMSTA-AR-QAW 7. LT 8. - 9. ***

10. ASREQ 11. ---

12. ASREQ 13. ASREQ

14.
SEE ADDRESS CODE / /
DISTRIBUTION / /
ATTACHED** / /

15. TOTAL 0/ 0/ 0

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CON TENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIB LE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@ RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695) ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.
The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

---

1. A004

2. TEST PROCEDURE/ PHOSPHATE COATING PRE-
3. PRODUCTION PROCEDURE

4. DI-NDTI-80603*

5. MIL-DTL-16232,PARA 3.1

6. AMSTA-AR-WEP-RM 7. XX 8. A 9. N/A

10. ONE/R 11. N/A

12. 60 DAC 13. N/A

14.
PROCUREMENT / /
CONTRACTING / /
OFFICER / 1/

15. TOTAL 0/ 1/ 0

16. REMARKS
BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD. A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

DATE: 10/07/2002

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)
CATEGORY: MISC SYSTEM/ITEM: SPACER, SLEEVE
TO CONTRACT/PR: M131F879

1. SEQUENCE NUMBER
14. DISTRIBUTION
DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM
3. SUBTITLE
4. DATA ITEM NUMBER
5. CONTRACT REFERENCE
6. TECHNICAL OFFICE 7. DD 250 8. APP CODE 9. DIST STATEMENT REQUIRED
10. FREQUENCY 11. AS OF DATE 15. TOTAL:
12. DATE OF 1ST SUBMISSION 13. DATE OF SUBSEQUENT SUBMISSION
16. REMARKS

---

1. A001
14. SEE ADDRESS CODE / /
2. ENGINEERING CHANGE PROPOSAL (ECP) DISTRIBUTION / /
3. ATTACHED*** / /
4. DI-CMAN-80639C*
5. SECTION C
6. AMSTA-AR-QAW 7. LT 8. - 9. **
10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0
12. ASREQ 13. ASREQ
16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM.(DD FORMS 1692,1694,1695)

---

1. A002
14. SEE ADDRESS CODE / /
2. REQUEST FOR DEVIATION (RFD) DISTRIBUTION / /
3. ATTACHED*** / /
4. DI-CMAN-80640C*
5. SECTION C
6. AMSTA-AR-QAW 7. LT 8. - 9. **
10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0
12. ASREQ 13. ASREQ
16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

---

1. A003

2. NOTICE OF REVISION (NOR)
3.

14.
SEE ADDRESS CODE / /
DISTRIBUTION / /
ATTACHED** / /

4. DI-CMAN-80642C*

5. SECTION C

6. AMSTA-AR-QAW 7. LT 8. - 9. ***

10. ASREQ 11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ 13. ASREQ

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695) ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.
The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

---

1. A004

2. TEST PROCEDURE/ PHOSPHATE COATING PRE-
3. PRODUCTION PROCEDURE

14.
PROCUREMENT / /
CONTRACTING / /
OFFICER / 1/

4. DI-NDTI-80603*

5. MIL-DTL-16232,PARA 3.1

6. AMSTA-AR-WEP-RM 7. XX 8. A 9. N/A

10. ONE/R 11. N/A

15. TOTAL 0/ 1/ 0

12. 60 DAC 13. N/A

16. REMARKS
BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD. A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

DATE: 10/07/2002