

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: BRUSH,CLEANING
TO CONTRACT/PR: M121A368

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD	8. APP	9. DIST STATEMENT
	250	CODE	REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80639C*			
5. SECTION C			
6. AMSTA-AR-QAW	7. LT	8. -	9. **
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13. ASREQ	

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT [HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM](http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80640C*			
5. SECTION C			
6. AMSTA-AR-QAW	7. LT	8. -	9. **
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13. ASREQ	

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT

HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

1. A003				14.		
				SEE ADDRESS CODE	/	/
2. NOTICE OF REVISION (NOR)				DISTRIBUTION	/	/
3.				ATTACHED**	/	/
4. DI-CMAN-80642C*						
5. SECTION C						
6. AMSTA-AR-QAW	7. LT	8. -	9. ***			
10. ASREQ	11. ---			15. TOTAL	0/	0/ 0
12. ASREQ		13. ASREQ				

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695) ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

1. A004				14.		
				PROCUREMENT	/	/
2. TEST PROCEDURE/ PHOSPHATE COATING PRE-				CONTRACTING	/	/
3. PRODUCTION PROCEDURE				OFFICER	/	1/
4. DI-NDTI-80603*						
5. MIL-DTL-16232, PARA 3.1						
6. AMSTA-AR-WEP-RM	7. XX	8. A	9. N/A			
10. ONE/R	11. N/A			15. TOTAL	0/	1/ 0
12. 60 DAC		13. N/A				

16. REMARKS

BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD. A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAC

DATE: 07/02/2002

LIST OF ADDRESSES

Commander
 U.S. Army Industrial Operations Command
 ATTN: AMSIO-_____ (see block 14 of DD form 1423 for symbols that apply)
 Rock Island, IL 61299-6000

Director
 Armament and Chemical Acquisition, and Logistics Activity
 ATTN: AMSTA-AC_____ (see block of DD form 1423 for symbols that apply)
 Rock Island, IL 61299-8630

Director
 U.S. Army, Armament, Research, Development & Engineering Center
 ATTN: AMSTA-AR_____ *(R) (see block of DD form 1423 for symbols that apply)
 Rock Island, IL 61299-7300

Commander
 U.S. Army, Armament Research, Development & Engineering Center
 ATTN: AMSTA-AR-_____ *(D) (See block 14 of DD Form 1423 for symbols that apply)
 Picatinny Arsenal, NJ 07806-5000

*When letter in parentheses at end of office symbol is a "R", use Rock Island address; when it is a "D", use Picatinny Arsenal address.

E-MAIL ADDRESSES:

AMSTA-AR-QAA(D)	aie-qaq@pica.army.mil
AMSTA-AR-QAC(D)	aie-qac@pica.army.mil
AMSTA-AR-QAT(D)	aie-qat@pica.army.mil
AMSTA-AR-QA_(R)	amsta-ar-qa-cdr@ria-emh2.army.mil

DOCUMENT SUMMARY LIST

Item: BRUSH, CLEANING
 NSN: 1015-01-209-3483
 Control Number/PRON: M121A368

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Test OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

3a. MIL-DTL-16232G (TDPL)	Phosphate Coating Heavy Manganese or Zinc Base	07 Jan 00 Cat 2
3b. DI-NDTI-80603 (DD Form 1423)	Test Procedure	01 Jun 88 Cat 1

Oliva, Jose

From: Betty Turner [bturner@pica.army.mil]
Sent: Thursday, June 27, 2002 1:22 PM
To: turnerb@ria.army.mil
Subject: M121A368 - sectionc

CONTRACT C WORKSHEET

PRON M121A368 AMC 1 AMSC G ATC AWFGD

TDP 12529517 TDPL DATE 06/10/02

NSN 1015012093483 NOMENCLATURE BRUSH, BORE ASSY

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

1) Drawing #12529517 - Brush, Bore Assembly - REVISION "-" IS TO BE USED
Notice note 1. Spec MIL-B-13889 applies.
MIL-B-13889 is canceled without replacement.

Delete the following: Replace with:
3-Screw, MS90725-16 3-Screw, NASM90725-16
Pin, Spring, MS16562-42 Pin, Spring, NASM16562-42
Zone A-4 Marking Requirements block: remove MIL-C-13931.
Replace with MIL-DTL-13931.
Remove MIL-B-13889 from spec summary (ref) block.
Add MIL-DTL-13931 to the Spec Summary block.
Delete DOD-STD-100 and replace with MIL-DTL-100 from Spec summary block

2) Drawing #12529516 - End Cap - REVISION "-" IS TO BE USED
Change Material note from:
Material: Plastic, type CFI-20, CFI-40 or GPI-100 per spec MIL-M-14; Type
FBI per spec MIL-P-15035.

To: Plastic, type CFI-20, CFI-40 or GPI-100, per ASTM D5948, or type FBI
per MIL-I-24768/15.

In Zone A 4 remove MIL-C-13931. Replace with: MIL-DTL-13931

Remove MIL-M-14, MIL-P-15035 & MIL-C-13931 from spec summary (ref) block.
Replace with: ASTM D5948, MIL-I-24768/15 & MIL-DTL-13931.

3) DWG #12529514 - Brush
Change Vendor(s) from:

Fuller Brush Co.
Great Bend, KS 67530
Cage Code No. 80572

FMC
Industrial Brush Operation
Phomona, CA 91766
Cage Code No. 25513

Fairfield Eng. & Mfg. Inc.
Vero Beach, FL 32964
Cage Code No. 8A148

To: Fuller Brush Co.
1 Fuller Way

P.O. Box 1247
Great Bend, Kansas 67530
Cage Code No. 80572

Industrial Corp. Pomona Brush Corp.
1250 E Philadelphia St.

Packaging Requirements Sheet
Commercial DS6413

PRON: M121A283M1 DATE: 8 NOV 2001

NSN: 1015-01-209-3483.

MILSTRIP: : SUE LERCH/28202.

- A. The preservation, packing, and marking requirements for the item identified above shall be accomplished in accordance with the performance requirements defined herein.
- B. The following Packaging requirements shall apply:

PRESERVATION: COMMERCIAL

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

QUANTITY OF UNIT PACKAGES PER INTERMEDIATE CONTAINER: SEE PARA. 3

Unit Package Weight (lbs.)--- Unit Package Cube (Cubic Feet)---

Unit Package Size (length x Width x Depth)(Inches)---

1 Packaging - Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements:

1.1 Cleanliness - Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.

1.2 Preservation - Items susceptible to corrosion or deterioration shall be provided protection such as preservative coatings, volatile corrosion inhibitors, or desiccated unit packs.

1.3 Cushioning - Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.

2 Unit package

2.1 Unit Package - A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

2.2 Unit Package Quantity - Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

3. Intermediate Package

3.1 Intermediate packaging is required whenever the quantity is over one (1) gross of the same national stock number and when such use enhances handling and inventorying, or whenever the exterior surfaces of the unit pack is a bag of any type, regardless of size, or whenever the unit pack is less than 64 cubic inches, or when the weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches. Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

4 Packing

4.1 Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

4.2 Shipping Containers - The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

- C. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall not exceed 4,000 pounds and should not exceed 52 inches in length or width, or 54 inches in height. The load shall be contained in a manner that will permit safe handling during shipment and storage.
- D. Marking: All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision N, Date 15 May 97 including bar coding, see AIM-BC1, Uniform Symbology Specification (USS) -39, Document Number X5-2. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- E. Hazardous Materials: In addition to the general instructions listed above, hazardous materials or items as defined in CFR Title 49 are also subject to all applicable Department of Transportation regulations for packaging/packing, marking, labeling, container certification, and transport as listed in Code of Federal Regulations Title 49, Parts 100-180. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

- F. Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

- G. SUPPLEMENTAL INSTRUCTIONS: SPECIAL PACKAGING INSTRUCTION P12529517 DOES NOT APPLY FOR THIS PROCUREMENT, HOWEVER IT MAY BE USED FOR GUIDANCE.