Attachment 002
Pg 1 of 8

NOTICE OF REVISION (NOR)

(See MIL-STD-480 for instructions)

This revision described below has been authorized for the document listed

1. DATE (YYMMDD): 031113

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

2. PROCURING ACTIVITY NO.: L3J1013

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

3. DODAAC:

4. ORIGINATOR

a. TYPED NAME (First, Middle Initial, Last): Ben Kahn

b. ADDRESS (Street, City, State, Zip Code): Benet Laboratories AMSTA-AR-CCB-EC, 1 Buffington St., Watervliet Arsenal, Watervliet, NY 12189-4000

5. CAGE CODE: 1NUW7

6. NOR NO.: 1

7. CAGE CODE: 19206

8. DOCUMENT: 11580258

9. TITLE OF DOCUMENT: HANDLE

10. REVISION LETTER: a. CURRENT: A; b. NEW: B

11. ECP NO.: 03-6995

12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES: MORTAR 81mm M252

SHEET 1 OF 2

13. DESCRIPTION OF REVISION

CHANGE ZONE D-3
FROM: 5.50± .20
TO: 5.50 ± .02

CHANGE ZONE B-3
FROM: 6.25- .05
TO: (7.00)

CHANGE ZONE C-4
FROM: 2X⌴ ø.375+.030
X .125+.030
TO: 2X⌴ ø.375+.030
X ↧.125+.030

CHANGE MARKING REQUIREMENTS ZONE A-4
FROM: MIL-C-13931
TO: MIL-DTL-13931

ADD SPEC SUMMARY (REF), ZONE A-1
FROM: MIL-C-13931
TO: MIL-DTL-13931

ADD: ZONE A-2
CURRENT DESIGN ACTIVITY CAGE CODE 1NUW7
US ARMY BENET LABORATORIES
WATERVLIET, NY 12189-4000

14. THIS SECTION FOR GOVERNMENT USE ONLY

a. CHECK ONE
- [x] EXISTING DOCUMENT SUPPLEMENTED BY THIS NOR MAY BE USED IN MANUFACTURE
- [ ] REVISED DOCUMENT MUST BE RECEIVED BEFORE MANUFACTURE MAY INCORPORATE THIS CHANGE
- [ ] CUSTODIAN OF MASTER DOCUMENT SHALL MAKE ABOVE REVISION AND FURNISH REVISED DOCUMENT TO:

b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT: AMSRD-AAR-AIC-F

b. TYPED NAME (First, Middle Initial, Last):

d. TITLE: for WALTER J. SONGAILA, Chief, Configuration Management and Lifecycle Integration Support to Fielded Systems Group

e. SIGNATURE: Dennis Pelunza

f. DATE SIGNED (YYMMDD): 15 Jan 2004

15 a. ACTIVITY ACCOMPLISHING REVISION: AMSTA-AR-CCB-EC

b. REVISION COMPLETED (Signature):

c. DATE SIGNED (YYMMDD):

DD Form 1695, APR 92

Previous editions are obsolete.

DISTRIBUTION STATEMENT A:

Attachment 002
Pg 2 of 8

NOTICE OF REVISION (NOR)

(See MIL-STD-480 for instructions)

This revision described below has been authorized for the document listed

1. DATE (YYMMDD): 031113

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

2. PROCURING ACTIVITY NO.: L3J1013

3. DODAAC:

4. ORIGINATOR

a. TYPED NAME (First, Middle Initial, Last): Ben Kahn

b. ADDRESS (Street, City, State, Zip Code): Benet Laboratories AMSTA-AR-CCB-EC, 1 Buffington St., Watervliet Arsenal, Watervliet, NY 12189-4000

5. CAGE CODE: 1NUW7

6. NOR NO.: 1

7. CAGE CODE: 19206

8. DOCUMENT: 11580258

9. TITLE OF DOCUMENT: HANDLE

10. REVISION LETTER: a. CURRENT: A; b. NEW: B

11. ECP NO.: 03-6995

12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES: MORTAR 81mm M252

SHEET 2 OF 2

13. DESCRIPTION OF REVISION

CHANGE ZONE A-4
FROM:
DISTRIBUTION AUTHORIZED TO THE DEPARTMENT OF DEFENSE AND DOD CONTRACTORS ONLY. THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION FURNISHED IN ACCORDANCE WITH THE UK LICENSE AGREEMENT NO. D/SALES/513/60/2(5A) (US) INCORPORATED IN CONTRACT NO. DAAK10-84-C-0019 BETWEEN THE UNITED KINGDOM AND THE UNITED STATES AND IS NOT TO BE USED, DUPLICATED, OR DISCLOSED TO OTHERS FOR ANY PURPOSE OTHER THAN THE AUTHORIZED PROCUREMENT OF THE 81mm M252 MORTAR SYSTEM. THIS DETERMINATION WAS MADE ON 14 FEBRUARY 1990. OTHER REQUESTS FOR THIS DOCUMENT WILL BE REFERRED TO PRODUCT ENGINEERING BRANCH, BENET LABORATORY, ATTN: SMCAR-CCB-DP, WATERVLIET, NY 12189-4050

TO:
DISTRIBUTION STATEMENT A.
APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED.

14. THIS SECTION FOR GOVERNMENT USE ONLY

a. CHECK ONE
- [x] EXISTING DOCUMENT SUPPLEMENTED BY THIS NOR MAY BE USED IN MANUFACTURE
- [ ] REVISED DOCUMENT MUST BE RECEIVED BEFORE MANUFACTURE MAY INCORPORATE THIS CHANGE
- [ ] CUSTODIAN OF MASTER DOCUMENT SHALL MAKE ABOVE REVISION AND FURNISH REVISED DOCUMENT TO:

b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT: AMSRD-AAR-AIC-F

c. TYPED NAME (First, Middle Initial, Last):

d. TITLE: for WALTER J. SONGAILA, Chief, Configuration Management and Lifecycle Integration Support to Fielded Systems Group

e. SIGNATURE: Dennis Pelanza

f. DATE SIGNED (YYMMDD): 15 Jan 2004

15 a. ACTIVITY ACCOMPLISHING REVISION: AMSTA-AR-CCB-EC

b. REVISION COMPLETED (Signature):

c. DATE SIGNED (YYMMDD):

DD Form 1695, APR 92

Previous editions are obsolete.

DISTRIBUTION STATEMENT D:

Attachment 002
Pg 3 of 8

NOTICE OF REVISION (NOR)

(See MIL-STD-480 for instructions)
This revision described below has been authorized for the document listed

1. DATE (YYMMDD): 031113

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

2. PROCURING ACTIVITY NO.: LSJ1013

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

3. DODAAC:

4. ORIGINATOR

a. TYPED NAME (First, Middle Initial, Last): Ben Kahn

b. ADDRESS (Street, City, State, Zip Code): Benet Laboratories AMSTA-AR-CCB-EC
1 Buffington St., Watervliet Arsenal
Watervliet, NY 12189-4000

5. CAGE CODE: 1NUW7

6. NOR NO.: 2

7. CAGE CODE: 19206

8. DOCUMENT: 11580260

9. TITLE OF DOCUMENT: PLATE

10. REVISION LETTER: a. CURRENT: NEW; b. NEW: A

11. ECP NO.: 03-6995

12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES: MORTAR 81mm, M252

SHEET 1 OF 3

13. DESCRIPTION OF REVISION

CHANGE ZONE D-4

FROM:



TO:



14. THIS SECTION FOR GOVERNMENT USE ONLY

a. CHECK ONE
☒ EXISTING DOCUMENT SUPPLEMENTED BY THIS NOR MAY BE USED IN MANUFACTURE
☐ REVISED DOCUMENT MUST BE RECEIVED BEFORE MANUFACTURE MAY INCORPORATE THIS CHANGE
☐ CUSTODIAN OF MASTER DOCUMENT SHALL MAKE ABOVE REVISION AND FURNISH REVISED DOCUMENT TO:

b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT: AMSRD-AAR-AIC-F

b. TYPED NAME (First, Middle Initial, Last):

d. TITLE: for WALTER J. SONGAILA, Chief, Configuration Management and Lifecycle Integration Support to Fielded Systems Group

e. SIGNATURE: Dennis Pilarzo

f. DATE SIGNED (YYMMDD): 15 Jan 2004

15 a. ACTIVITY ACCOMPLISHING REVISION: AMSTA-AR-CCB-EC

b. REVISION COMPLETED (Signature):

c. DATE SIGNED (YYMMDD):

DD Form 1695, APR 92 — Previous editions are obsolete.

DISTRIBUTION STATEMENT A:

Attachment 002
Pg 4 of 8

NOTICE OF REVISION (NOR)

(See MIL-STD-480 for instructions)

This revision described below has been authorized for the document listed

1. DATE (YYMMDD): 031113

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

2. PROCURING ACTIVITY NO.: L3J1013

3. DODAAC:

4. ORIGINATOR

a. TYPED NAME (First, Middle Initial, Last): Ben Kahn

b. ADDRESS (Street, City, State, Zip Code): Benet Laboratories AMSTA-AR-CCB-EC, 1 Buffington St., Watervliet Arsenal, Watervliet, NY 12189-4000

5. CAGE CODE: 1NUW7

6. NOR NO.: 2

7. CAGE CODE: 19206

8. DOCUMENT: 11580260

9. TITLE OF DOCUMENT: PLATE

10. REVISION LETTER: a. CURRENT: NEW; b. NEW: A

11. ECP NO.: 03-6995

12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES: MORTAR 81mm M252

SHEET 2 OF 3

13. DESCRIPTION OF REVISION

CHANGE ZONE A-4
FROM:
DISTRIBUTION AUTHORIZED TO THE DEPARTMENT OF DEFENSE AND DOD CONTRACTORS ONLY. THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION FURNISHED IN ACCORDANCE WITH THE UK LICENSE AGREEMENT NO. D/SALES/513/60/2(5A) (US) INCORPORATED IN CONTRACT NO. DAAK10-84-C-0019 BETWEEN THE UNITED KINGDOM AND THE UNITED STATES AND IS NOT TO BE USED, DUPLICATED, OR DISCLOSED TO OTHERS FOR ANY PURPOSE OTHER THAN THE AUTHORIZED PROCUREMENT OF THE 81mm M252 MORTAR SYSTEM. THIS DETERMINATION WAS MADE ON 14 FEBRUARY 1990. OTHER REQUESTS FOR THIS DOCUMENT WILL BE REFERRED TO PRODUCT ENGINEERING BRANCH, BENET LABORATORY, ATTN: SMCAR-CCB-DP, WATERVLIET, NY 12189-4050

TO:
DISTRIBUTION STATEMENT A.
APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED.

14. THIS SECTION FOR GOVERNMENT USE ONLY

a. CHECK ONE
- [x] EXISTING DOCUMENT SUPPLEMENTED BY THIS NOR MAY BE USED IN MANUFACTURE
- [ ] REVISED DOCUMENT MUST BE RECEIVED BEFORE MANUFACTURE MAY INCORPORATE THIS CHANGE
- [ ] CUSTODIAN OF MASTER DOCUMENT SHALL MAKE ABOVE REVISION AND FURNISH REVISED DOCUMENT TO:

b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT: AMSRD-AAR-AIC-F

b. TYPED NAME (First, Middle Initial, Last):

d. TITLE: for WALTER J. SONGAILA, Chief, Configuration Management and Lifecycle Integration Support to Fielded Systems Group

e. SIGNATURE: Dennis Palmer

f. DATE SIGNED (YYMMDD): 15 Jan 2004

15 a. ACTIVITY ACCOMPLISHING REVISION: AMSTA-AR-CCB-EC

b. REVISION COMPLETED (Signature):

c. DATE SIGNED (YYMMDD):

DD Form 1695, APR 92

Previous editions are obsolete.

DISTRIBUTION STATEMENT D:

Attachment 002
Pg 5 of 8

NOTICE OF REVISION (NOR)

(See MIL-STD-480 for instructions)

This revision described below has been authorized for the document listed

1. DATE (YYMMDD): 031113

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

2. PROCURING ACTIVITY NO.: L3J1013

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

3. DODAAC:

4. ORIGINATOR

a. TYPED NAME (First, Middle Initial, Last): Ben Kahn

b. ADDRESS (Street, City, State, Zip Code): Benet Laboratories AMSTA-AR-CCB-EC
1 Buffington St., Watervliet Arsenal
Watervliet, NY 12189-4000

5. CAGE CODE: 1NUW7

6. NOR NO.: 2

7. CAGE CODE: 19206

8. DOCUMENT: 11580260

9. TITLE OF DOCUMENT: PLATE

10. REVISION LETTER
a. CURRENT: NEW
b. NEW: A

11. ECP NO.: 03-6995

12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES

MORTAR 81mm M252

SHEET 3 OF 3

13. DESCRIPTION OF REVISION

CHANGE MARKING REQUIREMENTS ZONE A-5
FROM: MIL-C-13931
TO: MIL-DTL-13931

ADD SPEC SUMMARY (REF), ZONE A-1
FROM: MIL-C-13931
TO: MIL-DTL-13931

ADD: ZONE A-2
CURRENT DESIGN ACTIVITY CAGE CODE 1NUW7
US ARMY BENET LABORATORIES
WATERVLIET, NY 12189-4000

14. THIS SECTION FOR GOVERNMENT USE ONLY

a. CHECK ONE
☒ EXISTING DOCUMENT SUPPLEMENTED BY THIS NOR MAY BE USED IN MANUFACTURE
☐ REVISED DOCUMENT MUST BE RECEIVED BEFORE MANUFACTURE MAY INCORPORATE THIS CHANGE
☐ CUSTODIAN OF MASTER DOCUMENT SHALL MAKE ABOVE REVISION AND FURNISH REVISED DOCUMENT TO:

b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT: AMSRD-AAR-AIC-F

b. TYPED NAME (First, Middle Initial, Last):

d. TITLE: for WALTER J. SONGAILA, Chief, Configuration Management and Lifecycle Integration Support to Fielded Systems Group

e. SIGNATURE: Dennis Palmer

f. DATE SIGNED (YYMMDD): 15 Jan 2004

15 a. ACTIVITY ACCOMPLISHING REVISION: AMSTA-AR-CCB-EC

b. REVISION COMPLETED (Signature):

c. DATE SIGNED (YYMMDD):

DD Form 1695, APR 92 — Previous editions are obsolete.

DISTRIBUTION STATEMENT A:

Attachment 002
Pg 6 of 8

NOTICE OF REVISION (NOR)

(See MIL-STD-480 for instructions)

This revision described below has been authorized for the document listed

1. DATE (YYMMDD): 031113

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

2. PROCURING ACTIVITY NO.: L3J1013

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

3. DODAAC:

4. ORIGINATOR

a. TYPED NAME (First, Middle Initial, Last): Ben Kahn

b. ADDRESS (Street, City, State, Zip Code): Benet Laboratories AMSTA-AR-CCB-EC
1 Buffington St., Watervliet Arsenal
Watervliet, NY 12189-4000

5. CAGE CODE: 1NUW7

6. NOR NO.: 3

7. CAGE CODE: 19206

8. DOCUMENT: 11580257

9. TITLE OF DOCUMENT: PLATE

10. REVISION LETTER: a. CURRENT: NEW; b. NEW: A

11. ECP NO.: 03-6995

12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES: MORTAR 81mm, M252

SHEET 1 OF 3

13. DESCRIPTION OF REVISION

CHANGE ZONE D-4

FROM:



TO:



14. THIS SECTION FOR GOVERNMENT USE ONLY

a. CHECK ONE
- [X] EXISTING DOCUMENT SUPPLEMENTED BY THIS NOR MAY BE USED IN MANUFACTURE
- [ ] REVISED DOCUMENT MUST BE RECEIVED BEFORE MANUFACTURE MAY INCORPORATE THIS CHANGE
- [ ] CUSTODIAN OF MASTER DOCUMENT SHALL MAKE ABOVE REVISION AND FURNISH REVISED DOCUMENT TO:

b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT: AMSRD-AAR-AIC-F

b. TYPED NAME (First, Middle Initial, Last):

d. TITLE: for WALTER J. BONGAILA, Chief, Configuration Management and Lifecycle Integration Support to Fielded Systems Group

e. SIGNATURE: Dennis Pilarzo

f. DATE SIGNED (YYMMDD): 15 Jan 2004

15 a. ACTIVITY ASSIGNED CHANGE REVISION: AMSTA-AR-CCB-EC

b. REVISION COMPLETED (Signature):

c. DATE SIGNED (YYMMDD):

DD Form 1695, APR 92

Previous editions are obsolete.

DISTRIBUTION STATEMENT A:

Attachment 002
Pg 7 of 8

NOTICE OF REVISION (NOR)

(See MIL-STD-480 for instructions)

This revision described below has been authorized for the document listed

1. DATE (YYMMDD): 031113

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

2. PROCURING ACTIVITY NO.: L3J1013

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

3. DODAAC:

4. ORIGINATOR

a. TYPED NAME (First, Middle Initial, Last): Ben Kahn

b. ADDRESS (Street, City, State, Zip Code): Benet Laboratories AMSTA-AR-CCB-EC, 1 Buffington St., Watervliet Arsenal, Watervliet, NY 12189-4000

5. CAGE CODE: 1NUW7

6. NOR NO.: 3

7. CAGE CODE: 19206

8. DOCUMENT: 11580257

9. TITLE OF DOCUMENT: PLATE

10. REVISION LETTER: a. CURRENT: NEW; b. NEW: A

11. ECP NO.: 03-6995

12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES

MORTAR 81mm M252

SHEET 2 OF 3

13. DESCRIPTION OF REVISION

CHANGE ZONE A-4
FROM:
DISTRIBUTION AUTHORIZED TO THE DEPARTMENT OF DEFENSE AND DOD CONTRACTORS ONLY. THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION FURNISHED IN ACCORDANCE WITH THE UK LICENSE AGREEMENT NO. D/SALES/513/60/2(5A) (US) INCORPORATED IN CONTRACT NO. DAAK10-84-C-0019 BETWEEN THE UNITED KINGDOM AND THE UNITED STATES AND IS NOT TO BE USED, DUPLICATED, OR DISCLOSED TO OTHERS FOR ANY PURPOSE OTHER THAN THE AUTHORIZED PROCUREMENT OF THE 81mm M252 MORTAR SYSTEM. THIS DETERMINATION WAS MADE ON 14 FEBRUARY 1990. OTHER REQUESTS FOR THIS DOCUMENT WILL BE REFERRED TO PRODUCT ENGINEERING BRANCH, BENET LABORATORY, ATTN: SMCAR-CCB-DP, WATERVLIET, NY 12189-4050

TO:
DISTRIBUTION STATEMENT A.
APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED.

14. THIS SECTION FOR GOVERNMENT USE ONLY

a. CHECK ONE
- [X] EXISTING DOCUMENT SUPPLEMENTED BY THIS NOR MAY BE USED IN MANUFACTURE
- [ ] REVISED DOCUMENT MUST BE RECEIVED BEFORE MANUFACTURE MAY INCORPORATE THIS CHANGE
- [ ] CUSTODIAN OF MASTER DOCUMENT SHALL MAKE ABOVE REVISION AND FURNISH REVISED DOCUMENT TO:

b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT: AMSRD-AAR-AIC-F

b. TYPED NAME (First, Middle Initial, Last):

d. TITLE: for WALTER J. SONGAILA, Chief, Configuration Management and Lifecycle Integration Support to Fielded Systems Group

e. SIGNATURE: Dennis Pilarzo

f. DATE SIGNED (YYMMDD): 15 Jan 2004

15 a. ACTIVITY ACCOMPLISHING REVISION: AMSTA-AR-CCB-EC

b. REVISION COMPLETED (Signature):

c. DATE SIGNED (YYMMDD):

DD Form 1695, APR 92 — *Previous editions are obsolete.*

DISTRIBUTION STATEMENT D:

Attachment 002
Pg 8 of 8

NOTICE OF REVISION (NOR)

(See MIL-STD-490 for instructions)

This revision described below has been authorized for the document listed

1. DATE (YYMMDD): 031113

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

2. PROCURING ACTIVITY NO.: L3J1013

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

3. DODAAC:

4. ORIGINATOR

a. TYPED NAME (First, Middle Initial, Last): Ben Kahn

b. ADDRESS (Street, City, State, Zip Code): Benet Laboratories AMSTA-AR-CCB-EC, 1 Buffington St., Watervliet Arsenal, Watervliet, NY 12189-4000

5. CAGE CODE: 1NUW7

6. NOR NO.: 3

7. CAGE CODE: 19206

8. DOCUMENT: 11580257

9. TITLE OF DOCUMENT: PLATE

10. REVISION LETTER: a. CURRENT: NEW; b. NEW: A

11. ECP NO.: 03-6995

12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES: MORTAR 81mm M252

SHEET 3 OF 3

13. DESCRIPTION OF REVISION

CHANGE MARKING REQUIREMENTS ZONE A-5
FROM: MIL-C-13931
TO: MIL-DTL-13931

ADD SPEC SUMMARY (REF), ZONE A-1
FROM: MIL-C-13931
TO: MIL-DTL-13931

ADD: ZONE A-2
CURRENT DESIGN ACTIVITY CAGE CODE 1NUW7
US ARMY BENET LABORATORIES
WATERVLIET, NY 12189-4000

14. THIS SECTION FOR GOVERNMENT USE ONLY

a. CHECK ONE
- [x] EXISTING DOCUMENT SUPPLEMENTED BY THIS NOR MAY BE USED IN MANUFACTURE
- [ ] REVISED DOCUMENT MUST BE RECEIVED BEFORE MANUFACTURE MAY INCORPORATE THIS CHANGE
- [ ] CUSTODIAN OF MASTER DOCUMENT SHALL MAKE ABOVE REVISION AND FURNISH REVISED DOCUMENT TO:

b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT: AMSRD-AAR-AIC-F

b. TYPED NAME (First, Middle Initial, Last):

d. TITLE: for WALTER J. SONGAILA, Chief, Configuration Management and Lifecycle Integration Support to Fielded Systems Group

e. SIGNATURE: Dennis Pelunza

f. DATE SIGNED (YYMMDD): 15 Jan 2004

15 a. ACTIVITY ACCOMPLISHING REVISION: AMSTA-AR-CCB-EC

b. REVISION COMPLETED (Signature):

c. DATE SIGNED (YYMMDD):

DD Form 1695, APR 92 — *Previous editions are obsolete.*

DISTRIBUTION STATEMENT A: