

Exhibit A

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: BOLT, BREECH
TO CONTRACT/PR: M141S196

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80639C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUTORIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINKS.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694,1695)

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)****	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80640C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUTORIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINKS.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

- | | | | | | | |
|-----------------------------|---------|-----------|--------|------------------|----|------|
| 1. A003 | | | | 14. | | |
| 2. NOTICE OF REVISION (NOR) | | | | SEE ADDRESS CODE | / | / |
| 3. | | | | DISTRIBUTION | / | / |
| | | | | ATTACHED** | / | / |
| 4. DI-CMAN-80642C* | | | | | | |
| 5. SECTION C | | | | | | |
| 6. AMSTA-AR-QAW | 7. LT | 8. - | 9. *** | | | |
| 10. ASREQ | 11. --- | | | 15. TOTAL | 0/ | 0/ 0 |
| 12. ASREQ | | 13. ASREQ | | | | |

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINKS.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695) ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

- | | | | | | | |
|--|--------|--------------|--------|-----------------|-----|------|
| 1. A004 | | | | 14. | | |
| | | | | AMSTA-AR-QAC(D) | (1) | / 1/ |
| 2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC. | | | | QAR | / | / |
| 3. AIE DESIGN DOCUMENTATION | | | | CO (LT ONLY) | / | / |
| 4. DI-QCIC-81006* | | | | AMSTA-AR-QAW- | (2) | / / |
| | | | | (LT ONLY) (R) | / | / |
| 5. SECTION E | | | | | | |
| 6. AMSTA-AR-QA | 7. XX | 8. A | 9. N/A | | | |
| 10. ONE/R | 11.N/A | | | 15. TOTAL | 0/ | 1/ 0 |
| 12. ** | | 13.WHEN REV. | | | | |

16. REMARKS

* BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2, 10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID. SUBMIT FOR ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP.** BLOCK 12: SUBMIT 30 DAYS PRIOR TO FA,OR PRODUCTION,IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 30 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS.REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE.IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE,SUBMIT ONLY EVIDENCE OF PRIOR APPROVALS.

email: (1)aie-qac@pica.army.mil (2)amsta-ar-qa-cdr1@ria-emh2.army.mil
 Text:Microsoft Office 97

Drawings:AutoCAD-Release 14(Expressed mailed hard copies will be accepted)
 Files may be compressed using ZIP program.
 WARNING: Large packages may cause delays in delivery using mail internet.
 Email subject line must contain end item nomenclature.

1.A005

2. TEST PROCEDURE/ PHOSPHATE COATING PRE-
3. PRODUCTION PROCEDURE

14. PROCUREMENT / /
CONTRACTING / /
OFFICER / 1/

4. DI-NDTI-80603*

5. MIL-DTL-16232, PARA 3.1

6. AMSTA-AR-WEP-RM 7. XX 8. A 9. N/A

10. ONE/R 11. N/A

15. TOTAL 0/ 1/ 0

12. 60 DAC 13. N/A

16. REMARKS

BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD. A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

DATE: 12/16/2003

attachment 0001

W82H89-04-R-0135

PRICING EVALUATION SUMMARY

Attachment 0001

Offerer's Name:

CLIN 8881

Belt, Breech

NSN: 1095-01-872-4441

Estimated Order Quantity: IDIQ

Ordering Period 1

Ordering Period 2

Ordering Period 3

First Article Test

Range	Unit Price	Wgt	Unit Price	Wgt	Unit Price	Wgt
500 - 1400		70%		15%		15%
1401 - 2300		15%		70%		70%
2301 - 3000		15%		15%		15%
		100%		100%		100%

Weighted Total:

Weighted Total Price for the Entire Proposal:

DOCUMENT SUMMARY LIST

Item: BOLT, BREECH
 NSN: 1005-00-872-4441
 Control Number/PRON: M141S196

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1
4a. MIL-DTL-16232G (TDPL)	Phosphate Coating Heavy Manganese or Zinc Base	07 Jan 00 Cat 2
4b. DI-NDTI-80603 (DD Form 1423)	Test Procedure	01 Jun 88 Cat 1

attachment 003

WARNING

THIS CONTRACT INVOLVES HAZARDOUS MATERIAL

SEE SEPARATE HAZARDOUS COMPONENT SAFETY
DATA STATEMENTS FOR TECHNICAL DATA
AND SAFETY REQUIREMENTS

(TITLE OF END ITEM AND IFB, RFQ, RFPs, ETC. OR CONTRACT NUMBER)
W52H09-04-R-0135
Breech Bolt

**FIRMS MUST HAVE ADEQUATE FACILITIES
FOR HANDLING AMMUNITION, EXPLOSIVES,
or other unique military related dangerous material
involved that could adversely affect personnel and
property in the event of explosion, fire or exposure.
Prior to contract award, the Government will thoroughly
investigate the ability of prospective contractor to
comply with safety requirements.**

HAZARDOUS COMPONENT SAFETY DATA STATEMENT

DATE
20 Jun 85

1 MATERIAL/COMPONENT/ASSEMBLY Cartridge, 7.62mm, NATO, Test, High Pressure, M60	2 NUMBER 10123	3 REVISION B
--	-------------------	-----------------

4 APPLICABLE SAFETY CLAUSE FAR 28.7102

SENSITIVITY (Apparatus and Comparison Values)

5 FRICTION TEST NA	6. IMPACT TEST NA	7 ELECTROSTATIC DISCHARGE TEST NA
---------------------------	--------------------------	--

HAZARDS

9. FIRE Low	9. AUTO IGNITION TEMP NA	10. FLASH POINT NA	11 DECOMPOSITION PRODUCTS Toxic, Avoid Inhalation and Ingestion	
12 FLAMMABLE AND/OR EXPLOSIVE LIMITS		13. EXPLOSION	14. EXPLOSIVE TEMP(S) Sec	15. DUSTS
a. LOWER PERCENT NA	b. UPPER PERCENT NA	Low	NA	NA
16 HEALTH HAZARD INFORMATION (Toxicity) Not Toxic			17. UNPACKED (In-Process) HAZARD CLASS (Specify Quantities Involved) Class 1.4	

18. SPECIAL REQUIREMENTS (Continuation on plain paper authorized)
Ref Dwg: 7553703 and Spec: MIL-C-46477

Approved Packaging Drawings: (See Attached Sheet)

SHIPPING/STORAGE CLASSIFICATION OF ITEM WHEN PACKED IN ACCORDANCE WITH APPROVED PACKING DRAWINGS

19. DOD HAZARD CLASS/DIV 1.4	20. DOD COMPAT GROUP S	21. DOT HAZARD CLASS Class C Explosive	22 DOT CONTAINER MARKING Small Arms Ammunition
23 PREPARED BY (Name, Signature, Organization) R. W. BATSON <i>R.W. Snook</i>			25. SAFETY OFFICE (Name, Signature, Organization) <i>Peters</i> C. PETERS
24. CONCURRED IN BY (Name, Signature, Organization) R. W. SNOOK <i>R.W. Snook</i>			

The information relating to safety (herein referred to as "safety data") contained in this document is limited to those instances when the document is provided as a part of a procurement/production package which involves the development, testing, storage, manufacture, modification, renovation, demilitarization, packaging, transportation, handling, disposal, inspection, repair or any other use of the item, (material/component/assembly) which is specified in the contract. The safety data contained herein are examples which shall be used by the contractor to alert contractor personnel as well as other personnel of hazards associated with the procurement/production of the item. No representation is made that compliance with the information provided will prevent any accident to persons or property or that additional warnings may not be appropriate. Neither the foregoing nor any act or failure to act by the Government in regard to alerting personnel to the hazards of the item shall affect or relieve the contractor of responsibility for the safety of contractor personnel or property and for the safety of the general public in connection with the performance of the contract, or impose or add to any liability of the Government for such safety.

Sheet 1 of 3

Cartridge, 7.62mm, NATO, Test,
High Pressure, M60

Spec: MIL-C-46477
HCSDS: 10123
Dwg: 7553703, Rev-K

10123
B
20 Jun 85

Primer, No. 34

HCSDS: 10062
Dwg: 10522621

Propellant, IMR-4475

HCSDS: 10010
Dwg: 10534786

(42 Grain)

Bullet

Dwg: 6016309

10123
B
20 Jun 85

Special Requirements (Cont):

1. Classifications* are for shipment and storage when item is packaged in accordance with packaging drawings or sections of 49 CFR as follows:

DEFINITION: Section 173.100(b)
PACKAGING: Section 173.101
MARKING: Section 172 Subpart D and Section 173.101(c) & (f)
LABELING: Excepted from the Label prescribed in Section 172.411. Outside of each package to be plainly marked "Small Arms Ammunition".

2. Approved Packaging Drawings:

960 Cartridges - Unlinked: 10542414 - 8595430 - 8595429 - 8595428
7553710

920 Cartridges - Unlinked: 10542420 - 8595398 - 8595396 - 8595397
7553710