

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CABLE & CONDUIT A
TO CONTRACT/PR: M1310676

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD	8. APP	9. DIST STATEMENT
	250	CODE	REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80639C*			
5. SECTION C			
6. AMSTA-AR-QAW	7. LT	8. -	9. **
10. ASREQ	11. ---	15. TOTAL	0/ 0/ 0
12. ASREQ		13. ASREQ	

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT [HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM](http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694,1695)

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80640C*			
5. SECTION C			
6. AMSTA-AR-QAW	7. LT	8. -	9. **
10. ASREQ	11. ---	15. TOTAL	0/ 0/ 0
12. ASREQ		13. ASREQ	

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT [HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM](http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

1. A003				14.		
				SEE ADDRESS CODE	/	/
2. NOTICE OF REVISION (NOR)				DISTRIBUTION	/	/
3.				ATTACHED**	/	/
4. DI-CMAN-80642C*						
5. SECTION C						
6. AMSTA-AR-QAW	7. LT	8. -	9. ***			
10. ASREQ	11. ---			15. TOTAL	0/	0/ 0
12. ASREQ		13. ASREQ				

16. REMARKS
 *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695) ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

1. A004				14.		
				AMSTA-AR-QAC	(1)	/ 1/
2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.					(D)	/ /
3. AIE DESIGN DOCUMENTATION				QAR		/ /
				CO (LT ONLY)		/ /
4. DI-QCIC-81006*				AMSTA-AR-QAW-	(2)	/ /
				(LT ONLY) (R)		/ /
5. SECTION E						
6. AMSTA-AR-QA	7. XX	8. A	9. N/A			
10. ONE/R	11.N/A			15. TOTAL	0/	1/ 0
12. **		13.WHEN REV.				

16. REMARKS
 * BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2, 10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID. SUBMIT FOR ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP.** BLOCK 12: SUBMIT 30 DAYS PRIOR TO FA,OR PRODUCTION,IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 30 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS.REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE.IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE,SUBMIT ONLY EVIDENCE OF PRIOR APPROVALS.
 email: (1)aie-qac@pica.army.mil (2)amsta-ar-qa-cdrl@ria-emh2.army.mil
 Text:Microsoft Office 97
 Drawings:AutoCAD-Release 14(Expressed mailed hard copies will be accepted)
 Files may be compressed using ZIP program.
 WARNING: Large packages may cause delays in delivery using mail internet.
 Email subject line must contain end item nomenclature.

DATE:05/21/2003

DOCUMENT SUMMARY LIST

Item: CABLE & CONDUIT A
NSN: 6150-01-463-2678
Control Number/PRON: M1310676

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Test OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1

1. A003			14.		
2. NOTICE OF REVISION (NOR)			SEE ADDRESS CODE	/	/
3.			DISTRIBUTION	/	/
			ATTACHED**	/	/
4. DI-CMAN-80642C*					
5. SECTION C					
6. AMSTA-AR-QAW	7. LT	8. -	9. ***		
10. ASREQ	11. ---			15. TOTAL	0/ 0/ 0
12. ASREQ		13. ASREQ			

16. REMARKS
 *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINKS.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)
 ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

DATE: 07/30/2003

DOCUMENT SUMMARY LIST

Item: CABLE AND CONDUIT ASSEMBLY

NSN: 6150-01-494-6343

Control Number/PRON: M1310741

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9001-2000	American National Standard Quality Management Systems- Requirements	13 Dec 00

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, Va 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subjected to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS.

1. PART OR DRAWING NO. NOMENCLATURE 12476738 CABLE ASSEMBLY BRADS W499		2. CODE IDENT 19207		3. SPI NO. (AM) P 12476738	
4. NATIONAL STOCK NO. 6150-01-494-6343		5. DATE OF DRAWING/SPI(YMMDD) 03-06-24		6. REVISION / ERR NO. -/H3K2050	
7. QUP / UNIT OF ISSUE 1/EA	8. ICQ -	9. UNIT PACK WT. (LB) (0.0) 2.4	10. UNIT PACK CU (CU. FT.)(0.000) 0.925	11. UNIT PACK SIZE (INCHES)(00.0) 20.0 X 20.0 X 4.0	
12. MILITARY PRESERVATION			18. STEPS	19. REQD	20. DESCRIPTION
MIL-STD-2073-1, METHOD 41			1		WRAP,PPP-C-1797,TY-I,SEE NOTE (A)
13. CLEANING			2		TAPE,A-A-883,SEE NOTE (A&B)
*			3		BAG,MIL-DTL-117,TY-I,CL-E
14. DRYING			4		CONTAINER,ASTM D5118,ST-OPF,GR-W6C
*			5		CLOSURE,ASTM D1974,SEALING METHOD B
15. PACKING					
a. LEVEL A					
MIL-STD-2073-1					
b. LEVEL B					
MIL-STD-2073-1					
16. MARKING					
MIL-STD-129					

17. NOTES/DRAWINGS

* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.

- (A) WRAP CONNECTORS WITH SPECIFIED MATERIAL AND SECURE WITH TAPE.
- (B) COIL CABLE AND SECURE WITH TAPE.

WSC: LB ITEM SIZE: 278.0 X 2.0 X 1.5 ITEM WEIGHT: 2.1 APPROVED: *Vishwa N. Khanna*

DISTRIBUTION STATEMENT A, UNLIMITED

Enclosure 5