

WOLVERINE SPARES, PHASE II
NEGOTIATED OPTION PRICES

<u>ITEM</u>	<u>PART NUMBER</u>	<u>NOMENCLATURE</u>	<u>NEGOTIATED UNIT PRICE</u>
1	98GD056	ELECTRICAL END BELL	\$583.00
2	6301.150.320.000	MOTOR & GEAR ASSY	\$12,941.00
3	LSCP270016	BRIDGE INTERLOCK	\$5,483.00
4	12467300-2	COMMANDER'S ELECT	\$50,992.00
5	6301.150.040.003	CYLINDER ASSY	\$1,985.00
6	LSCP480001	SOUND CONTROLLING BOARD	\$605.00
7	6301.150.055.014	CYLINDER ASSY	\$7,902.00
8	LSCP260003-8	CCP	\$59,864.00
9	LSCP270225	ACTUATOR ASSY	\$7,342.00
10	LSAE1900070	FIRE EXTINGUISHER	\$1,460.00
11	125911024GD24V	MOTOR, STARTER	\$1,097.00

H.X

EXCHANGE RATE ADJUSTMENT

H.X.1 The Government and the contractor acknowledge that a portion of the price payable to the contractor under the contract will be attributable to activity by MAN Technologie of Germany. The Government and the contractor recognize the potential risks due to exchange rate fluctuations between the dollar and the Deutsche Mark (DM), and they agree that this risk shall be borne by the Government.

H.X.2 The baseline contract exchange rate is 2.30. The contract exchange rate shall be established at the DM/\$ exchange rate determined in accordance with the procedure outlined below.

H.X.2.1 The CLINs cited in H.X.3 have German content. Those CLINs shall have their price adjusted to the baseline contract exchange rate for the actual exchange rate plus any brokerage fees by adding /subtracting the sum of an amount calculated according to the following formula:

$$A = C \times (BR/AR - 1)$$

A= Amount added/subtracted to the CLIN price

C= CLIN amount subject to adjustment

BR= Baseline contract exchange rate

AR= DM/\$ exchange rate fixed as the official average rate at the Frankfurt Stock Exchange for the day the exchange rate is secured by the broker plus any brokerage fees charged by the broker to secure the exchange rate.

H.X.2.2. The official average rate, brokerage fees and the amount of payment secured for each CLIN will be certified by the broker and forwarded to the Government by the contractor.

H.X.2.3. A period of 3-5 working days will be permitted to allow time for the contractor to secure the exchange rate.

H.X.3 The CLIN amounts subject to adjustment for the CLINs subject to price adjustment are as follows:

<u>CLIN</u>	<u>Amount Subject to Adjustment</u>
0002AA	\$13,129.00
0003AA	\$ 5,555.00
0005AA	\$ 2,002.00
0007AA	\$ 8,011.00

H.X.4 If the CLIN prices are adjusted for the baseline contract exchange rate in accordance with this provision, the Government shall issue a unilateral contract modification within thirty (30) days of base contract effectivity to incorporate the price adjustment and changes to the amounts subject to adjustment into Section B and H.X.3, respectively. This formula shall also apply to option quantities for the CLINS listed in H.X.3

H.X.5 If the contractor fails to provide the exchange rate as defined in H.X.2.1, the Government may unilaterally adjust the prices. Any such adjustment will be subject to the dispute's clause.