
WARNING: THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C. SEC 2751 et seq.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP 2401 et seq.

VIOLATION OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. DISSEMINATE IN ACCORDANCE WITH THE PROVISIONS OF DoD DIRECTIVE 5230.25.

NOTICE TO ACCOMPANY THE DISSEMINATION OF EXPORT-CONTROLLED TECHNICAL DATA

1. Export of information contained herein, which includes, in some circumstances, release to foreign nationals within the United States, without first obtaining approval or license from the Department of State for items controlled by the International Traffic in Arms Regulation (ITAR), or the Department of Commerce for items Controlled by the Export Administration Regulations (EAR), may constitute a violation of law.

2. Under 22 U.S.C. 2778 the penalty for unlawful export of items or information controlled under the ITAR is up to 2 years imprisonment, or a fine of \$100,000, or both. Under 50 U.S.C., Appendix 2401, the penalty for unlawful export of items or information controlled under the EAR is a fine of up to \$1,000,000, or five times the value of the exports, whichever is greater; or for an individual, imprisonment of up to 10 years, or a fine of up to \$250,000, or both.

3. In accordance with your certification that establishes you as a "certified US contractor," unauthorized dissemination of this information is prohibited and may result in disqualification as a certified US contractor, and maybe considered in determining your eligibility for future contracts with the Department of Defense.

4. The US Government assumes no liability for direct patent infringement, or contributory patent infringement or misuse of technical data.

5. The US Government does not warrant the adequacy, accuracy, currency, or completeness of the technical data.

6. The US Government assumes no liability for loss, damage, or injury resulting from manufacture or use for any purpose of any product, article, system, or material involving reliance upon any or all technical data furnished in response to the request for technical data.

7. If the technical data furnished by the Government will be used for commercial manufacturing or other profit potential, a license for such use may be necessary. Any payments made in support of the request for data do not include or involve any license rights.

8. A copy of this notice shall be provided with any partial or complete reproduction of these data that are provided to qualified US contractors.

Page 3 of 3

NAME (POC): TUAN A. PHAM

OFFICE: AMSSB-RSO-DDN (RI)

PHONE: DSN 793-6948

MYLARS REQUIRED - NO

SAFETY INPUT: YES

DATE: 07/29/99

CHEMICAL SURETY MATERIAL (CSM) CLAUSE

Some of the inspection and/or testing required to be performed under this solicitation/purchase description will require handling and using CSM. CSM is generally defined as chemical agents which can kill, seriously injure, or incapacitate persons through their chemical properties. Any U.S. contractor handling or using CSM must hold a Bailment Agreement with ^{515 CCM} CBDCOM, Aberdeen Proving Ground, MD. The U.S. government will furnish the chemical agents necessary for testing to a U.S. contractor when the agents are requested by a contractor who is certified to handle and store these agents (Bailment Agreement Holder.) For performance under any contract resulting from this solicitation/purchase description, the successful contractor is required to have a current Bailment Agreement or utilize an outside lab currently holding a Bailment Agreement. The U.S. government will not provide CSM to, or enter into Bailment Agreements with, concerns located outside of the U.S.. Other than U.S. contractors must obtain CSM, and the authorization to use it, from their respective governments. Any CSM provided in this manner must be in the purities specified in the contract.

Following is a list of current CSM Bailment Agreement holders. This list is provided for informational purposes only and may not all be inclusive:

Bailment Agreement Holders (Nov 96)

Calspan Corporation	P.O. Box 400 Buffalo, New York 14225	716-632-7500 716-631-6815 (Fax)	Mr. Mike Moskal
IIT Research Institute	10 West 35th St. Chicago, IL 60610	312-567-4262 312-567-4286 (Fax)	Dr. Rajan
Battelle	505 King Ave. Columbus, OH 43201	614-424-7283 614-424-4905 (Fax)	Dr. Ray Bills
Midwest Research Institute	425 Volker Bld. Kansas City, MO 64110	816-753-7600 816-753-8420 (Fax)	Ms. Hope Green
Southern Research Institute	2000 Ninth Ave. South P.O. Box 55305 Birmingham, AL 35255	205-581-2000, ext. 2515 205-581-2726 (Fax)	Mr. Rueben Watkins
Geomet Technologies, Inc.	8577 Atlas Drive Gaithersburg, MD 20877	301-417-9605 301-990-1925 (Fax)	Mr. Frank Kelly
Tructech, Incorporated	680 Elton Ave Riverhead, New York 11901	516-727-8600 516-727-7592 (Fax)	Mr. Dan Kohn

Organizations wishing to become CSM Bailment Agreement holders may contact the U.S. Army Edgewood Research, Development and Engineering Center Surety Office at (410)671-2051, Mr. Thomas L. Potet for further details.

PRICING SHEET
(contractor must complete)

ITEM: DETECTOR KIT, CHEMICAL M256A1
NSN: 6665-01-133-4964
P/N: 6-77-2240
CLIN 0001

ORDERING PERIOD	QUANTITY ORDER RANGE	UNIT PRICE
1	<u>Est Qty: 24,000</u> 8000 - 17,999	\$ <input type="text"/> FIRST ARTICLE \$ <input type="text"/>
	18,000 - 39,999	\$ <input type="text"/>
	40,000 and over	\$ <input type="text"/>
2	<u>Est Qty: 20,800</u> 8000 - 17,999	\$ <input type="text"/>
	18,000 - 39,999	\$ <input type="text"/>
	40,000 and over	\$ <input type="text"/>
3	<u>Est Qty: 20,800</u> 8000 - 17,999	\$ <input type="text"/>
	18,000 - 39,999	\$ <input type="text"/>
	40,000 and over	\$ <input type="text"/>
4	<u>Est Qty: 20,800</u> 8000 - 17,999	\$ <input type="text"/>
	18,000 - 39,999	\$ <input type="text"/>
	40,000 and over	\$ <input type="text"/>
5	<u>Est Qty: 36,000</u> 8000 - 17,999	\$ <input type="text"/>
	18,000 - 39,999	\$ <input type="text"/>
	40,000 and over	\$ <input type="text"/>

EVALUATION SHEET FOR GOVERNMENT USE ONLY

CLIN 0001 DETECTOR KIT, CHEMICAL M256A1 NSN 6665-01-133-4964 PART NO 5-77-2240

ORDERING PERIOD	QUANTITY ORDER RANGE	UNIT PRICE	X WEIGHT	= WEIGHTED UNIT PRICE	X QUANTITY MULTIPLIER	= WEIGHTED PRICE	= TOTAL WEIGHTED PRICE
1 FAT \$	8000 - 17,999	<input type="text"/>	0.20	\$ -	8,000	\$ -	
	18,000 - 39,999	<input type="text"/>	0.60	\$ -	18,000	\$ -	
	40,000 and over	<input type="text"/>	0.20	\$ -	40,000	\$ -	
							\$ -
2	8000 - 17,999	<input type="text"/>	0.20	\$ -	8,000	\$ -	
	18,000 - 39,999	<input type="text"/>	0.60	\$ -	18,000	\$ -	
	40,000 and over	<input type="text"/>	0.20	\$ -	40,000	\$ -	
							\$ -
3	8000 - 17,999	<input type="text"/>	0.20	\$ -	8,000	\$ -	
	18,000 - 39,999	<input type="text"/>	0.60	\$ -	18,000	\$ -	
	40,000 and over	<input type="text"/>	0.20	\$ -	40,000	\$ -	
							\$ -
4	8000 - 17,999	<input type="text"/>	0.20	\$ -	8,000	\$ -	
	18,000 - 39,999	<input type="text"/>	0.60	\$ -	18,000	\$ -	
	40,000 and over	<input type="text"/>	0.20	\$ -	40,000	\$ -	
							\$ -
5	8000 - 17,999	<input type="text"/>	0.20	\$ -	8,000	\$ -	
	18,000 - 39,999	<input type="text"/>	0.60	\$ -	18,000	\$ -	
	40,000 and over	<input type="text"/>	0.20	\$ -	40,000	\$ -	
							\$ -
						TOTAL PRICE	\$ -
						FAT	
						TOTAL WEIGHTED PRICE	\$ -

DOCUMENT SUMMARY LIST

Item: DETECTOR KIT, CHEMICAL AGENT: M256A1
NSN: 6665-01-133-4964
Control Number/PRON: C39NAHXX

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

(1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.

(2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".

(3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."

(4) Para 5.4.3.5.1. Minor deviations.

Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."

(5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and	30 Aug 94

ISO 10012-1 (ES7010)	Measuring and Test Equipment OR Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1

ADDRESS CODE DISTRIBUTION - for
ECPs/RFDs/RFWs/VECPs
(Configuration Management)

1. Distribution of Engineering Change Proposals (ECPs), Request for Deviations (RFDs), Request for Waivers (RFWs) or Value Engineering Change Proposals (VECPs) shall be submitted by the contractor as follows:
2. The contractor is encouraged to use electronic mail (E-mail) to transmit these documents. E-mail transmission of ECPs, RFDs, RFWs and VECPs shall be in Portable Document Format (".PDF" file) or MS Word format. The transmission shall be to the following addressees:

Phamt@ria.army.mil
Moscow@ria.army.mil
3. If electronic mail is not available, these documents may be faxed to:

(309) 782-1919
Attn: Tuan Pham

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: DETECTOR KIT, CHEMICAL AGENT:M256A1
TO CONTRACT/PR:C39NAHXX

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3. *		ATTACHED	/ /
4. DI-CMAN-80639B			
5. MIL-STD-973			
6. AMSSB-RSO-ADM(RI)	7. LT	8. -	9.**
10. ASREQ	11. ---	15. TOTAL	0/ 0/ 0
12. ASREQ		13.	

16. REMARKS
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED	/ /
4. DI-CMAN-80640B			
5. MIL-STD-973			
6. AMSSB-RSO-ADM(RI)	7. LT	8. -	9.**
10. ASREQ	11. ---	15. TOTAL	0/ 0/ 0
12. ASREQ		13.	

16. REMARKS
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A003		14. SEE ADDRESS CODE	/ /
---------	--	----------------------	-----

2. REQUEST FOR WAIVER (RFW) DISTRIBUTION / /
 3. ATTACHED / /

4. DI-CMAN-80641B

5. MIL-STD-973

6. AMSSB-RSO-ADM(RI) 7. LT 8. - 9.**

10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0

12. ASREQ 13.

16. REMARKS
 **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CON-
 FIGURATION MANAGER.

1. A004 14. SEE ADDRESS CODE / /
 2. NOTICE OF REVISION (NOR) DISTRIBUTION / /
 3. ATTACHED / /

4. DI-CMAN-80642B

5. MIL-STD-973

6. AMSSB-RSO-ADM(RI) 7. LT 8. - 9.**

10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0

12. ASREQ 13.

16. REMARKS
 THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED
 LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP
 APPROVAL. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY
 THE DOD CONFIGURATION MANAGER.

ALL THE ABOVE MAY BE SUBMITTED TO:

COMMANDER
 U.S.ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)
 ATTN: AMSSB-RSO-ADM (CDE QA CELL) BLDG.62,1stfloor,West Wing
 ROCK ISLAND,IL 61299-7390

1. A005 14. AMSSB-RSO-ADM (RI) / 2/
 2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC. / /
 3. AIE DESIGN DOCUMENTATION QAR / /
 CO (LT ONLY) / /

4. DI-QCIC-81006

5. SECTION E

6. AMSSB-RSO-ADM(RI) 7. XX 8. A 9. N/A

10. ONE/R 11.N/A 15. TOTAL 0/ 2/0

12. ** 13.WHEN REV.

16. REMARKS
 *BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2,10.4.1(f) AND 10.4.2.
 IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID.SUBMIT FOR ALL TESTS
 AND ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR
 QAP. UNLESS OTHERWISE SPECIFIED, INSPECTION EQUIPMENT INCLUDES STANDARD
 MEASURING AND TEST EQUIPMENT AND/OR COMMERCIAL OFF THE INSPECTION/TEST
 EQUIPMENT. **BLOCK 12:SUBMIT 45 DAYS PRIOR TO FA,OR PRODUCTION,IF FA IS

WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 45 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS. REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE. IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT ONLY EVIDENCE OF PRIOR APPROVALS.

All submissions should be presented in the following formats via e-mail or on PC compatible CD-ROM, 100MB Iomega ZIP disks, or 3.5" high density floppy discs

Textual Information	MS Office compatible (i.e. doc.xls, rtf)
Technical Drawings	Windows Metafile, Bitmap, JPEG, DesignCAD 2D or AutoCAD formats
Illustrations/Photos	Windows Metafile, Bitmax, JPEG (i.e. WMF, BMP, JPG, GIF)

Files may be compressed using ZIP program.

WARNING: Large packages may cause delays in delivery using mail internet.

Email subject line must contain end item nomenclature.

email: cromerf@ria.army.mil and jennings@ria.army.mil

Postal: US ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)

ATTN: AMSSB-RSO-ADM(RI), CDE QA CELL, BLDG. 62, ROCK ISLAND, IL 61299-7390

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 08/02/1999