

(ES7010)

Calibration Laboratories and
Measuring and Test Equipment
OR

ISO 10012-1
(ES7010)

Quality Assurance Requirements
for Measuring Equipment, Part 1:
Metrological Confirmation System

1992

3b. DI-QCIC-81006
(DD Form 1423)

Special Inspection Equipment
Descriptive Documentation

11 Sep 89
Cat 1

Item: ISO ADAPTER TYPE II
 NSN: 4240-01-460-9056
 Control Number/PRON: C19PAA09

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."
- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
 Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1	Quality Assurance Requirements	1992

(ES7010)

for Measuring Equipment, Part 1:
Metrological Confirmation System

3b. DI-QCIC-81006
(DD Form 1423)

Special Inspection Equipment
Descriptive Documentation

11 Sep 89
Cat 1

DOCUMENT SUMMARY LIST

Item: SUPPLY AIRLOCK
 NSN: 4240-01-460-9066
 Control Number/PRON: C19PAA08

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
 Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."

(5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO) Configuration Management 13 Jan 95
Cat 2

1c. DI-CMAN-80639B Engineering Change Proposal 13 Jan 95
(seq A001) Cat 2

1d. DI-CMAN-80640B Request for Deviation 13 Jan 95
(seq A002) Cat 2

1e. DI-CMAN-80641B Request for Waiver 13 Jan 95
(seq A003) Cat 2

1f. DI-CMAN-80642B Notice of Revision 13 Jan 95
(seq A004) Cat 2

2. ANSI/ISO/ASQC Q9002 Model for Quality Assurance in 18 Jul 94
or equivalent Production, Installation & Servicing

3a. NCSL Z540-1 General Requirements for 30 Aug 94

(ES7010)

Calibration Laboratories and
Measuring and Test Equipment
OR

ISO 10012-1
(ES7010)

Quality Assurance Requirements
for Measuring Equipment, Part 1:
Metrological Confirmation System

1992

3b. DI-QCIC-81006
(DD Form 1423)

Special Inspection Equipment
Descriptive Documentation

11 Sep 89
Cat 1

DOCUMENT SUMMARY LIST

Item: PROTECTIVE ENTRANCE
 NSN: 4240-01-331-2938
 Control Number/PRON: C18CA56S

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."
- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
 Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2

2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment	30 Aug 94
	OR	
ISO 10012-1	Quality Assurance Requirements	1992

(ES7010)

for Measuring Equipment, Part 1:
Metrological Confirmation System

3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1
4a. TT-C-490D Amd 1 (TDPL)	Cleaning Methods for Ferrous Surfaces and Pretreatment for Organic Coating	14 Sep 94 Cat 2
4b. DI-NDTI-80603 (DD Form 1423)	Test Procedure	01 Jun 88 Cat 1

DOCUMENT SUMMARY LIST

Item: M20A1 SHELTER
 NSN: 4240-00-330-7806
 Control Number/PRON: C19CA06S

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."
- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers:
 Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1	Quality Assurance Requirements	1992

(ES7010)

for Measuring Equipment, Part 1:
Metrological Confirmation System

3b. DI-QCIC-81006
(DD Form 1423)

Special Inspection Equipment
Descriptive Documentation

11 Sep 89
Cat 1

DOCUMENT SUMMARY LIST

Item: MAINTENANCE KIT
 NSN: 4240-01-331-2921
 Control Number/PRON: C19PAA01

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."
- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".
- (6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
 Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94

DOCUMENT SUMMARY LIST

Item: FILTER, ELEMENT, GAS RE-CIRCULATION
 NSN: 4240-01-332-2068
 Control Number/PRON: C18CA56S

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."
- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".
- (6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
 Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94

Exhibit A

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: LINER VESTIBULE
TO CONTRACT/PR: C18CA66S

1. SEQUENCE NUMBER		14. DRFT/REG/REPRO DISTRIBUTION COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT 250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001		14. SEE ADDRESS CODE / /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION / /
3. *		ATTACHED / /
4. DI-CMAN-80639B		
5. MIL-STD-973		
6. AMSSC-HB-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	

16. REMARKS
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A002		14. SEE ADDRESS CODE / /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION / /
3.		ATTACHED / /
4. DI-CMAN-80640B		
5. MIL-STD-973		
6. AMSSC-HB-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	

16. REMARKS
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A003			14.		
			SEE ADDRESS CODE	/	/
2. REQUEST FOR WAIVER (RFW)			DISTRIBUTION	/	/
3.			ATTACHED	/	/
4. DI-CMAN-80641B					
5. MIL-STD-973					
6. AMSSC-HB-ADM(RI)	7. LT	8. -	9.**		
10. ASREQ	11. ---			15. TOTAL	0/ 0/ 0

12. ASREQ 13.

16. REMARKS
 **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A004			14.		
			SEE ADDRESS CODE	/	/
2. NOTICE OF REVISION (NOR)			DISTRIBUTION	/	/
3.			ATTACHED	/	/
4. DI-CMAN-80642B					
5. MIL-STD-973					
6. AMSSC-HB-ADM(RI)	7. LT	8. -	9.**		
10. ASREQ	11. ---			15. TOTAL	0/ 0/ 0

12. ASREQ 13.

16. REMARKS
 THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP APPROVAL. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

ALL THE ABOVE MAY BE SUBMITTED TO:

COMMANDER
 U.S.ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)
 ATTN: AMSSC-HB-ADM (CDE QA CELL) BLDG.62,1stfloor,West Wing
 ROCK ISLAND,IL 61299-7390

1. A005			14.		
			AMSSC-HB-ADM Q (RI)	/	/
2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.				/	/
3. AIE DESIGN DOCUMENTATION			QAR	/	1/
			CO (LT ONLY)	/	/
4. DI-QCIC-81006					
5. SECTION E					
6. AMSSC-HB-ADM(RI)	7. XX	8. A	9. N/A		
10. ONE/R	11.N/A			15. TOTAL	0/ 1/0

12. **

13. WHEN REV.

16. REMARKS

*BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2, 10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID.SUBMIT FOR ALL TESTS AND ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP. UNLESS OTHERWISE SPECIFIED, INSPECTION EQUIPMENT INCLUDES STANDARD MEASURING AND TEST EQUIPMENT AND/OR COMMERCIAL OFF THE INSPECTION/TEST EQUIPMENT. **BLOCK 12: SUBMIT 45 DAYS PRIOR TO FA, OR PRODUCTION, IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 45 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS. REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE. IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT ONLY EVIDENCE OF PRIOR APPROVALS.

All submissions should be presented in the following formats via e-mail or on PC compatible CD-ROM, 100MB Iomega ZIP disks, or 3.5" high density floppy discs

Textual Information	MS Office compatible (i.e. doc.xls, rtf)
Technical Drawings	Windows Metafile, Bitmap, JPEG, DesignCAD 2D or AutoCAD formats
Illustrations/Photos	Windows Metafile, Bitmap, JPEG (i.e. WMF, BMP, JPG, GIF)

Files may be compressed using ZIP program.

WARNING: Large packages may cause delays in delivery using mail internet.

Email subject line must contain end item nomenclature.

email: testtechteam@cbdcom-emh1.apgea.army.mil

Postal: US ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)

ATTN: AMSSC-HB-ADM(RI), CDE QA CELL, BLDG. 62, ROCK ISLAND, IL 61299-7390
