
WARNING: THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C. SEC 2751 et seq.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP 2401 et seq.

VIOLATION OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. DISSEMINATE IN ACCORDANCE WITH THE PROVISIONS OF DoD DIRECTIVE 5230.25.

NOTICE TO ACCOMPANY THE DISSEMINATION OF EXPORT-CONTROLLED TECHNICAL DATA

1. Export of information contained herein, which includes, in some circumstances, release to foreign nationals within the United States, without first obtaining approval or license from the Department of State for items controlled by the International Traffic in Arms Regulation (ITAR), or the Department of Commerce for items Controlled by the Export Administration Regulations (EAR), may constitute a violation of law.
2. Under 22 U.S.C. 2778 the penalty for unlawful export of items or information controlled under the ITAR is up to 2 years imprisonment, or a fine of \$100,000, or both. Under 50 U.S.C., Appendix 2401, the penalty for unlawful export of items or information controlled under the EAR is a fine of up to \$1,000,000, or five times the value of the exports, whichever is greater; or for an individual, imprisonment of up to 10 years, or a fine of up to \$250,000, or both.
3. In accordance with your certification that establishes you as a "certified US contractor," unauthorized dissemination of this information is prohibited and may result in disqualification as a certified US contractor, and maybe considered in determining your eligibility for future contracts with the Department of Defense.
4. The US Government assumes no liability for direct patent infringement, or contributory patent infringement or misuse of technical data.
5. The US Government does not warrant the adequacy, accuracy, currency, or completeness of the technical data.

6. The US Government assumes no liability for loss, damage, or injury resulting from manufacture or use for any purpose of any product, article, system, or material involving reliance upon any or all technical data furnished in response to the request for technical data.

7. If the technical data furnished by the Government will be used for commercial manufacturing or other profit potential, a license for such use may be necessary. Any payments made in support of the request for data do not include or involve any license rights.

8. A copy of this notice shall be provided with any partial or complete reproduction of these data that are provided to qualified US contractors.

Page 3 of 3

NAME (POC): TUAN A. PHAM

OFFICE: AMSSC-HB-DDN (RI)

PHONE: DSN 793-6948

MYLARS REQUIRED - NO

RESUBMITTAL: NO

DATE: 16 Dec 1999

PRICING SHEET
(contractor must complete)

ITEM: NBC SIGN KIT, CONTAMINATION
NSN: 9905-01-346-4716
P/N: 5-14-1
CLIN 0002

ORDERING PERIOD	QUANTITY ORDER RANGE	UNIT PRICE
1	<u>Est Qty: 1503</u> 500 - 1499	\$ <input type="text"/> FIRST ARTICLE \$ <input type="text"/>
	1500 - 6000	\$ <input type="text"/>
	6001 - 36000	\$ <input type="text"/>
2	<u>Est Qty: 2304</u> 500 - 1499	\$ <input type="text"/>
	1500 - 6000	\$ <input type="text"/>
	6001 - 36000	\$ <input type="text"/>
3	<u>Est Qty: 3090</u> 500 - 1499	\$ <input type="text"/>
	1500 - 6000	\$ <input type="text"/>
	6001 - 36000	\$ <input type="text"/>
4	<u>Est Qty: 2319</u> 500 - 1499	\$ <input type="text"/>
	1500 - 6000	\$ <input type="text"/>
	6001 - 36000	\$ <input type="text"/>
5	<u>Est Qty: 2320</u> 500 - 1499	\$ <input type="text"/>
	1500 - 6000	\$ <input type="text"/>
	6001 - 36000	\$ <input type="text"/>

EVALUATION SHEET FOR GOVERNMENT USE ONLY

CLIN 0002 NBC SIGN KIT NSN 9905-01-346-4716 PART NO 5-14-1

WITH FAT

ORDERING PERIOD	QUANTITY ORDER RANGE	UNIT PRICE	X WEIGHT	= WEIGHTED UNIT PRICE	X QUANTITY MULTIPLIER	= WEIGHTED PRICE	= TOTAL WEIGHTED PRICE
1 FAT \$	500 - 1499	<input type="text"/>	0.15	\$ -	500	\$ -	
	1500 - 6000	<input type="text"/>	0.70	\$ -	1,500	\$ -	
	6001 - 36000	<input type="text"/>	0.15	\$ -	6,001	\$ -	
							\$ -
2	500 - 1499	<input type="text"/>	0.15	\$ -	500	\$ -	
	1500 - 6000	<input type="text"/>	0.70	\$ -	1,500	\$ -	
	6001 - 36000	<input type="text"/>	0.15	\$ -	6,001	\$ -	
							\$ -
3	500 - 1499	<input type="text"/>	0.15	\$ -	500	\$ -	
	1500 - 6000	<input type="text"/>	0.70	\$ -	1,500	\$ -	
	6001 - 36000	<input type="text"/>	0.15	\$ -	6,001	\$ -	
							\$ -
4	500 - 1499	<input type="text"/>	0.15	\$ -	500	\$ -	
	1500 - 6000	<input type="text"/>	0.70	\$ -	1,500	\$ -	
	6001 - 36000	<input type="text"/>	0.15	\$ -	6,001	\$ -	
							\$ -
5	500 - 1499	<input type="text"/>	0.15	\$ -	500	\$ -	
	1500 - 6000	<input type="text"/>	0.70	\$ -	1,500	\$ -	
	6001 - 36000	<input type="text"/>	0.15	\$ -	6,001	\$ -	
							\$ -
						TOTAL PRICE	\$ -
						FAT	
						TOTAL WEIGHTED PRICE	\$ -

DOCUMENT SUMMARY LIST

Item: SIGN KIT, CONTAMINATION
NSN: 9905-01-346-4716
Control Number/PRON: C49NAJXX

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."
- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".
- (6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
 Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1

ADDRESS CODE DISTRIBUTION - for
ECPs/RFDs/RFWs/VECPs
(Configuration Management)

1. Distribution of Engineering Change Proposals (ECPs), Request for Deviations (RFDs), Request for Waivers (RFWs) or Value Engineering Change Proposals (VECPs) shall be submitted by the contractor as follows:

2. The contractor is encouraged to use electronic mail (E-mail) to transmit these documents. E-mail transmission of ECPs, RFDs, RFWs and VECPs shall be in Portable Document Format (".PDF" file) or MS Word format. The transmission shall be to the following addressees:

Phamt@ria.army.mil
Moscow@ria.army.mil

3. If electronic mail is not available, these documents may be faxed to:

(309) 782-1919
Attn: Tuan Pham

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: SIGN KIT, CONTAMINATION
TO CONTRACT/PR: C49NAJXX

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT 250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3. *	ATTACHED	/ /
4. DI-CMAN-80639B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	

16. REMARKS
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED	/ /
4. DI-CMAN-80640B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	

16. REMARKS
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A003	14. SEE ADDRESS CODE	/ /
---------	----------------------	-----

2. REQUEST FOR WAIVER (RFW) DISTRIBUTION / /
 3. ATTACHED / /

4. DI-CMAN-80641B

5. MIL-STD-973

6. AMSSB-RSO-ADM(RI) 7. LT 8. - 9.**

10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0

12. ASREQ 13.

16. REMARKS
 **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CON-
 FIGURATION MANAGER.

1. A004 14. SEE ADDRESS CODE / /
 2. NOTICE OF REVISION (NOR) DISTRIBUTION / /
 3. ATTACHED / /

4. DI-CMAN-80642B

5. MIL-STD-973

6. AMSSB-RSO-ADM(RI) 7. LT 8. - 9.**

10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0

12. ASREQ 13.

16. REMARKS
 THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED
 LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP
 APPROVAL. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY
 THE DOD CONFIGURATION MANAGER.

ALL THE ABOVE MAY BE SUBMITTED TO:

COMMANDER
 U.S.ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)
 ATTN: AMSSB-RSO-ADM (CDE QA CELL) BLDG.62,1stfloor,West Wing
 ROCK ISLAND,IL 61299-7390

1. A005 14. AMSSB-RSO-ADM (RI) / 2/
 2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC. / /
 3. AIE DESIGN DOCUMENTATION QAR / /

