

CLIN 0001, MANIFOLD (2-HOLE), NSN: 4240-00-074-1237, P/N: 5-19-2354

ORDERING PERIOD 1 WITH PVT	Qty Range	Unit Price	Weight	Evaluated Price
	500-749	<input type="text"/>	0.1	\$0.00
	750-999	<input type="text"/>	0.15	\$0.00
	1000+	<input type="text"/>	0.75	\$0.00
	Evaluated Unit Price			\$0.00
	Est Qty	1016		
	Evaluated CLIN Price			\$0.00

ORDERING PERIOD 1 WITHOUT PVT	Qty Range	Unit Price	Weight	Evaluated Price
	500-749	<input type="text"/>	0.1	\$0.00
	750-999	<input type="text"/>	0.15	\$0.00
	1000+	<input type="text"/>	0.75	\$0.00
	Evaluated Unit Price			\$0.00
	Est Qty	1016		
	Evaluated CLIN Price			\$0.00

ORDERING PERIOD 2 WITHOUT PVT	Qty Range	Unit Price	Weight	Evaluated Price
	30-250	<input type="text"/>	0.8	\$0.00
	251+	<input type="text"/>	0.2	\$0.00
	Evaluated Unit Price			\$0.00
	Est Qty	33		
	Evaluated CLIN Price			\$0.00

ORDERING PERIOD 3 WITHOUT PVT	Qty Range	Unit Price	Weight	Evaluated Price
	30-250	<input type="text"/>	0.8	\$0.00
	251+	<input type="text"/>	0.2	\$0.00
	Evaluated Unit Price			\$0.00
	Est Qty	0		
	Evaluated CLIN Price			\$0.00

CLIN 0002, MANIFOLD (4-HOLE), NSN: 4240-00-018-3079, P/N: 5-19-1773

ORDERING PERIOD 1 WITH PVT	Qty Range	Unit Price	Weight	Evaluated Price
	100-200	<input type="text"/>	0.1	\$0.00
	201-300	<input type="text"/>	0.75	\$0.00
	301+	<input type="text"/>	0.15	\$0.00
	Evaluated Unit Price			\$0.00
	Est Qty	242		
	Evaluated CLIN Price			\$0.00

ORDERING PERIOD 1 WITHOUT PVT	Qty Range	Unit Price	Weight	Evaluated Price
	100-200	<input type="text"/>	0.1	\$0.00
	201-300	<input type="text"/>	0.75	\$0.00
	301+	<input type="text"/>	0.15	\$0.00
	Evaluated Unit Price			\$0.00
	Est Qty	242		
	Evaluated CLIN Price			\$0.00

ORDERING PERIOD 2 WITHOUT PVT	Qty Range	Unit Price	Weight	Evaluated Price
	50-200	<input type="text"/>	0.2	\$0.00
	201+	<input type="text"/>	0.8	\$0.00
	Evaluated Unit Price			\$0.00
	Est Qty	215		
	Evaluated CLIN Price			\$0.00

ORDERING PERIOD 3 WITHOUT PVT	Qty Range	Unit Price	Weight	Evaluated Price
	50-200	<input type="text"/>	0.75	\$0.00
	201-300	<input type="text"/>	0.15	\$0.00
	301+	<input type="text"/>	0.1	\$0.00
	Evaluated Unit Price			\$0.00
	Est Qty	50		
	Evaluated CLIN Price			\$0.00

1. OFFERORS ARE INSTRUCTED TO FILL IN UNIT PRICE BOXES ONLY.

2. TO BE CONSIDERED FOR AWARD, OFFERORS MUST FILL IN A UNIT PRICE FOR EACH CLIN FOR ALL THREE ORDERING PERIODS (YEARS). FAILURE TO DO SO MAY LEAD TO DISQUALIFICATION FROM CONSIDERATION.

3. THE OVERALL EVALUATED PRICE IS CALCULATED BY MULTIPLYING THE OFFERED PRICE BY THE RANGE WEIGHT FOR A WEIGHTED UNIT PRICE. THE WEIGHTED UNIT PRICES ARE ADDED TOGETHER FOR AN EVALUATED UNIT PRICE. THE EVALUATED UNIT PRICE IS MULTIPLIED BY THE ESTIMATED QUANTITY RESULTING IN AN EVALUATED CLIN PRICE. THE EVALUATED CLIN PRICES (ONE FOR EACH ORDERING PERIOD) ARE ADDED TOGETHER FOR AN OVERALL EVALUATED CLIN PRICE. BOTH OVERALL EVALUATED CLIN PRICES ARE ADDED FOR AN OVERALL EVALUATED PRICE FOR THIS SOLICITATION. IN THE CASE OF ORDERING PERIOD 1, EITHER THE WITH PVT OR THE WITHOUT PVT PRICES WILL BE USED, AS APPROPRIATE.

Section C

PRON C20CAA01 TDP NO. 5-19-2354 TDPL DATE: 02 May 00

ITEM NOMENCLATURE: Manifold Assembly (2 hole)

NSN: 4240-00-974-1237

The following engineering exceptions apply, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issues of the nongovernment specifications and standards, which were current on the date of the solicitation.
2. Part Number of the assembly, 5-19-2354 in this TDP is REVISION U. The assembly part height to the bottom of the flange, is 1 7/32 inch, an increase of 3/32 inch from REVISION R. The gasket has also been removed from the assembly.
3. The following specifications and standards, which may be related to ozone depleting chemicals (ODC) and or ozone depleting substances (ODS); may be listed and included as part of this Technical Data Package (TDP): MIL-STD-171, MIL-P-116, MIL-F-13926, TT-C-490, DOD-P-16232, MIL-STD-2073/1 and MIL-STD-2000A.
4. Other specifications and standards, which identify ODCs among alternative substances for use may be: MIL-P-23377.
5. The above specifications and standards allow the optional use of ODS and ODC. Preference should be given to non-ODS/ODC choices in compliance with Executive Order 12843, dated April 21, 1993; "Procurement Requirements and Policies for Federal Agencies for Ozone Depleting Substances".
6. Other specifications and standards containing ODS/ODC materials included in this TDP for which a substitute is provided are as follows: N/A.
7. Other specifications and standards included in this TDP what specify the use of ODS/ODC and have been approved for use are as follows: N/A
8. Bidders are requested, although not obligated to perform their own screening of the TDP specifications and standards and identify any additional potential ODC/ODS to the contracting officer.

DOCUMENT SUMMARY LIST

Item: 2 HOLE MANIFOLD ASSEMBLY

NSN: 4240-00-974-1237

Control Number/PRON: C20CAA01

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

(1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.

(2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".

(3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."

(4) Para 5.4.3.5.1. Minor deviations.

Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."

(5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.

Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2

2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
---	--	-----------

3a. MIL-DTL-16232G (TDPL)	Phosphate Coating Heavy Manganese or Zinc Base	07 Jan 00 Cat 2
3b. DI-NDTI-80603 (DD Form 1423)	Test Procedure	01 Jun 88 Cat 1
4a. TT-C-490D Amd 1 (TDPL)	Cleaning Methods for Ferrous Surfaces and Pretreatment for Organic Coating	14 Sep 84 Cat 2
4b. DI-NDTI-80603 (DD Form 1423)	Test Procedure	01 Jun 88 Cat 1

Section C

PRON C20CAA02 **TDP NO.** 5-19-1773 **TDPL DATE:** 02 May 00

ITEM NOMENCLATURE: Manifold Assembly (4 hole)

NSN: 4240-00-018-3079

The following engineering exceptions apply, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards, which were current on the date of the solicitation.
2. The following specifications and standards which may contain ozone depleting chemicals (ODC), may be listed and included as part of this Technical Data Package (TDP):
MIL-STD-171 MIL-STD-2000A DOD-P-16232 MIL-STD-2073/1.
TT-C-490 MIL-P-116 MIL-F-13926
3. Other specifications and standards, which identify ODS among alternative substances for use are parts of this TDP as follows: MIL-P-23377 MIL-C-22750.
3. The above specifications and standards allow the optional use of ODS or ozone depleting chemicals (ODC). Preference should be given to the non-ODS/ODC choices in compliance with Executive Order 1243, dated April 21, 1993, "Procurement Requirements and Policies for Federal Agencies for Ozone Depleting Substances".
4. Other specifications and standards containing ODS/ODC materials and included in this TDP for which a substitute is provided are follows: N/A.
5. Other specifications and standards included in this TDP that specify use of an ODS/ODC and have been approved for use are as follows: N/A.
6. Bidders are requested, although not obligated, to perform their own screening of the TDP specifications and standards to identify any additional potential ODS/ODC to the contracting officer.

DOCUMENT SUMMARY LIST

Item: 4 HOLE MANIFOLD ASSEMBLY

NSN: 4240-00-018-3079

Control Number/PRON: C20CAA02

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."

(5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.

Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2

2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
---	--	-----------

3a.	MIL-DTL-16232G (TDPL)	Phosphate Coating Heavy Manganese or Zinc Base	07 Jan 00 Cat 2
3b.	DI-NDTI-80603 (DD Form 1423)	Test Procedure	01 Jun 88 Cat 1
4a.	TT-C-490D Amd 1 (TDPL)	Cleaning Methods for Ferrous Surfaces and Pretreatment for Organic Coating	14 Sep '94 Cat 2
4b.	DI-NDTI-80603 (DD Form 1423)	Test Procedure	01 Jun 88 Cat 1

ADDRESS CODE DISTRIBUTION - for ECPs/RFDs/RFWs/VECPs

(Configuration Management)

1. Concurrent distribution of Engineering Change Proposals (ECPs), Request for Deviations (RFDs), Request for Waivers (RFWs) or Value Engineering Change Proposals (VECPs) shall be submitted by the Contractors as follows: 2. The contractor shall provide the original plus 1 copy to: Commander, Soldier and Biological Chemical Command ATTN: AMSSC-HB-CPT (RI) Rock Island, IL 61299 Email: karadshehs@ria.army.mil 3. Provide one copy to: a. (Design agency) Commander, Soldier and Biological Chemical Command ATTN: AMSSB-REN-P Building E3549 Aberdeen Proving Ground, MD 21010-5423P Email: axnegron@apega.army.mil b (Contracting Officer) Director, Armament and Chemical Acquisition, and Logistics Activity ATTN: AMSTA-AC-PCH-B Rock Island, IL 61299 Email: kleinj@ria.army.mil c. Administrative contracting officer 5. For VECPs only, provide one copy to each Value Engineering Office: a. Commander, Soldier and Biological Chemical Command ATTN: SCBRD-ENL-P Aberdeen Proving Ground, MD 21010-5423. b. Cdr, Soldier and Biological Chemical Command ATTN: AMSSC-HB-CPT (RI) Rock Island, IL 61299. 6. When ECPs, RFDs or RFWs are determined to be Urgent, Critical and/or Schedule impacting, an action copy should be provided via data facsimile (FAX) to SCBRD-ENP-A (EW) at 410-436-3323 and to AMSSC-HB (RI) at 309-782-3126. This transmission is to be immediately followed with the usual hard copy mailing. *CM at RI*

*RI***LIST OF ADDRESSES (see block 14 of DD form 1423 for symbols that apply)**

Commander U.S. Army Industrial Operations Command ATTN: AMSIO-_____ < Rock Island, IL 61299-6000 Commander Soldier and Biological Chemical Command ATTN: AMSSC-HB-ADM (RI) Rock Island, 61299 Director Armament and Chemical Acquisition, and Logistics Activity ATTN: AMSTA-AC-PCH-B Rock Island, IL 61299-7630 Commander Soldier and Biological Chemical Command ATTN: AMSSC-HB-CPT (RI) Rock Island, IL 61299 Commander Soldier and Biological Chemical Command ATTN: AMCPM _____ Aberdeen Proving Ground, MD 21010-5423 Commander: Soldier and Biological Chemical Command: ATTN: AMSSB-REM-P Aberdeen Proving Ground, MD 21010-5423 Commander U.S. Army Armament Research, Development and Engineering Center ATTN: AMSTA _____ Building 19 Picatinny Arsenal, NJ 07806-5000 *CM at RI*

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: 2 HOLE MANIFOLD ASSEMBLY
TO CONTRACT/PR: C20CAA01

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRAFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3. *		ATTACHED	/ /
4. DI-CMAN-80639B			
5. MIL-STD-973			
6. AMSSB-RSO-ADM(RI)	7. LT	8. -	9.**
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13.	

16. REMARKS

ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED	/ /
4. DI-CMAN-80640B			
5. MIL-STD-973			
6. AMSSB-RSO-ADM(RI)	7. LT	8. -	9.**
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13.	

16. REMARKS

**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A003				14.		
2. REQUEST FOR WAIVER (RFW)				SEE ADDRESS CODE	/	/
3.				DISTRIBUTION	/	/
				ATTACHED	/	/
4. DI-CMAN-80641B						
5. MIL-STD-973						
6. AMSSC-HB-ADM(RI)	7. LT	8. -	9.**			
10. ASREQ	11. ---			15. TOTAL	0/	0/ 0
12. ASREQ		13.				

16. REMARKS
 **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A004				14.		
2. NOTICE OF REVISION (NOR)				SEE ADDRESS CODE	/	/
3.				DISTRIBUTION	/	/
				ATTACHED	/	/
4. DI-CMAN-80642B						
5. MIL-STD-973						
6. AMSSB-RSO-ADM(RI)	7. LT	8. -	9.**			
10. ASREQ	11. ---			15. TOTAL	0/	0/ 0
12. ASREQ		13.				

16. REMARKS
 THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP APPROVAL. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A005				14.		
2. TEST PROCEDURE/ PHOSPHATE COATING PRE-				PROCUREMENT	/	/
3. PRODUCTION PROCEDURE				CONTRACTING	/	/
				OFFICER	/	1/
4. DI-NDTI-80603*						
5. MIL-DTL-16232, PARA 3.1						
6. AMSSB-RSO-ADM(RI)	7. XX	8. A	9. N/A			
10. ONE/R	11. N/A			15. TOTAL	0/	1/ 0

12. 60 DAC

13. N/A

16. REMARKS

*PARA'S 10.2.2.2 & 10.2.2.3 ONLY APPLY. BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD.A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

1. A006

14.

PROCUREMENT

/ /

2. TEST PROCEDURE-PHOSPHATE COATING

CONTRACTING

/ /

3. PRE-PRODUCTION PROCEDURE

OFFICER

/ 1/

4. DI-NDTI-80603*

5. TT-C-490, TYPE 1, PAR 3.2

6. AMSSB-RSO-ADM(RI)

7. XX 8. A

9. N/A

10. ONE/R

11. N/A

15. TOTAL 0/ 1/ 0

12. 60 DAC

13. N/A

16. REMARKS

*PARA'S 10.2.2.2 & 10.2.2.3 ONLY APPLY.BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD.A DD 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 05/31/2000

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: 4 HOLE MANIFOLD ASSEMBLY
TO CONTRACT/PR: C20CAA02

1. SEQUENCE NUMBER		14. DRFT/REG/REPRO DISTRIBUTION COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT 250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001		14. SEE ADDRESS CODE / /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION / /
3. *		ATTACHED / /
4. DI-CMAN-80639B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	

16. REMARKS
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A002		14. SEE ADDRESS CODE / /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION / /
3.		ATTACHED / /
4. DI-CMAN-80640B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	

16. REMARKS
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A003			14.	
2. REQUEST FOR WAIVER (RFW)			SEE ADDRESS CODE	/ /
3.			DISTRIBUTION	/ /
			ATTACHED	/ /
4. DI-CMAN-80641B				
5. MIL-STD-973				
6. AMSSC-HB-ADM(RI)	7. LT	8. -	9.**	
10. ASREQ	11. ---		15. TOTAL	0/ 0/ 0
12. ASREQ		13.		

16. REMARKS
 **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A004			14.	
2. NOTICE OF REVISION (NOR)			SEE ADDRESS CODE	/ /
3.			DISTRIBUTION	/ /
			ATTACHED	/ /
4. DI-CMAN-80642B				
5. MIL-STD-973				
6. AMSSB-RSO-ADM(RI)	7. LT	8. -	9.**	
10. ASREQ	11. ---		15. TOTAL	0/ 0/ 0
12. ASREQ		13.		

16. REMARKS
 THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP APPROVAL. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A005			14.	
2. TEST PROCEDURE/ PHOSPHATE COATING PRE-			PROCUREMENT	/ /
3. PRODUCTION PROCEDURE			CONTRACTING	/ /
			OFFICER	/ 1/
4. DI-NDTI-80603*				
5. MIL-DTL-16232, PARA 3.1				
6. AMSSB-RSO-ADM(RI)	7. XX	8. A	9. N/A	
10. ONE/R	11. N/A		15. TOTAL	0/ 1/ 0

12. 60 DAC

13. N/A

16. REMARKS

*PARA'S 10.2.2.2 & 10.2.2.3 ONLY APPLY. BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD.A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

1. A006

14.

PROCUREMENT / /
CONTRACTING / /
OFFICER / 1/

2. TEST PROCEDURE-PHOSPHATE COATING

3. PRE-PRODUCTION PROCEDURE

4. DI-NDTI-80603*

5. TT-C-490, TYPE 1, PAR 3.2

6. AMSSB-RSO-ADM(RI)

7. XX 8. A

9. N/A

10. ONE/R

11. N/A

15. TOTAL 0/ 1/ 0

12. 60 DAC

13. N/A

16. REMARKS

*PARA'S 10.2.2.2 & 10.2.2.3 ONLY APPLY.BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD.A DD 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 05/31/2000