

DOCUMENT SUMMARY LIST

Item: CONTROL GRIP ASSEMBLY
NSN: 1290-01-429-2389
Control Number/PRON: P20HNLX3

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-2549 Table DIP 4-1	Configuration Management Data Interface	30 Jun 97 Cat 2
1b. DI-CMAN-81554 (seq A001)	Configuration Change Control Data Information Packet	30 Jun 97 Cat 2
2. ANSI/ISO/ASQC Q9003 or equivalent	Quality Systems-Model for Quality Assurance in Final Inspection and Test	18 Jul 94

CONTRACT C WORKSHEET

PRON P30HNLX3 AMC 1 AMSC G ATC

TDP 12282088-1 TDPL DATE 01/24/00

NSN 1290014292389 NOMENCLATURE GRIP ASSY, CONTR

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DOCUMENT	DELETE	REPLACE WITH
SPI 12282088-1	MIL-P-116	MIL-STD-2073-1C
DISCRP #1 12282088	MIL-STD-2000	ANSI/IPC/J-STD-001, CLASS 3
10873919	MIL-T-45309	ATPD 2238 DISCRP #2
12285849	Q-S-1926	A-A-694 DISCRP #3
DISCRP #4 12273160	QQ-A-225	SAE-AMS-QQ-A-225, ASTM B211
DISCRP #5 12437053	QQ-P-35	ASTM A967, SAE-AMS-QQ-P-35
QAR 12282062 VL II	AQLS	MIL-STD-1916 VL IV for MAJOR & for MINOR characteristics
QAR 12282064	"	"
QAR 12282069	"	"
QAR 12282088	"	"

ADD
SPEC. SC-X15110
to the above QARS
on Pg. 1

For QAR 12282062 Pg. 3, for MINOR 207 change as follows:

GAGE FROM: 207 8-32 UNC-2B THREADS C12 GO THREAD PLLUG
(3 HOLES) NOT GO THREAD PLUG
GAGE TO: 207 8-32 UNC-2B THREADS C12
(3 HOLLES)
PITCH DIAMETER
SMTE MINOR DIAMETER
SMTE

Pg. 4 under PART III-CERTIFICATION REQUIREMENTS delete "(STA FORM 4452 PARA 3.5 APPLIES)" and add: "The certification provisions of SC-X15110 for Certification of Conformance (COC) shall apply for the following:

For QAR 12282064 Pg. 3 under PART III Delete "(STA FORM 4452 PARA 3.5 APPLIES)" and add: "The Certification Provisions of SC-X15110 for Certification of Conformance (COC) shall apply for the following.
Under CERTIFICATION METHOS delete "(PARA 3.5.4)"

For QAR 12282069 Pg 4 under PART III delete "(STA FORM 4452 PARA. 3.5 APPLIES)" and add: "(The certification provisions of SC-X15110 for Certification of Conformance (COC) shall apply for the following>

For QAR 12282088 Pg. 4 under PART III delete "(STA FORM 4452 PARA 3.5 APPLIES)" and add "T e certification provisions of SC-X15110 for Certification of Conformance (COC) shall apply for the following.
Under CERTIFICATION METHOD delete 3.5.1, 3.5.3 & 3 5.4.

DOCUMENT	DELETE	REPLACE WITH
SC-X15110	MIL-STD-2000	Solder Statement

CONTRACT C WORKSHEET

PRON P30HNLX3 AMC 1 AMSC G ATC

TDP 12282088-1 TDPL DATE 01/24/00

NSN 1290014292389 NOMENCLATURE GRIP ASSY, CONTR

All soldering and soldering related operations shall be performed in accordance with a detailed soldering process plan to be developed and maintained by the contractor. The plan shall include the procedures to be used for all soldering and soldering related operations (i.e. hand soldering, tinning, solderability testing or verification, automated soldering, inspection, process controls). Each procedure shall describe the operation in sufficient detail to ensure that the performance requirements for the item being manufactured are met. As a minimum, each procedure shall include the process, tools, equipment, materials and acceptance criteria used for the operation. The soldering process plan shall be made available to the cognizant government technical agency.

In lieu of developing a soldering process plan, the contractor may elect to utilize ANSI/IPC/J-STD-001, Class 3*, with the cleanliness designator as indicated below:

Flux Type in use	Cleanliness Designator**
-----	-----
Low Residue/No Clean Flux	C02
Rosin Based Flux	C22
Water Soluble Flux	C22

*Class 3 High Performance Electronic Products

Includes equipment for commercial and military products where continued performance or performance-on-demand is critical. Equipment

downtime

cannot be tolerated, end-item use may be uncommonly harsh, and the equipment must function when required, such as life support systems and critical weapons systems.

**ANSI/IPC/J-STD-001 Rev A, paragraph 8.3.2 and sub-paragraphs.

The specific change action and effective date of specifications and standard which are "Not Furnished" within this TDPL shall be as specified in the latest DOD Index of Specification and Standard (DODISS), or by the commercial publisher, in effect as of the date of this TDPL.

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CONTROL GRIP ASSEMBLY

TO CONTRACT/PR: P20HNLX3

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE
		9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. AMSTA-AR-ES	/ /
2. CONFIGURATION CHANGE CONTROL*	(ECALS)	/ /
3. ENGINEERING ACTIONS		
4. DI-CMAN-81554		
5. SECTION C		
6. AMSTA-AR-ES	7. NO	8. -
		9. **
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS
 PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE [HTTP://EDMD4.PICA.ARMY.MIL/](http://EDMD4.PICA.ARMY.MIL/). *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 03/13/2000