

CONTRACT C WORKSHEET

PRON P10SNJX1 AMC 1 AMSC G ATC SAAJO

TDP 12524576 TDPL DATE 09/15/99

NSN 3040014564515 NOMENCLATURE STRIPPER ASSY,AFT UPPER

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DOCUMENT	DELETE	REPLACE WITH
SPI-12524576	MIL-P-116	MIL-STD-2073-1C
SPI-12324576	MIL-L-3150	MIL-PRF-3150
SPI-12524576	MIL-P-3420	MIL-PRF-3420
12524576	ANSI-Y14.5M	ASME-Y14.5M
12524580	ANSI-Y14.5M	ASME-Y14.5M
	ANSI-B46.1	ASTM-B46.1
	QQ-P-35 (MIL-STD-171)	ASTM-A967 (MIL-STD-171)
12524586	ANSI-Y14.5M	ASME-Y14.5M

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

Attachment 001

CONTRACT C WORKSHEET

PRON P10SNFX1 AMC 1 AMSC G ATC SAAJO

TDP 12524577 TDPL DATE 10/13/99

NSN 3040014564503 NOMENCLATURE STRIPPER ASSY, AFT LOWER

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DOCUMENT	DELETE	REPLACE WITH
SPI-12524577	MIL-P-116	MIL-STD-2073-1C
SPI-12524577	MIL-L-3150	MIL-PRF-3150
SPI-12524577	MIL-P-3420	MIL-PRF-3420

QAR 12524577	(STA FORM 4452) & AQLS	MIL-STD-1916 VL IV for MAJOR & VL II for MINOR characteristics
QAR 12524581	"	"
QAR 12524586	"	"

For QARS 12524577, 12524581 & 12524586 Pg. 1 at top of page delete (STA FORM 4452). Under STANDARDS add MIL-STD-1916 and under SPECIFICATIONS add MIL-W-13855.

For QAR 12524577 Pg. 2, under Completeness of Assembly delete (PARA 3.4.5 OF STA FORM 4452-1)
For MINOR 205 add "(SEE MIL-W-13855)" after "WORKMANSHIP". Delete (PARA. 3.4.5 OF STA FORM 4452-1) Under PART III-CERTIFICATION REQUIREMENTS delete (STA FORM 4451-1 APPLIES and replace with "The Certification Provisions of MIL-W-13855 for Certification of Conformance (COC) shall apply. Certification is required for 301 & 302.

For QAR 125424581 Pg. 1, under STANDARDS delete MIL-STD-6866 and replace with ASTM-E1417.

Pgs. 2 & 3 for MINORS 202, 209 & 211 change as follows:

FROM: 202 M6X1-6H THREAD (2PL)	1	G6	GO, NO GO THREAD GAGE
TO: 202 M6X1-6H THREAD (2PL)	1	G6	
PITCH DIAMETER			SMTE
MINOR DIAMETER			SMTE
FROM: 209 M6X1-6H THREAD THRU	1	C5	GO, NO-GO THREAD GAGE
TO: 209 M6X1-6H THREAD THRU	1	C5	
PITCH DIAMETER			SMTE
MINOR DIAMETER			SMTE
FROM: 211 M6X1-6H THREAD	1	C5	GO, NO-GO THREAD GAGE
TO: 211 M6X1-6H THREAD	1	C5	
PITCH DIAMETER			SMTE
MINOR DIAMETER			SMTE

Pg. 4, PART II, TABLE 3 add MINOR 231 as follows:

Attachment 002

CONTRACT C WORKSHEET

PRON P10SNHX1 AMC 1 AMSC G ATC SAAJO

TDP 12524578 TDPL DATE 09/08/99

NSN 3040014564507 NOMENCLATURE STRIPPER ASSY, FWD UPPER

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DOCUMENT	DELETE	REPLACE WITH
SPI-12524578	MIL-P-116	MIL-STD-2073-1C
SPI-12524578	MIL-L-3150	MIL-PRF-3150
SPI-12524578	MIL-P-3420	MIL-PRF-3420
QAR 12524578	(STA FORM 4452) & AQLS	MIL-STD-1916 VL IV for MAJOR & VL II for MINOR characteristics

For QAR 12524578 Pg. 1 . At top of page delete (STA FORM 4452)
Pg. 2 for MINOR 202 under COMPLETENESS OF ASSEMBLY delete (PARA 3.4.5 STA FORM 4452-1)

For MINOR 205 add "(See MIL-W-13855) after "WORKMANSHIP"
Under WORKMANSHIP delete (PARA 3.4.8 OF FORM 4452-1)
Under PART III-CERTIFICATION REQUIREMENTS delete "(STA FORM 4452-1 APPLIES)" and replace with "The certification provisions of MIL-W-13855 for Certification of Conformance (COC) shall apply. Certification is required for 301 & 302".

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

attachment 003

CONTRACT C WORKSHEET

PRON P10SNGX1 AMC 1 AMSC G ATC SAAJO

TDP 12524579 TDPL DATE 09/07/99

NSN 3040014564504 NOMENCLATURE STRIPPER ASSY, FWD LOWER

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DOCUMENT	DELETE	REPLACE WITH
SPI-12524579	MIL-P-116	MIL-STD-2073-1C
SPI-12524579	MIL-L-3150	MIL-PRF-3150
SPI-12524579	MIL-P-3420	MIL-PRF-3420

DWG 12524583, NOTE 5: SPEC QQ-P-35 IN FNSH 5.4.1 HAS BEEN REPLACED WITH ASTM-A967

QAR 12524579	(STA FORM 4452) & AQLS	MIL-STD-1916 VL IV for MAJOR & VL II for MINOR characteristics
QAR 12524583	"	"

For QARS 12524579 & 12524583 Pg. 1, at top of page delete (STA FORM 4452) and under STANDARDS add MIL-STD-1916 and under SPECIFICATIOONS add MIL-W-13855.

For QAR 12524579 Pg. 2, PART II, TABLE I for MINOR 202 delete "(PARA 3.4.5 OF STA FORM 4452-1)". For MINOR 205 add "(See MIL-W-13855)" after "WORKMANSHIP)"

Under PART III-CERTIFICATION REQUIREMENTS delete "(STA FORM 4452-1 APPLIES)" and substitute "The Certification Provisions of MIL-W-13855 for Certification of Conformance (COC) shall apply. Certification is required for 301 & 302.

For QAR 12524583 Pg. 1, PART I, under STANDARDS delete MIL-STD-6866 and replace with ASTM-1417, Page 2, for MINOR 201 change as follows:

FROM: 201 M6X1-6H THREAD (2PL)	1	F3	GO, NO GO THREAD GAGE
TO: 201 M6X1-6H THREAD (2PL)	1	F3	
PITCH DIAMETER			SMTE
MINOR DIAMETER			SMTE

Pg. 3, for MINORS 207 & 210 change as follows:

FROM: 207 M6X1-6H THREAD THRU	1	F6	GO, NO GO THREAD GAGE
TO: 207 M6X1-6H THREAD THRU	1	F6	
PITCH DIAMETER			SMTE
MINOR DIAMETER			SMTE
FROM: 210 M6X1-6H THREAD (2PL)	1	B4	GO, NO GO THREAD GAGE
TO: 210 M6X1-6H THREAD (2PL)	1	B4	
PITCH DIAMETER			SMTE
MINOR DIAMETER			SMTE

Attachment 004

DOCUMENT SUMMARY LIST

Item: **STRIPPER ASSY, FWD LOWER**

NSN: 3040-01-456-4504 /3040-01-456-4503/3040-01-456-4507/3040-01-456-4515

Control Number/PRON: P10SNGX1 /P10SNFX1/P10SNHX1/P10SNJX1

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-2549 Table DIP 4-1	Configuration Management Data Interface	30 Jun 97 Cat 2
1b. DI-CMAN-81554 (seq A001)	Configuration Change Control Data Information Packet	30 Jun 97 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: STRIPPER ASSY, AFT LOWER

TO CONTRACT/PR: P10SNFX1 / 3040-01-456-4503

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. AMSTA-AR-ES	/ /
2. CONFIGURATION CHANGE CONTROL*	(ECALS)	/ /
3. ENGINEERING ACTIONS		
4. DI-CMAN-81554		
5. SECTION C		
6. AMSTA-AR-ES	7. NO 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS
 PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE [HTTP://EDMD4.PICA.ARMY.MIL/](http://EDMD4.PICA.ARMY.MIL/). *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 11/01/1999

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: STRIPPER ASSY, FWD LOWER

TO CONTRACT/PR: P10SNGX1/3040-01-456-4504

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

1. A001		14. AMSTA-AR-ES (ECALS)	/ /
2. CONFIGURATION CHANGE CONTROL*			/ /
3. ENGINEERING ACTIONS			
4. DI-CMAN-81554			
5. SECTION C			
6. AMSTA-AR-ES	7. NO	8. -	9. **
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13. ASREQ	

16. REMARKS
 PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE [HTTP://EDMD4.PICA.ARMY.MIL/](http://EDMD4.PICA.ARMY.MIL/). *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 11/01/1999

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: STRIPPER ASSY, FWD UPPER
 TO CONTRACT/PR: P10SNHX1/3040-01-456-4507

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

1. A001		14. AMSTA-AR-ES (ECALS)	/ / / /
2. CONFIGURATION CHANGE CONTROL*			
3. ENGINEERING ACTIONS			
4. DI-CMAN-81554			
5. SECTION C			
6. AMSTA-AR-ES	7. NO	8. -	9. **
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13. ASREQ	

16. REMARKS
 PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE [HTTP://EDMD4.PICA.ARMY.MIL/](http://EDMD4.PICA.ARMY.MIL/). *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 11/01/1999

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CONNECTING LINK

TO CONTRACT/PR: P10SNJX1/3040-01-456-4515

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. AMSTA-AR-ES (ECALS)	/ /
2. CONFIGURATION CHANGE CONTROL*		/ /
3. ENGINEERING ACTIONS		
4. DI-CMAN-81554		
5. SECTION C		
6. AMSTA-AR-ES	7. NO 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS
 PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE [HTTP://EDMD4.PICA.ARMY.MIL/](http://EDMD4.PICA.ARMY.MIL/). *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.

1. A002	14. PROCUREMENT	/ /
2. TEST PROCEDURE/ PHOSPHATE COATING PRE-	CONTRACTING	/ /
3. PRODUCTION PROCEDURE	OFFICER	/ 1/
4. DI-NDTI-80603*		
5. DOD-P-16232, PARA 3.1		
6. AMSTA-AR-ESM	7. XX 8. A 9. N/A	
10. ONE/R	11. N/A	15. TOTAL 0/ 1/ 0
12. 60 DAC	13. N/A	

16. REMARKS
 *PARA'S 10.2.2.2 & 10.2.2.3 ONLY APPLY. BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD. A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 11/01/1999