

CONTRACT DATA REQUIREMENTS LIST  
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: VARIOUS M203 SPARE PARTS  
TO CONTRACT/PR: P204VG01

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

-----

1. A001		14. AMSTA-AR-ES (ECALS)	/ /
2. CONFIGURATION CHANGE CONTROL*			/ /
3. ENGINEERING ACTIONS			
4. DI-CMAN-81554			
5. SECTION C			
6. AMSTA-AR-ES	7. NO	8. -	9. **
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13. ASREQ	

16. REMARKS  
PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE [HTTP://EDMD4.PICA.ARMY.MIL/](http://EDMD4.PICA.ARMY.MIL/). \*DATA INFORMATION PACKET \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.

-----

1. A002		14. AMSTA-AR-QAC (D)	(1) / 1/
2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.			/ /
3. AIE DESIGN DOCUMENTATION		QAR	/ /
4. DI-QCIC-81006*		CO (LT ONLY)	/ /
5. SECTION E		AMSTA-AR-QAW-C (LT ONLY) (R)	(2) / /
6. AMSTA-AR-QA	7. XX	8. A	9. N/A
10. ONE/R	11. N/A		15. TOTAL 0/ 1/ 0
12. **		13. WHEN REV.	

16. REMARKS  
\* BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2, 10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID. SUBMIT FOR ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP. \*\* BLOCK 12: SUBMIT 30 DAYS PRIOR TO FA, OR PRODUCTION, IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 30 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS. REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE. IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT

*Exhibit A*

ONLY EVIDENCE OF PRIOR APPROVALS.  
 email: (1)aie-qac@pica.army.mil (2)amsta-ar-qa-cdrl@ria-emh2.army.mil  
 Text:Microsoft Office 97  
 Drawings:AutoCAD-Release 14(Expressed mailed hard copies will be accepted)  
 Files may be compressed using ZIP program.  
 WARNING: Large packages may cause delays in delivery using mail internet.  
 Email subject line must contain end item nomenclature.

- |   |         |             |           |         |
|---|---------|-------------|-----------|---------|
| 1. A003                                   |         | 14.         |           |         |
|   |         | PROCUREMENT | /         | /       |
| 2. TEST PROCEDURE/ PHOSPHATE COATING PRE- |         | CONTRACTING | /         | /       |
| 3. PRODUCTION PROCEDURE                   |         | OFFICER     | /         | 1/      |
| 4. DI-NDTI-80603*                         |         |             |           |         |
| 5. DOD-P-16232,PARA 3.1                   |         |             |           |         |
| 6. AMSTA-AR-ESM                           | 7. XX   | 8. A        | 9. N/A    |         |
| 10. ONE/R                                 | 11. N/A |             | 15. TOTAL | 0/ 1/ 0 |
| 12. 60 DAC                                |         | 13. N/A     |           |         |

16. REMARKS  
 \*PARA'S 10.2.2.2 & 10.2.2.3 ONLY APPLY. BLOCK 8 CONT.-PRIOR TO PRODUCTION,  
 APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER  
 CONTRACT AWARD.A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCED-  
 URE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM  
 COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 04/03/2000

05/30/00

ARMAMENT RESEARCH, DEVELOPMENT & ENGINEERING CENTER  
PICATINNY ARSENAL, NEW JERSEY 07806-5000

SHEET

CAGE 19200

TECHNICAL DATA PACKAGE LIST : 19200 9346304  
DOCUMENT NUMBER : D 19200 9346304  
SPECIFICATION : MIL-W-63150  
NATIONAL STOCK NO : 1010-01-122-9680  
QUADRANT SIGHT ASSY

REQUEST/PRON ID : P204VG01

TDPL COVER SHEET

RELEASED BY:

1. MANUFACTURE AND ACCEPTANCE INSPECTION OF THE ABOVE MATERIAL SHALL BE IN ACCORDANCE WITH ALL DRAWINGS, SPECIFICATIONS AND OTHER TECHNICAL DATA LISTED IN THIS TDPL.
2. THIS TDPL IS COMPRISED OF THE FOLLOWING SECTIONS WHICH LIST THE DRAWINGS AND ASSOCIATED DOCUMENTS (WITH THEIR REVISION AND AMENDMENT LEVELS) REQUIRED TO PRODUCE, PACKAGE AND INSPECT THE MATERIAL BEING PRODUCED. (NA INDICATES NOT APPLICABLE)

A. PRODUCT DRAWING AND ASSOCIATED LISTS	SHEET NO(S)	0001	0001
B. PACKAGING DRAWINGS AND DOCUMENTS	SHEET NO(S)	0002	0002
C. INSPECTION DRAWINGS AND DOCUMENTS	SHEET NO(S)	0003	0004
D. SPECIFICATIONS AND STANDARDS	SHEET NO(S)	0005	0006
E. HAZARDOUS COMPONENT SAFETY DATA STATEMENTS	SHEET NO(S)	NA	
F. OUTSTANDING APPROVED ENGINEERING CHANGES	SHEET NO(S)	NA	
G. TDPL NOTE LEGEND	SHEET NO(S)	0007	0007

3. DRAWINGS/DOCUMENTS AND ASSOCIATED LISTS LISTED IN THE ABOVE TDPL SECTIONS ARE IDENTIFIED AS TO TYPE BY PREFIX CODES AS FOLLOWS:

DX SOURCE CONTROL	EL INSPECTION EQUIPMENT/LIST
PD PACKAGING DATA SHEET	PL PARTS LIST
QS SUPPLEMENTAL QUALITY ASSURANCE PROVISION	

4. THE SPECIFICATIONS AND STANDARDS SECTION OF THE TDPL IS A COMPILATION OF ALL SPECIFICATIONS AND STANDARDS WHICH ARE ESSENTIAL FOR BIDDING AND MANUFACTURING PURPOSES. THE ABSENCE OF ANY SPECIFICATION OR STANDARD FROM THE LISTING WHICH IS OTHERWISE REFERRED TO IN ANY SPECIFICATION OR STANDARD LISTED THEREIN OR IS CALLED OUT ON A PRODUCT, PACKAGING OR INSPECTION DRAWING IS NOT TO BE CONSTRUED AS CONSTITUTING RELIEF FROM REQUIREMENTS OF THE SPECIFICATIONS. THE AMENDMENT OR REVISION LEVEL FOR SUCH UNLISTED SPECIFICATIONS AND STANDARDS SHALL BE AS SPECIFIED IN THE LATEST ISSUE OF DOD INDEX OF SPECIFICATIONS AND STANDARDS IN EFFECT AS OF THE DATE OF THIS TDPL. SUPERSEDED SPECIFICATIONS AND STANDARDS WHICH MAY BE REFERENCED ON DRAWINGS ARE LISTED TOGETHER WITH THE APPROPRIATE SUPERSEDING SPECIFICATION OR STANDARD. WHEN INTERIM CHANGES TO SPECIFICATIONS AND STANDARDS ARE ISSUED (AMENDMENTS, NOTICES OR CHANGE NOTICES), ONLY THE LATEST ISSUE IS LISTED IN THE TDPL. WHERE THESE INTERIM CHANGES ARE NOT CUMULATIVE, ALL PREVIOUS ISSUES ALSO APPLY, UNLESS THE DOCUMENT ITSELF STATES OTHERWISE.
5. ALL REFERENCES ON DRAWINGS/DOCUMENTS AND ASSOCIATED LISTS TO PICATINNY, FRANKFORD OR ROCK ISLAND ARSENALS WILL BE CONSIDERED AS CHANGED TO COMMANDER, ARDEC, ATTN: AMSTA-AR-QAD, PICATINNY ARSENAL, NJ 07806-5000
6. ALL REFERENCES TO PARTS LISTS ON US ARMY TANK AUTOMOTIVE COMMAND (TACOM) DRAWINGS SHALL BE DISREGARDED.

A Hachmest 002

05/30/00

ARMAMENT RESEARCH, DEVELOPMENT & ENGINEERING CENTER

SHEET

PICATINNY ARSENAL, NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST : 19200 9346304  
DOCUMENT NUMBER : D 19200 9346304  
SPECIFICATION : MIL-W-63150  
NATIONAL STOCK NO : 1010-01-122-9680  
QUADRANT SIGHT ASSY

REQUEST/PRON ID : P204VG01

-----  
TDPL COVER SHEET

RELEASED BY:

7. THE HIGHEST SECURITY CLASSIFICATION CONTAINED WITHIN THIS TECHNICAL DATA PACKAGE IS:  
"N NON-CLASSIFIED  
THE SECURITY CLASSIFICATION OF DRAWINGS/ DOCUMENTS, ASSOCIATED LISTS AND SPECIFICATIONS/STANDARDS ARE SHOWN BY CODE UNDER  
THE SEC CL COLUMN.  
8. DISTRIBUTION STATEMENT: THE HIGHEST DISTRIBUTION CODE CONTAINED WITHIN THIS TDPL IS:  
"A DISTR STATEMENT A - UNLIMITED  
THE DEFINITIONS OF DISTRIBUTION CODE FOUND IN THIS TDPL ARE:  
A DISTR STATEMENT A - UNLIMITED



05/30/00

ARMAMENT RESEARCH, DEVELOPMENT & ENGINEERING CENTER

SHEET NO 2

PICATINNY ARSENAL, NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST : 19200 9346304  
 DOCUMENT NUMBER : D 19200 9346304  
 SPECIFICATION : MIL-W-63150  
 NATIONAL STOCK NO : 1010-01-122-9680  
 QUADRANT SIGHT ASSY

REQUEST/PRON ID : P204VG01

PREFIX DRAWING/DOCUMENT CODE SIZE CAGE NUMBER	-SHEET- D REV DOCUMENT SEC NO OF C SYM DATE CL	DOCUMENT TITLE	NOTE	REVIEW DATE
-----				

PACKAGING DRAWINGS AND ASSOCIATED DOCUMENTS

PD	19200 9346304	1 1 A A	07/10/96	PKG DATA SHT - QUADRANT SIGHT ASSY
----	---------------	---------	----------	------------------------------------

05/30/00

ARMAMENT RESEARCH, DEVELOPMENT & ENGINEERING CENTER  
PISCATAWAY ARSENAL, NEW JERSEY 07806-5000

SHEET NO 3

CAGE 19200

TECHNICAL DATA PACKAGE LIST : 19200 9346304  
DOCUMENT NUMBER : D 19200 9346304  
SPECIFICATION : MIL-W-63150  
NATIONAL STOCK NO : 1010-01-122-9680  
QUADRANT SIGHT ASSY

REQUEST/PRON ID : P204VG01

INSPECTION DRAWINGS AND DOCUMENTS

PREFIX DRAWING/DOCUMENT CODE SIZE CAGE NUMBER	-SHEET- NO	D OF C	REV SYM	DOCUMENT DATE	SEC CI	DOCUMENT TITLE	NOTE	REVIEW DATE
EL 19204 12002875	1	1	A	04/29/75		INSP EQ LIST - SCREW, QUADRANT SIGHT, PIVOT		
QS 19204 12002875	1	3	B	09/25/81		SOAP - SCREW, QUADRANT SIGHT, PIVOT		
	2	3	B	09/25/81				
	3	3	B	09/25/81				
EL 19204 12002879	1	1	A	04/03/75		INSP EQ LIST - CLAMP, QUADRANT SIGHT		
QS 19204 12002879	1	3	D	09/25/81		SOAP - CLAMP, QUADRANT SIGHT		
	2	3	D	09/25/81				
	3	3	D	09/25/81				
EL 19204 12002880	1	1	A	04/29/75		INSP EQ LIST - SCREW, MOUNTING		
QS 19204 12002880	1	3	D	09/25/81		SOAP - SCREW, MOUNTING		
	2	3	D	09/25/81				
	3	3	D	09/25/81				
EL 19204 12002881	1	1	A	04/29/75		INSP EQ LIST - ARM, QUADRANT SIGHT		
QS 19204 12002881	1	3	B	09/25/81		SOAP - ARM, QUADRANT SIGHT		
	2	3	B	09/25/81				
	3	3	B	09/25/81				
EL 19204 12002885	1	1	A	02/22/72		INSP EQ LIST - SIGHT ARM ASSEMBLY		
QS 19204 12002885	1	2	A	02/22/72		SOAP - SIGHT ARM ASSEMBLY		
	2	2	A	02/22/72				
	5	5	C	04/06/72		FIXTURE, ALIGNMENT		
	2	5	C	04/06/72				
	3	5	C	04/06/72				
	4	5	C	04/06/72				
	5	5	C	04/06/72				
	1	1	B	09/07/71		GAGE, LOCATION		
	1	1	A	12/23/70		GAGE RECEIVER		
	1	1	C	01/19/72		GAGE, LOCATION		
	1	1	A	12/23/70		MANUFACTURING CHECK		
	1	1	A	12/23/70		MANUFACTURING CHECK		
	1	1	A	12/23/70		GAGE, RECEIVER		

05/30/00

ARMAMENT RESEARCH, DEVELOPMENT & ENGINEERING CENTER  
PICATINNY ARSENAL, NEW JERSEY 07806-5000

SHEET NO 4

CAGE 19200

TECHNICAL DATA PACKAGE LIST : 19200 9346304  
DOCUMENT NUMBER : D 19200 9346304  
SPECIFICATION : MIL-W-63150  
NATIONAL STOCK NO : 1010-01-122-9680  
QUADRANT SIGHT ASSY

REQUEST/PRON ID : P204VG01

INSPECTION DRAWINGS AND DOCUMENTS

PREFIX DRAWING/DOCUMENT CODE SIZE CAGE NUMBER	-SHEET- NO	D OF C	REV SYM	DOCUMENT DATE	SEC CL	DOCUMENT TITLE	NOTE	REVIEW DATE
D 19204 8441398	1	1	B	01/05/72		GAGE, RECEIVER		
D 19204 8441399	1	1	B	09/07/71		GAGE, LOCATION		
QS 19204 8448360	1	3	H	02/14/91		SOAP - POST, SIGHT		
	2	3	H	02/14/91				
	3	3	H	02/14/91				
QS 19200 9346304	1	3		09/25/81		SOAP - QUADRANT SIGHT ASSY		
	2	3		09/25/81				
	3	3		09/25/81				
QS 19200 9346307	1	4	A	10/27/93		SOAP - LATCH, SIGHT		
	2	4	A	10/27/93				
	3	4	A	10/27/93				
	4	4	A	10/27/93				
QS 19200 9346308	1	4	A	10/27/93		SOAP - BRACKET, QUADRANT SIGHT		
	2	4	A	10/27/93				
	3	4	A	10/27/93				
	4	4	A	10/27/93				
QS 19200 9346309	1	3	A	09/25/81		SOAP - QUADRANT, RANGE		
	2	3	A	04/28/87				
	3	3	A	09/25/81				

05/30/00

ARMAMENT RESEARCH, DEVELOPMENT & ENGINEERING CENTER  
PICAATINNY ARSENAL, NEW JERSEY 07806-5000

SHEET NO 5

CAGE 19200

TECHNICAL DATA PACKAGE LIST : 19200 9346304  
DOCUMENT NUMBER : D 19200 9346304  
SPECIFICATION : MIL-W-63150  
NATIONAL STOCK NO : 1010-01-122-9680  
QUADRANT SIGHT ASSY

REQUEST/PRON ID : P204VG01

QPL NUMBER	DOCUMENT NUMBER	D C SYM	REV NO.	AMD NO.	CHG NO.	SUPL NO.	DOCUMENT DATE	SEC CL	DOCUMENT TITLE	NOTE	REVIEW DATE
------------	-----------------	---------	---------	---------	---------	----------	---------------	--------	----------------	------	-------------

SPECIFICATIONS AND STANDARDS

A-A-883							05/09/89		TAPE, PRESSURE SENSITIVE ADHESIVE, MASKING	*	
PPB-C-1797							09/01/82		CUSHIONING MATERIAL, RESILIENT, LOW DENSITY, UNICELLULAR	*	
QQ-P-416							05/30/95		PLATING, CADMIUM, ELECTRODEPOSITED	*	
QQ-W-405							06/06/75		STANDARD SPECIFICATION FOR STEEL WIRE	*	
TT-F-325							06/05/73		FILIER, ENGRAVING, STAMPED MARKING	*	
Q VV-L-800							12/02/93		LUBRICATING OIL, GP PSVTY/WTR-DISPL, LOW TEMP/	*	
FED-STD-141							12/10/93		PAINT, VARNISH, LACQUER, RELATED MATL, INSP	*	
FED-STD-595							01/11/94		COLORS USED IN GOVERNMENT PROCUREMENT	*	
FED-STD-791							09/30/86		LUBRICANTS, LIQUID FUELS, REL PROD, MTHD OF TSTG	*	
DOD-P-16232							09/09/92		PHOSPHATE COATING, HEAVY, MANGANESE OR ZINC BASE	*	
MIL-P-16232									(REPLACED BY DOD-P-16232	*	
MIL-A-8625							09/10/93		ANODIC COATINGS, FOR ALUMINUM AND ALUMINUM ALLOYS	*	
MIL-B-117							12/29/97		BAG, SLEVE AND TUBING- INTERIOR PACKAGING	*	
MIL-B-121							12/29/97		BARRIER MATERIAL, GREASEPROOFED, WATERPROOF, FLEXIBLE	*	
Q MIL-C-16173							01/06/93		CORROSION PREVENTIVE CMPD, SOLVENT CUTBACK, COLD APL	*	
Q MIL-F-18240							12/01/89		FASTENER, EXTERNALLY THD, 250 DEG F, SELF-LOCKING	*	
MIL-G-10944							02/19/82		GAGES, DIMENSIONAL CONTROL	*	
Q MIL-L-3150							03/07/86		LUBRICATING OIL, PRESERVATIVE, MEDIUM	*	
MIL-PRF-3150							02/06/97		LUBRICATING OIL, PRESERVATIVE, MEDIUM	*	
MIL-L-3150									(REPLACED BY MIL-PRF-3150	*	
MIL-S-13572							04/25/90		SPRING, HELICAL, COMPRESSION AND EXTENSION	*	
MIL-W-13855							05/06/99		WEAPONS: SMALL ARMS AND AIRCRAFT ARMAMENT SUBSYSTEMS,	*	
MIL-W-63150							02/09/95		WEAPONS AND SPRT MATERIEL, STD QA PROV FOR	*	
SOAP-APPX-RIA									(REPLACED BY MIL-W-63150	*	
MIL-W-8957							06/16/97		WIRE, STL, CARBON, HIGH STRENGTH	*	
MIL-STD-129							05/15/97		STANDARD PRACTICE FOR MILITARY MARKING	*	
MIL-STD-130							06/01/97		IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY	*	
MIL-STD-171							06/23/89		FINISHING OF METAL AND WOOD SURFACES	*	
MIL-STD-1916							04/01/96		DOD PREFERRED METHODS FOR ACCEPTANCE OF PRODUCT	*	
MIL-STD-105									(REPLACED BY MIL-STD-1916	*	

05/30/00

ARMAMENT RESEARCH, DEVELOPMENT & ENGINEERING CENTER  
PICAATINNY ARSENAL, NEW JERSEY 07806-5000

SHEET NO 6

CAGE 19200

TECHNICAL DATA PACKAGE LIST : 19200 9346304  
DOCUMENT NUMBER : D 19200 9346304  
SPECIFICATION : MIL-W-63150  
NATIONAL STOCK NO : 1010-01-122-9680  
QUADRANT SIGHT ASSY

REQUEST/PRON ID : P204VG01

QPL NUMBER	DOCUMENT	D REV C SYM	AMD NO.	CHG NO.	SUPL NO.	DOCUMENT DATE	SEC CL	DOCUMENT TITLE	NOTE	REVIEW DATE
------------	----------	-------------	---------	---------	----------	---------------	--------	----------------	------	-------------

SPECIFICATIONS AND STANDARDS

MIL-STD-2073-1		C				10/01/96		DOD MATL PROC FOR DEV AND APPL OF PACKAGING REQ'T	*	
MIL-P-116						(REPLACED BY MIL-STD-2073-1		)		
ANSI-B46.1						01/01/95		SURFACE TEXTURE/SURFACE ROUGHNESS, WAVINESS & LAY/	**	
ASA-B46.1						(REPLACED BY ANSI-B46.1		)		
ANSI-B94.6						01/01/84		KNURLING	**	
ANSI-Y14.5						01/01/82		DIMENSIONING AND TOLERANCING FOR ENGINEERING DRAWINGS	**	
ASTM-A228/A228M						01/01/93		WIRE, STEEL, MUSIC SPRING QUALITY	**	
ASTM-A228						(REPLACED BY ASTM-A228/A228M		)		
ASTM-A304						01/01/96		ALLOY STEEL BARS TO END-QUENCH HARDENABILITY REQ'T	**	
ASTM-A322						01/01/91		STEEL BARS, ALLOY, STANDARD GRADES	**	
ASTM-A331						01/01/95		STEEL BARS, ALLOY, COLD FINISHED	**	
ASTM-A510						01/01/93		WIRE RODS & COARSE ROUND WIRE, CARBON STEEL, GEN REQ'T	**	
ASTM-A684/A684M						01/01/86		STEEL, STRIP, HIGH CARBON, COLD-ROLLED	**	
ASTM-A684						(REPLACED BY ASTM-A684/A684M		)		
ASTM-B117						01/01/97		SALT SPRAY/FOG/TESTING	**	
ASTM-B209						01/01/96		ALUMINUM AND ALUMINUM-ALLOY SHEET AND PLATE, STD SPEC	**	
OO-A-250/4						(REPLACED BY ASTM-B209		)		
ASTM-D1974						01/01/94		STANDARD PRACTICE/METHODS OF CLOSING, SEALING & REINF.	**	
ASTM-D3951						01/01/98		STANDARD PRACTICE FOR COMMERCIAL PACKAGING	**	
ASTM-D4066						01/01/98		NYLON INJECTION MOLDING AND EXTRUSION MATERIALS /PA/	**	
L-P-395						(REPLACED BY ASTM-D4066		)		
ASTM-D5118M						01/01/95		STD PRACTICE/FABRICATION OF FIBERBOARD SHIPPING BOXES	**	
ASTM-D5118						(REPLACED BY ASTM-D5118M		)		
ASTM-E18						01/01/98		ROCKWELL HDNS, & ROCKWELL SUPERFICIAL HDNS OF METL. MATL	**	

05/30/00

ARMAMENT RESEARCH, DEVELOPMENT & ENGINEERING CENTER

SHEET NO 7

PICATINNY ARSENAL, NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST : 19200 9346304  
DOCUMENT NUMBER : D 19200 9346304  
SPECIFICATION : MIL-W-63150  
NATIONAL STOCK NO : 1010-01-122-9680  
QUADRANT SIGHT ASSY

REQUEST/PRON ID : P204VG01

-----  
TDPL NOTE LEGEND  
-----

DESCRIPTION OF SYMBOLS IN THE NOTE COLUMN

- \* -Not Furnished - To be obtained from Defense Automated Printing Service 700 Robbins Ave., Bldg 4/D, Philadelphia, PA 19111-5094. If not available, immediately advise the procuring contracting officer.
- \*\* -Not Furnished - Commercial specifications and standards may be obtained from the publishers. They are not available from government sources.
- Q -The letter (Q) before the specification number indicates that a qualified products list is required. The number of the QPL is the same as the number of the specification.
- \*\*\*\*\* -MIL-STD-105, MIL-STD-414, MIL-STD-1235, ANSI-ASQC-Z1.4 and ASQC-Z1.4 are replaced by MIL-STD-1916. Unless otherwise stated in the contract, Verification Levels (VL) shall replace AQLs and shall be VL IV for major characteristics and VL II for minor characteristics. All other technical data conditions remain unchanged.

## DOCUMENT SUMMARY LIST

Item: VARIOUS M203 SPARE PARTS

NSN:

Control Number/PRON: P204VG01

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

### DOCUMENT CATEGORY:

**CATEGORY 0** - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

**CATEGORY 1** - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

**CATEGORY 2** - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

**CATEGORY 3** - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-2549 Table DIP 4-1	Configuration Management Data Interface	30 Jun 97 Cat 2
1b. DI-CMAN-81554 (seq A001)	Configuration Change Control Data Information Packet	30 Jun 97 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1
4a. DOD-P-16232F INT Amd 1 (TDPL)	Phosphate Coating Heavy Manganese or Zinc Base (for Ferrous Metal)	09 Sep 92 Cat 2

4b. DI-NDTI-80603  
(DD Form 1423)

Test Procedure

01 Jun 88  
Cat 1

---

LIST OF ADDRESSES

Commander  
U.S. Army Industrial Operations Command  
ATTN: AMSIO-\_\_\_\_\_ (see block 14 of DD Form 1423 for symbols that apply)  
Rock Island, IL 61299-6000

Commander  
U.S. Army Tank-automotive and Armament Command  
ATTN: AMSTA-\_\_\_\_\_ (see block 14 of DD Form 1423 for symbols that apply)  
Rock Island, IL 61299-8630

Director  
U.S. Army, Armament, Research, Development & Engineering Center  
ATTN: AMSTA-AR-\_\_\_\_\_\*(R) (see block 14 of DD Form 1423 for symbols that apply)  
Rock Island, IL 61299-7300

Commander  
U.S. Army, Armament, Research, Development & Engineering Center  
ATTN: AMSTA-AR-\_\_\_\_\_\*(D) (see block 14 of DD Form 1423 for symbols that apply)  
Picatinny Arsenal, NJ 07806-5000

\*When letter in parentheses at end of office symbol is a (R), use Rock Island address;  
when it is a (D), use Picatinny Arsenal address.

EMAIL addresses:

AMSTA-AR-QAA(D)	<a href="mailto:aie-qaa@pica.army.mil">aie-qaa@pica.army.mil</a>
AMSTA-AR-QAC(D)	<a href="mailto:aie-qac@pica.army.mil">aie-qac@pica.army.mil</a>
AMSTA-AR-QAT(D)	<a href="mailto:aie-qat@pica.army.mil">aie-qat@pica.army.mil</a>
AMSTA-AR-QA__(R)	<a href="mailto:amsta-ar-qa-cdr1@ria.army.mil">amsta-ar-qa-cdr1@ria.army.mil</a>