

LIST OF ADDRESSES

Commander
U.S. Army Industrial Operations Command
ATTN: AMSIO-_____ (see block 14 of DD Form 1423 for symbols that apply)
Rock Island, IL 61299-6000

Commander
U.S. Army Tank-automotive and Armament Command
ATTN: AMSTA-_____ (see block 14 of DD Form 1423 for symbols that apply)
Rock Island, IL 61299-8630

Director
U.S. Army, Armament, Research, Development & Engineering Center
ATTN: AMSTA-AR-_____*(R) (see block 14 of DD Form 1423 for symbols that apply)
Rock Island, IL 61299-7300

Commander
U.S. Army, Armament, Research, Development & Engineering Center
ATTN: AMSTA-AR-_____*(D) (see block 14 of DD Form 1423 for symbols that apply)
Picatinny Arsenal, NJ 07806-5000

*When letter in parentheses at end of office symbol is a (R), use Rock Island address;
when it is a (D), use Picatinny Arsenal address.

EMAIL addresses:

AMSTA-AR-QAA(D)	aie-qaa@pica.army.mil
AMSTA-AR-QAC(D)	aie-qac@pica.army.mil
AMSTA-AR-QAT(D)	aie-qat@pica.army.mil
AMSTA-AR-QA__(R)	amsta-ar-qa-cdrl@ria.army.mil

Attachment 001

Packaging Requirements Sheet
(Special Packaging Instructions)

PRON: P305NXX3 DATE: 30 MAR 2000

NSN: 1240-01-078-7733

MILSTRIP: SUE LERCH/28202

- A. Military preservation, packing, and marking for the item identified above shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of MIL-STD-2073-1, Revision C, Date 1 OCT 96, and the Special Packaging Instruction contained in the TDP.

PRESERVATION: MILITARY
LEVEL OF PACKING: B
QUANTITY PER UNIT PACKAGE: 001
SPI NUMBER P12282180, REV. B, 17 JUL 96

- B. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall not exceed 4,000 pounds and should not exceed 52 inches in length or width, or 54 inches in height. The load shall be contained in a manner that will permit safe handling during shipment and storage.
- C. Marking: In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129 Revision N, Date 15 May 97, including bar coding iaw ANSI/AIM-BC1, Uniform Symbology Specification Code 39.
- D. This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions in Paragraph E below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.
- E. SUPPLEMENTAL INSTRUCTIONS: DELETE MIL-P-14232 AND MIL-P-116 AND REPLACE WITH MIL-STD-2073-1.

Attachment 002

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: EYEPiece ASSY
TO CONTRACT/PR: P305NXX3

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRAFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE
		9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. AMSTA-AR-ES (ECALS)	/ /
2. CONFIGURATION CHANGE CONTROL*		/ /
3. ENGINEERING ACTIONS		
4. DI-CMAN-81554		
5. SECTION C		
6. AMSTA-AR-ES	7. NO	8. -
		9. **
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	
16. REMARKS		
PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE HTTP://EDMD4.PICA.ARMY.MIL/ . *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.		

1. A002	14. AMSTA-AR-QAC (D)	(1) / 1/ /
2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.		/ /
3. AIE DESIGN DOCUMENTATION	QAR	/ /
	CO (LT ONLY)	/ /
4. DI-QCIC-81006*	AMSTA-AR-QAW-C (LT ONLY) (R)	(2) / / /
5. SECTION E		
6. AMSTA-AR-QA	7. XX	8. A
		9. N/A
10. ONE/R	11. N/A	15. TOTAL 0/ 1/ 0
12. **	13. WHEN REV.	
16. REMARKS		
* BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2, 10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID. SUBMIT FOR ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP. ** BLOCK 12: SUBMIT 30 DAYS PRIOR TO FA, OR PRODUCTION, IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 30 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS. REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE. IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT		

Exhibit A (1)

ONLY EVIDENCE OF PRIOR APPROVALS.

email: (1)aie-qac@pica.army.mil (2)amsta-ar-qa-cdrl@ria-emb2.army.mil

Text:Microsoft Office 97

Drawings:AutoCAD-Release 14(Expressed mailed hard copies will be accepted)

Files may be compressed using ZIP program.

WARNING: Large packages may cause delays in delivery using mail internet.

Email subject line must contain end item nomenclature.

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 04/03/2000