

DAAE20-01-R-0126

CLIN 0001, Shower Assembly, Hose Section, NSN: 4230-01-316-5626

Ordering Period	Quantity Order Range	Unit Price	x	Weight	x	Quantity Multiplier	= Weighted Price	Evaluated CLIN Price	
1	With First Article								
	25 - 34	<input type="text"/>		5%		25	-		
	35 - 44	<input type="text"/>		10%		35	-		
	45 - 60	<input type="text"/>		85%		45	-		
				100%				\$ -	
	Without First Article								
	25 - 34	<input type="text"/>		5%		25	-		
	35 - 44	<input type="text"/>		10%		35	-		
	45 - 60	<input type="text"/>		85%		45	-		
			100%				\$ -		
2	Without First Article								
	25 - 34	<input type="text"/>		80%		25	-		
	35 - 44	<input type="text"/>		10%		35	-		
	45 - 60	<input type="text"/>		10%		45	-		
				100%				\$ -	
	Without First Article								
	25 - 34	<input type="text"/>		10%		25	-		
	35 - 44	<input type="text"/>		80%		35	-		
	45 - 60	<input type="text"/>		10%		45	-		
			100%				\$ -		
Total Evaluated CLIN Price								\$ -	

Offerors are requested to provide unit prices for all bold blocks
 All remaining spaces are for purposes of evaluation only.

DAAE20-01-R-0126

CLIN 0002, Shower Assembly, Inlet, NSN: 4710-01-299-5834

Ordering Period	Quantity Order Range	Unit Price	x	Weight	x	Quantity Multiplier	= Weighted Price	Evaluated CLIN Price
1	With First Article							
	50 - 74	<input type="text"/>		5%		50	-	
	75 - 99	<input type="text"/>		10%		75	-	
	100 - 125	<input type="text"/>		85%		100	-	
				100%				\$ -
	Without First Article							
	50 - 74	<input type="text"/>		5%		50	-	
	75 - 99	<input type="text"/>		10%		75	-	
	100 - 125	<input type="text"/>		85%		100	-	
			100%				\$ -	
2	Without First Article							
	50 - 74	<input type="text"/>		80%		50	-	
	75 - 99	<input type="text"/>		10%		75	-	
	100 - 125	<input type="text"/>		10%		100	-	
				100%				\$ -
	Without First Article							
	50 - 74	<input type="text"/>		5%		50	-	
	75 - 99	<input type="text"/>		10%		75	-	
	100 - 125	<input type="text"/>		85%		100	-	
			100%				\$ -	
Total Evaluated CLIN Price								\$ -

Offerors are requested to provide unit prices for all bold blocks
All remaining spaces are for purposes of evaluation only.

DAAE20-01-R-0126
CLIN 0003, Shower Assembly, Middle, NSN: 4710-01-317-0027

Ordering Period	Quantity Order Range	Unit Price	x	Weight	x	Quantity Multiplier	= Weighted Price	Evaluated CLIN Price	
1	With First Article								
	50 - 99	<input type="text"/>		10%		50	-		
	100 - 149	<input type="text"/>		80%		100	-		
	150 - 200	<input type="text"/>		10%		150	-		
				100%				\$ -	
	Without First Article								
	50 - 99	<input type="text"/>		10%		50	-		
	100 - 149	<input type="text"/>		80%		100	-		
	150 - 200	<input type="text"/>		10%		150	-		
			100%				\$ -		
2	Without First Article								
	50 - 99	<input type="text"/>		80%		50	-		
	100 - 150	<input type="text"/>		20%		100	-		
			100%				\$ -		
3	Without First Article								
	50 - 99	<input type="text"/>		30%		50	-		
	100 - 150	<input type="text"/>		70%		100	-		
			100%				\$ -		
Total Evaluated CLIN Price								\$ -	

Offerors are requested to provide unit prices for all bold blocks
 All remaining spaces are for purposes of evaluation only.

DAAE20-01-R-0126

CLIN 0004, Shower Assembly, Branch, NSN: 4720-01-293-5465

Ordering Period	Quantity Order Range	Unit Price	x	Weight	x	Quantity Multiplier	= Weighted Price	Evaluated CLIN Price
1	With First Article							
	50 - 74	<input type="text"/>		15%		50	-	
	75 - 100	<input type="text"/>		85%		75	-	
				100%				\$ -
	Without First Article							
	50 - 74	<input type="text"/>		15%		50	-	
	75 - 100	<input type="text"/>		85%		75	-	
				100%				\$ -
2	Without First Article							
	50 - 74	<input type="text"/>		85%		50	-	
	75 - 100	<input type="text"/>		15%		75	-	
				100%				\$ -
3	Without First Article							
	50 - 74	<input type="text"/>		15%		50	-	
	75 - 100	<input type="text"/>		85%		75	-	
				100%				\$ -
Total Evaluated CLIN Price								\$ -

Offerors are requested to provide unit prices for all bold blocks
 All remaining spaces are for purposes of evaluation only.

DAAE20-01-R-0126

CLIN 0005, Hose Assembly, Pressure, NSN: 4720-01-293-5466

Ordering Period	Quantity Order Range	Unit Price	x	Weight	x	Quantity Multiplier	= Weighted Price	Evaluated CLIN Price
1		With First Article						
	50 - 99	<input type="text"/>		30%		50	-	
	100 - 125	<input type="text"/>		70%		100	-	
				100%				\$ -
		Without First Article						
	50 - 99	<input type="text"/>		30%		50	-	
	100 - 125	<input type="text"/>		70%		100	-	
				100%				\$ -
2		Without First Article						
	50 - 99	<input type="text"/>		70%		50	-	
	100 - 125	<input type="text"/>		30%		100	-	
				100%				\$ -
3		Without First Article						
	50 - 99	<input type="text"/>		30%		50	-	
	100 - 125	<input type="text"/>		70%		100	-	
				100%				\$ -
Total Evaluated CLIN Price								\$ -

Offerors are requested to provide unit prices for all bold blocks
All remaining spaces are for purposes of evaluation only.

DAAE20-01-R-0126

CLIN 0006, Hose Assembly, Suction, NSN: 4720-01-293-5703

Ordering Period	Quantity Order Range	Unit Price	x	Weight	x	Quantity Multiplier	= Weighted Price	Evaluated CLIN Price	
1	With First Article								
	25 - 50	<input type="text"/>		15%		25	-		
	51 - 75	<input type="text"/>		85%		51	-		
				100%				\$ -	
	Without First Article								
	25 - 50	<input type="text"/>		15%		25	-		
2	51 - 75	<input type="text"/>		85%		51	-		
				100%				\$ -	
	Without First Article								
	25 - 50	<input type="text"/>		85%		25	-		
	51 - 75	<input type="text"/>		15%		51	-		
				100%				\$ -	
3	Without First Article								
	25 - 50	<input type="text"/>		15%		25	-		
	51 - 75	<input type="text"/>		85%		51	-		
				100%				\$ -	
	Total Evaluated CLIN Price								\$ -

Offerors are requested to provide unit prices for all bold blocks
All remaining spaces are for purposes of evaluation only.

DAAE20-01-R-0126

CLIN 0007, Strainer, Suction, Hose, NSN: 4730-01-294-9893

Ordering Period	Quantity Order Range	Unit Price	x	Weight	x	Quantity Multiplier	= Weighted Price	Evaluated CLIN Price
1	With First Article							
	10 - 50	<input type="text"/>		20%		10	-	
	51 - 100	<input type="text"/>		80%		51	-	
				100%				\$ -
	Without First Article							
	10 - 50	<input type="text"/>		20%		10	-	
51 - 100	<input type="text"/>		80%		51	-		
			100%				\$ -	
2	Without First Article							
	10 - 50	<input type="text"/>		70%		10	-	
	51 - 100	<input type="text"/>		30%		51	-	
			100%				\$ -	
3	Without First Article							
	10 - 50	<input type="text"/>		70%		10	-	
	51 - 100	<input type="text"/>		30%		51	-	
			100%				\$ -	
Total Evaluated CLIN Price								\$ -

Offerors are requested to provide unit prices for all bold blocks
All remaining spaces are for purposes of evaluation only.

DAAE20-01-R-0126
CLIN 0008, Cleaning Gun, NSN: 4940-01-295-8134

Ordering Period	Quantity Order Range	Unit Price	x	Weight	x	Quantity Multiplier	= Weighted Price	Evaluated CLIN Price
1	With First Article							
	100 - 149	<input type="text"/>		5%		100	-	
	150 - 199	<input type="text"/>		5%		150	-	
	200 - 249	<input type="text"/>		10%		200	-	
		<input type="text"/>		80% 100%		250	-	\$ -
	Without First Article							
	100 - 149	<input type="text"/>		5%		100	-	
	150 - 199	<input type="text"/>		5%		150	-	
	200 - 249	<input type="text"/>		10%		200	-	
	250 - 300	<input type="text"/>		80% 100%		250	-	\$ -
2	Without First Article							
	100 - 149	<input type="text"/>		5%		100	-	
	150 - 199	<input type="text"/>		10%		150	-	
	200 - 249	<input type="text"/>		70%		200	-	
	250 - 300	<input type="text"/>		15% 100%		250	-	\$ -
3	Without First Article							
	100 - 149	<input type="text"/>		5%		100	-	
	150 - 199	<input type="text"/>		10%		150	-	
	200 - 249	<input type="text"/>		70%		200	-	
	250 - 300	<input type="text"/>		15% 100%		250	-	\$ -
Total Evaluated CLIN Price								\$ -

Offerors are requested to provide unit prices for all bold blocks
 All remaining spaces are for purposes of evaluation only.

DAAE20-01-R-0126
CLIN 0009, Injector Assembly, NSN: 4230-01-295-2443

Ordering Period	Quantity Order Range	Unit Price	x	Weight	x	Quantity Multiplier	= Weighted Price	Evaluated CLIN Price	
1	With First Article								
	10 - 74	<input type="text"/>		70%		50	-		
	75 - 100	<input type="text"/>		30%		75	-		
				100%				\$ -	
	Without First Article								
	10 - 75	<input type="text"/>		70%		50	-		
75 - 100	<input type="text"/>		30%		75	-			
			100%				\$ -		
2	Without First Article								
	50 - 74	<input type="text"/>		30%		50	-		
	75 - 100	<input type="text"/>		70%		75	-		
			100%				\$ -		
3	Without First Article								
	50 - 74	<input type="text"/>		30%		50	-		
	75 - 100	<input type="text"/>		70%		75	-		
			100%				\$ -		
Total Evaluated CLIN Price								\$ -	

Offerors are requested to provide unit prices for all bold blocks
 All remaining spaces are for purposes of evaluation only.

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: HOSE BUNDLE NINE ITEMS
TO CONTRACT/PR: C11DAG01-09

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3. *		ATTACHED	/ /
4. DI-CMAN-80639B			
5. MIL-STD-973			
6. AMSSB-RSO-ADM(RI)	7. LT	8. -	9.**
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13.	

16. REMARKS
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED	/ /
4. DI-CMAN-80640B			
5. MIL-STD-973			
6. AMSSB-RSO-ADM(RI)	7. LT	8. -	9.**
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13.	

16. REMARKS
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A003
 2. REQUEST FOR WAIVER (RFW)
 3.
 4. DI-CMAN-80641B
 5. MIL-STD-973
 6. AMSSC-HB-ADM(RI) 7. LT 8. - 9.**
 10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0
 12. ASREQ 13.

14.
 SEE ADDRESS CODE / /
 DISTRIBUTION / /
 ATTACHED / /

16. REMARKS
 **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CON-
 FIGURATION MANAGER.

1. A004
 2. NOTICE OF REVISION (NOR)
 3.
 4. DI-CMAN-80642B
 5. MIL-STD-973
 6. AMSSB-RSO-ADM(RI) 7. LT 8. - 9.**
 10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0
 12. ASREQ 13.

14.
 SEE ADDRESS CODE / /
 DISTRIBUTION / /
 ATTACHED / /

16. REMARKS
 THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED
 LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP
 APPROVAL. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY
 THE DOD CONFIGURATION MANAGER.

ALL THE ABOVE MAY BE SUBMITTED TO:

COMMANDER
 U.S.ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)
 ATTN: AMSSB-RSO-ADM (CDE QA CELL) BLDG.62,1stfloor,West Wing
 ROCK ISLAND,IL 61299-7390

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 04/09/01

Section CPRON C11DAG01TDP NO. 5-45-4869TDPL DATE: 16 Feb 01ITEM NOMENCLATURE: Shower Assembly, Hose Section

NSN: 4230-01-316-5626

The following engineering exceptions apply, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. No Exceptions

3. **PROPRIETARY DATA LEGEND**

License Contract Number: DAAA15-87-H-0003

Licensors: Karl H. Hoie and Company A/S: and
Engineered Air Systems, Inc.

This document contains proprietary data licensed to the United States Government. The use of this data is subject to restrictions set forth in the license. The distribution of the data is subject to a territorial restriction set forth in the license.

Each page of any collection of documents or drawings is separately marked. If less than an entire document page or drawing page is Proprietary, the proprietary data is circled. This legend shall be included on any document or drawing that utilizes any proprietary data from this document or drawing.

NAME (POC) Dan Liedtke

OFFICE: AMSSB-RSO-SDM (RI)

PHONE (DSN): 793-6822

MYLARS REQUIRED: N

DATE: 21 Feb 01

RESUBMITTAL:

Section CPRON C11DAG02 TDP NO. 5-45-4867 TDPL DATE: 16 Feb 01ITEM NOMENCLATURE: Shower Assembly, Inlet
NSN: 4710-01-299-5834

The following engineering exceptions apply, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. No Exceptions

3. **PROPRIETARY DATA LEGEND**

License Contract Number: DAAA15-87-H-0003

Licensors: Karl H. Hoie and Company A/S: and
Engineered Air Systems, Inc.

This document contains proprietary data licensed to the United States Government. The use of this data is subject to restrictions set forth in the license. The distribution of the data is subject to a territorial restriction set forth in the license.

Each page of any collection of documents or drawings is separately marked. If less than an entire document page or drawing page is Proprietary, the proprietary data is circled. This legend shall be included on any document or drawing that utilizes any proprietary data from this document or drawing.

NAME (POC) Dan Liedtke

OFFICE: AMSSB-RSO-SDM (RI)

PHONE (DSN): 793-6822

MYLARS REQUIRED: N

DATE: 21 Feb 01

RESUBMITTAL:

Section C

PRON C11DAG03 **TDP NO.** 5-45-4868 **TDPL DATE:** 16 Feb 01

ITEM NOMENCLATURE: Shower Assembly, Middle
 NSN: 4710-01-317-0027

The following engineering exceptions apply, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. No Exceptions

3. **PROPRIETARY DATA LEGEND**

License Contract Number: DAAA15-87-H-0003

**Licensors: Karl H. Hoie and Company A/S: and
 Engineered Air Systems, Inc.**

This document contains proprietary data licensed to the United States Government. The use of this data is subject to restrictions set forth in the license. The distribution of the data is subject to a territorial restriction set forth in the license.

Each page of any collection of documents or drawings is separately marked. If less than an entire document page or drawing page is Proprietary, the proprietary data is circled. This legend shall be included on any document or drawing that utilizes any proprietary data from this document or drawing.

NAME (POC) Dan Liedtke

OFFICE: AMSSB-RSO-SDM (RI)

PHONE (DSN): 793-6822

MYLARS REQUIRED: N

DATE: 21 Feb 01

RESUBMITTAL:

Section CPRON C11DAG04TDP NO. 5-45-4862TDPL DATE: 16 Feb 01ITEM NOMENCLATURE: Hose Assembly, Branched

NSN: 4720-01-293-5465

The following engineering exceptions apply, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. No Exceptions

3. **PROPRIETARY DATA LEGEND**

License Contract Number: DAAA15-87-H-0003

Licensors: Karl H. Hoie and Company A/S: and
Engineered Air Systems, Inc.

This document contains proprietary data licensed to the United States Government. The use of this data is subject to restrictions set forth in the license. The distribution of the data is subject to a territorial restriction set forth in the license.

Each page of any collection of documents or drawings is separately marked. If less than an entire document page or drawing page is Proprietary, the proprietary data is circled. This legend shall be included on any document or drawing that utilizes any proprietary data from this document or drawing.

NAME (POC) Dan Liedtke

OFFICE: AMSSB-RSO-SDM (RI)

PHONE (DSN): 793-6822

MYLARS REQUIRED: N

DATE: 21 Feb 01

RESUBMITTAL:

Section C

PRON C11DAG05 **TDP NO.** 5-45-4861 **TDPL DATE:** 16 Feb 01

ITEM NOMENCLATURE: Hose Assembly, Pressure

NSN: 4720-01-293-5466

The following engineering exceptions apply, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. On Drawing 5-45-4871, item 2, add FSCM 70847

3. **PROPRIETARY DATA LEGEND**

License Contract Number: DAAA15-87-H-0003

Licensors: Karl H. Hoie and Company A/S: and
Engineered Air Systems, Inc.

This document contains proprietary data licensed to the United States Government. The use of this data is subject to restrictions set forth in the license. The distribution of the data is subject to a territorial restriction set forth in the license.

Each page of any collection of documents or drawings is separately marked. If less than an entire document page or drawing page is Proprietary, the proprietary data is circled. This legend shall be included on any document or drawing that utilizes any proprietary data from this document or drawing.

NAME (POC) Dan Liedtke

OFFICE: AMSSB-RSO-SDM (RI)

PHONE (DSN): 793-6822

MYLARS REQUIRED: N

DATE: 21 Feb 01

RESUBMITTAL:

Section C**PRON** C11DAG06 **TDP NO.** 5-45-4906 **TDPL DATE:** 16 Feb 01ITEM NOMENCLATURE: Hose Assembly, Suction
NSN: 4720-01-293-5703

The following engineering exceptions apply, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. No Exceptions

3. **PROPRIETARY DATA LEGEND**

License Contract Number: DAAA15-87-H-0003

Licensors: Karl H. Hoie and Company A/S: and
Engineered Air Systems, Inc.

This document contains proprietary data licensed to the United States Government. The use of this data is subject to restrictions set forth in the license. The distribution of the data is subject to a territorial restriction set forth in the license.

Each page of any collection of documents or drawings is separately marked. If less than an entire document page or drawing page is Proprietary, the proprietary data is circled. This legend shall be included on any document or drawing that utilizes any proprietary data from this document or drawing.

NAME (POC) Dan Liedtke

OFFICE: AMSSB-RSO-SDM (RI)

PHONE (DSN): 793-6822

MYLARS REQUIRED: N

DATE: 21 Feb 01

RESUBMITTAL:

Section CPRON C11DAG07 TDP NO. 5-45-4905 TDPL DATE: 16 Feb 01ITEM NOMENCLATURE: Strainer Assembly, Suction Hose
NSN: 4730-01-294-9893

The following engineering exceptions apply, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. No Exceptions

3. **PROPRIETARY DATA LEGEND**

License Contract Number: DAAA15-87-H-0003

Licensors: Karl H. Hoie and Company A/S: and
Engineered Air Systems, Inc.

This document contains proprietary data licensed to the United States Government. The use of this data is subject to restrictions set forth in the license. The distribution of the data is subject to a territorial restriction set forth in the license.

Each page of any collection of documents or drawings is separately marked. If less than an entire document page or drawing page is Proprietary, the proprietary data is circled. This legend shall be included on any document or drawing that utilizes any proprietary data from this document or drawing.

NAME (POC) Dan Liedtke

OFFICE: AMSSB-RSO-SDM (RI)

PHONE (DSN): 793-6822

MYLARS REQUIRED: N

DATE: 21 Feb 01

RESUBMITTAL:

Section C

PRON C11DAG08 TDP NO. 5-45-4935 TDPL DATE: 16 Feb 01ITEM NOMENCLATURE: Cleaning Gun, Water
NSN: 4940-01-295-8134

The following engineering exceptions apply, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. On TDPL: L-T-790 is cancelled, replaced by A-A-55697

3. **PROPRIETARY DATA LEGEND**

License Contract Number: DAAA15-87-H-0003

Licensors: Karl H. Hoie and Company A/S: and
Engineered Air Systems, Inc.

This document contains proprietary data licensed to the United States Government. The use of this data is subject to restrictions set forth in the license. The distribution of the data is subject to a territorial restriction set forth in the license.

Each page of any collection of documents or drawings is separately marked. If less than an entire document page or drawing page is Proprietary, the proprietary data is circled. This legend shall be included on any document or drawing that utilizes any proprietary data from this document or drawing.

NAME (POC) Dan Liedtke

OFFICE: AMSSB-RSO-SDM (RI)

PHONE (DSN): 793-6822

MYLARS REQUIRED: N

DATE: 21 Feb 01

RESUBMITTAL:

Section C

PRON C11DAG09 **TDP NO.** 5-45-4918 **TDPL DATE:** 16 Feb 01

ITEM NOMENCLATURE: Injector Assembly
 NSN: 4230-01-295-2443

The following engineering exceptions apply, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.
2. On TDPL: MS35842 is cancelled, replaced by A-A-52506.
 L-T-790 is cancelled, replaced by A-A-55697

3. **PROPRIETARY DATA LEGEND**

License Contract Number: DAAA15-87-H-0003

**Licensors: Karl H. Hoie and Company A/S: and
 Engineered Air Systems, Inc.**

This document contains proprietary data licensed to the United States Government. The use of this data is subject to restrictions set forth in the license. The distribution of the data is subject to a territorial restriction set forth in the license.

Each page of any collection of documents or drawings is separately marked. If less than an entire document page or drawing page is Proprietary, the proprietary data is circled. This legend shall be included on any document or drawing that utilizes any proprietary data from this document or drawing.

NAME (POC) Dan Liedtke

OFFICE: AMSSB-RSO-SDM (RI)

PHONE (DSN): 793-6822

MYLARS REQUIRED: N

DATE: 21 Feb 01

RESUBMITTAL:

DOCUMENT SUMMARY LIST

Item: HOSE BUNDLE NINE ITEMS
NSN: VARIOUS
Control Number/PRON: C11DAG01-09

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."
- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
 Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94

LIST OF ADDRESSES

(see block 14 of DD form 1423 for symbols that apply)

Commander
U.S. Army Industrial Operations Command
ATTN: AMSIO-_____
Rock Island, IL 61299-6000

Director
U.S. Army Armament Research, Development and Engineering Center
ATTN: AMSTA-AR-_____
Rock Island, 61299-7300

Director
Armament and Chemical Acquisition, and Logistics Activity
ATTN: AMSTA-~~AR~~ CM-ARCC
Rock Island, IL 61299-7630

Commander
Soldier Biological and Chemical Command
ATTN: AMSSC-HB-IPM (R)
Rock Island, IL 61299-7390

Commander
Soldier Biological and Chemical Command
ATTN: AMSSB-REN_____
Aberdeen Proving Ground, MD 21010-5423

Commander
U.S. Army Armament Research, Development and Engineering Center
ATTN: AMSTA-AR-QAT-P
Building 19
Picatinny Arsenal, NJ 07806-5000

ADDRESS CODE DISTRIBUTION - ECPs/RFDs/VECPs
(Configuration Management)

1. Concurrent distribution of Engineering Change Proposals (ECPs), Request for Deviations (RFDs), or Value Engineering Change Proposals (VECPs) shall be submitted by the Contractors as follows:

2. The contractor shall provide the **original** plus 1 copy to:

(Configuration Manager)
Commander, Soldier Biological and Chemical Command
ATTN: AMSSC-RSO-SDM (RI)
Rock Island, IL 61299-7390.

(Contracting officer)
Director, Armament and Chemical Acquisition, and Logistics Activity
ATTN: AMSTA-CM-CREC
Rock Island, IL 61299-7630.

3. Provide one copy to:

Commander, Soldier Biological and Chemical Command
ATTN: AMSSC-REN-ED
Building E5027
Aberdeen Proving Ground, MD 21010-5423.

5. For **VECPs only**, provide one copy to each Value Engineering Office:

Commander, Soldier Biological and Chemical Command
ATTN: AMSSB-REN-C
Aberdeen Proving Ground, MD 21010-5423.

6. When ECPs, or RFDs are determined to be Urgent, Critical and/or Schedule impacting, an action copy should be provided via data facsimile (FAX) to AMSSB-RSO-SDM (RI) at 309-782-3126. This transmission is to be immediately followed with the usual hard copy mailing.

INSTRUCTIONS FOR COMPLETING DD FORM 1423

(See DoD 5010.12-M for detailed instructions)

FOR GOVERNMENT PERSONNEL

- Item A.** Self-explanatory.
- Item B.** Self-explanatory.
- Item C.** Mark (X) appropriate category: TDP - Technical Data Package; TM - Technical Manual; Other - other category of data, such as AProvisioning, AConfiguration Management, etc.
- Item D.** Enter name of system/item being acquired that data will support.
- Item E.** Self-explanatory (to be filled in after contract award).
- Item F.** Self-explanatory (to be filled in after contract award).
- Item G.** Signature of preparer of CDRL.
- Item H.** Date CDRL was prepared.
- Item I.** Signature of CDRL approval authority.
- Item J.** Date CDRL was approved.
- Item 1.** See DoD FAR Supplement Subpart 4.71 for proper numbering.
- Item 2.** Enter title as it appears on data acquisition document cited in Item 4.
- Item 3.** Enter subtitle of data item for further definition of data item (optional entry).
- Item 4.** Enter Data Item Description (DID) number, military specification number, or military standard number listed in DoD 5010.12-L (AMSDL), or one-time DID number, that defines data content and format requirements.
- Item 5.** Enter reference to tasking in contract that generates requirement for the data item (e.g., Statement of Work paragraph number).
- Item 6.** Enter technical office responsible for ensuring adequacy of the data item.
- Item 7.** Specify requirement for inspection/acceptance of the data item by the Government.
- Item 8.** Specify requirement for approval of a draft before preparation of the final data item.
- Item 9.** For technical data, specify requirement for contractor to mark the appropriate distribution statement on the data (ref. DoD 5230.r24).
- Item 10.** Specify number of times data items are to be delivered.
- Item 11.** Specify as-of date of data item, when applicable.
- Item 12.** Specify when first submittal is required.
- Item 13.** Specify when subsequent submittals are required, when applicable.
- Item 14.** Enter addressees and number of draft/final copies to be delivered to each addressee. Explain reproducible copies in Item 16.
- Item 15.** Enter total number of draft/final copies to be delivered.
- Item 16.** Use for additional/clarifying information for Items 1 through 15. Examples are: Tailoring of documents cited in Item 4; Clarification of submittal dates in Items 12 and 13; Explanation of reproducible copies in Item 14; Desired medium for delivery of the data item.

FOR THE CONTRACTOR

Item 17. Specify appropriate price group from one of the following groups of effort in developing estimated prices for each data item listed on the DD Form 1423.

a. Group I. Definition - Data which is not otherwise essential to the contractor's performance of the primary contracted effort (production, development, testing and administration) but which is required by DD Form 1423.

Estimated Price - Costs to be included under Group I are those applicable to preparing and assembling the data item in conformance with Government requirements, and the administration and other expenses related to reproducing and delivering such data items to the Government.

b. Group II. Definition - Data which is essential to the performance of the primary contracted effort but the contractor is required to perform additional work to conform to Government requirements with regard to depth of content, format, frequency of submittal, preparation, control, or quality of the data item.

Estimated Price - Costs to be included under Group II are those incurred over and above the cost of the essential data item without conforming to Government requirements, and the administrative and other expenses related to reproducing and delivering such data item to the Government.

c. Group III. Definition - Data which the contractor must develop for his internal use in performance of the primary contracted effort and does not require any substantial change to conform to Government requirements with regard to depth of content, format, frequency of submittal, preparation, control, and quality of the data item.

Estimated Price - Costs to be included under Group III are the administrative and other expenses related to reproducing and delivering such data item to the Government.

d. Group IV. Definition - Data which is developed by the contractor as part of his normal operating procedures and his effort in supplying these data to the Government is minimal.

Estimated Price - Group IV items should normally be shown on the DD Form 1423 as no cost.

Item 18. For each data item, enter an amount equal to that portion of the total price which is estimated to be attributable to the production or development for the Government of that item of data. These estimated data prices shall be developed only from those costs which will be incurred as a direct result of the requirement to supply the data, over and above those costs which would otherwise be incurred in performance of the contract if no data were required. These estimated data prices shall not include any amount for rights in data. The Government's right to use the data shall be governed by the pertinent provisions of the contract.

GUIDANCE ON DOCUMENTATION OF CONTRACT REQUIREMENTS LIST (CDRL)

The following information is furnished to provide guidance with respect to the abbreviations and codes utilized in various blocks of DD Form 1423, Contract Data Requirements List.

Block 1. Sequence Number. This number is specified by DOD components in accordance with FAR Supplement Subpart 4.71.

Block 2. Title of Description of Data. This represents the title or brief description of the data. This title should be identical to the Data Item Description (DID) title with Block 3 being used for further identification, if required.

Block 3. Subtitle of Data. If the title requires further identification, a subtitle is entered.

Block 4. Authority, Data Item Number. Data item number of the DID which provides the data preparation instructions.

Block 5. Contract Reference. The specific paragraph number of the contract procurement request, system specification, or other applicable document which identifies the effort associated with the data item authorized by Block 4 above.

Block 6. Technical Office. The office that is responsible for assuring the adequacy of the data item unless this responsibility is delegated elsewhere in the contract or in Block 7 on the DD Form 1423.

Block 7. DD Form 250 Requirement. This block designates the location (contractor's facility or destination) for performance of Government inspection and acceptance. The applicable codes for inspection and acceptance are cited below. The Government activity to perform the destination acceptance task is entered in Block 14 as the first addressee.

Code	Inspection	Acceptance
SS	*Source(DD Form 250)	*Source(DD Form 250)
DD	Destination(DD Form 250)	Destination(DD Form 250)
SD	*Source(DD Form 250)	Destination(DD Form 250)
DS	Destination(DD Form 250)	*Source(DD Form 250)
LT	Letter of Transmittal only	
NO	No inspection or acceptance required	
XX	Inspection/acceptance requirements specified elsewhere in the contract.	

*Source indicates contractor's facility,

Block 8. Approval Code. Items of critical data requiring specified advanced written approval, such as test plans, are identified by an "A" in this field. This data requires submission of a preliminary draft prior to publication of the final document. When advanced approval is not required, this field is blank.

Block 9. Distribution Statement Required. The code letter corresponding to the distribution statement to be marked on the technical data item by the contractor, in accordance with DoD Directive 5230.24 and the guidance in DoD 5010.12-M.

Block 10. Frequency. The codes that appear in this block are cited below:

ANNLY	Annually	ASGEN	As generated*
ASREQ	As required*	BI-MO	Every 2 months
BI-WE	Every 2 weeks	DAILY	Daily
DFDEL	Deferred Delivery	MTHLY	Monthly
ONE/P	One Preliminary	ONE/R	One time with revisions
QRTLY	Quarterly	R/ASR	Revision as required*
SEMIA	Every 6 months	WEKLY	Weekly
XTIME**	Number of time to be submitted (1TIME, 2TIMES, etc.)		

*Use of these codes requires further explanation in block 16 to provide the contractor with guidance necessary to accurately price the deliverable data item.

**A number must be inserted in place of the "X".

Block 11. As of Date (AOD). When data is submitted only once, this block indicates the number of days the data is to be submitted prior to the end of the reporting period; e.g., "15" would place the AOD for this report as 15 days before the end of each month, quarter, or year depending on the frequency established in Block 10; "0" places the AOD at the end of the month, quarter, or year. Further guidance is shown in Block 13 or 16 as required.

Block 12. Date of First Submission. This block indicates the initial data submission date (Year/Month/Day). When the contract start date has not been established, this block indicates the number of days after the contract start date that the data is due; e.g., 30 days after contract (DAC). Further information, if required is contained in Block 13. "DFDEL" indicates deferred delivery.

Block 13. Date of Subsequent Submission/Event Identification. When data is submitted more than once, the date(s) of subsequent submission(s) is indicated in this block. Example: "Not later than (NLT) 15 days before start of production"; "45 days before first article", etc.

Block 14. Distribution and Addressees. Addressees and number of copies (draft/regular/reproducible) to be forwarded to each addressee as cited in this block. Addressees are indicated by office symbols (i.e., AMSIO-XYZ). A list explaining these symbols and their addressees is attached to the form. When reproducible copies are required, the type of copies required will be cited in this block or Block 16.

NOTE: Unless otherwise cited in Block 10 of DD Form 1664, entries in Blocks 3 through 9 on DD Form 1664, Data Item Descriptions, are for information purposes only and are not contractually binding.

NOTE: It is required that data items be delivered using electronic media. Where possible electronic transmission (e-mail) is the most preferred method. Refer to the Contract Data Requirements List (CDRL), DD Form 1423 for more specific information (i.e., e-mail addresses, etc.)

For narrative kinds of reports, submission of a 3 1/2 inch disk in Rich Text Format (RTF), Microsoft Word or by e-mail is acceptable.

For spreadsheets or database kinds of reports, the acceptable software packages would be Microsoft Office products, i.e., Access or Excel. If these packages are not available, the information could be forwarded using a word processing kind of document saved in a Rich Text Format (RTF).