

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: HOSE ASSEMBLY
TO CONTRACT/PR: C31IABXX

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3. *		ATTACHED	/ /
4. DI-CMAN-80639B			
5. MIL-STD-973			
6. AMSSB-RSO-ADM(RI)	7. LT	8. -	9.**
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13.	

16. REMARKS
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED	/ /
4. DI-CMAN-80640B			
5. MIL-STD-973			
6. AMSSB-RSO-ADM(RI)	7. LT	8. -	9.**
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13.	

16. REMARKS
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A003			14.		
2. REQUEST FOR WAIVER (RFW)			SEE ADDRESS CODE	/	/
3.			DISTRIBUTION	/	/
			ATTACHED	/	/
4. DI-CMAN-80641B					
5. MIL-STD-973					
6. AMSSC-HB-ADM(RI)	7. LT	8. -	9.**		
10. ASREQ	11. ---		15. TOTAL	0/	0/ 0
12. ASREQ		13.			

16. REMARKS
 **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A004			14.		
2. NOTICE OF REVISION (NOR)			SEE ADDRESS CODE	/	/
3.			DISTRIBUTION	/	/
			ATTACHED	/	/
4. DI-CMAN-80642B					
5. MIL-STD-973					
6. AMSSB-RSO-ADM(RI)	7. LT	8. -	9.**		
10. ASREQ	11. ---		15. TOTAL	0/	0/ 0
12. ASREQ		13.			

16. REMARKS
 THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP APPROVAL. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

ALL THE ABOVE MAY BE SUBMITTED TO:

COMMANDER
 U.S.ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)
 ATTN: AMSSB-RSO-ADM (CDE QA CELL) BLDG.62,1stfloor,West Wing
 ROCK ISLAND,IL 61299-7390

1. A005			14.		
2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.			AMSSB-RSO-ADM (RI)	/	2/
3. AIE DESIGN DOCUMENTATION			QAR	/	/
			CO (LT ONLY)	/	/
4. DI-QCIC-81006					
5. SECTION E					
6. AMSSB-RSO-ADM(RI)	7. XX	8. A	9. N/A		
10. ONE/R	11.N/A		15. TOTAL	0/	3/0

12. **

13. WHEN REV.

16. REMARKS

*BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2, 10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID. SUBMIT FOR ALL TESTS AND ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP. UNLESS OTHERWISE SPECIFIED, INSPECTION EQUIPMENT INCLUDES STANDARD MEASURING AND TEST EQUIPMENT AND/OR COMMERCIAL OFF THE INSPECTION/TEST EQUIPMENT. **BLOCK 12: SUBMIT 45 DAYS PRIOR TO FA, OR PRODUCTION, IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 45 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS. REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE. IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT ONLY EVIDENCE OF PRIOR APPROVALS.

All submissions should be presented in the following formats via e-mail or on PC compatible CD-ROM, 100MB Iomega ZIP disks, or 3.5" high density floppy discs

Textual Information	MS Office compatible (i.e. doc.xls, rtf)
Technical Drawings	Windows Metafile, Bitmap, JPEG, DesignCAD 2D or AutoCAD formats
Illustrations/Photos	Windows Metafile, Bitmap, JPEG (i.e. WMF, BMP, JPG, GIF)

Files may be compressed using ZIP program.

WARNING: Large packages may cause delays in delivery using mail internet.

Email subject line must contain end item nomenclature.

Email cromerf@ria.army.mil and jennings@ria.army.mil

Postal: US ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)

ATTN: AMSSB-RSO-ADM(RI), CDE QA CELL, BLDG. 62, ROCK ISLAND, IL 61299-7390

SECTION C

TDPL: 5-1-1963

TDPL DATED: 27 Jun 01

START #: C31IABXX

NSN: 4240-01-378-6479

NOMEN: Hose Assembly

The following engineering exceptions apply to this TDPL, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. TDPL, under PRODUCT DRAWINGS AND ASSOCIATED LISTS, delete the following entries:

5-1-1080 SEAT, NOSECUP VALVE
5-1-1953 HOUSING, TOP
5-1-1954 LEVER
5-1-1959 LOCK
5-1-1961 HOUSING, TOP
5-1-1962 HOUSING, BOTTOM
5-1-1973 RING SLIP WASHER
5-1-1974 SHELL
5-1-1975 COVER
5-1-2538 HOUSING
5-1-3340 CLIP, ADAPTER

3. TDPL, under SPECIFICAIONS AND STANDARDS, delete the following entries:

PPP-T-76
L-P-378
MIL-P-116
MIL-B-117
PPP-B-636
QQ-S-766
MIL-C-13924
MIL-R-27426
ASTM-D3641
ASTM-D570
ASTM-D648
ASTM-D792
UL-94

Attachment 002

4. TDPL, under SPECIFICATIONS AND STANDARDS, add the following entries:

A-A-3174
QQ-A-200
MIL-DTL-117
MIL-DTL-27426
ASTM-D5118
ASTM-D1974
ASTM-D5486
ASTM-A240
ASTM-A666
ASTM-A693

5. Drawing 5-1-1966, PARTS LIST, Item 4, change PART NUMBER and SPECIFICATION as follows:

From: M27426-1122D MIL-R-27426
To: M2742610122D MIL-DTL-27426

6. Drawing 5-1-1963, PARTS LIST, Item No. 2, in DRAWING OR PART NO. column, delete '5-1-2706-3' and substitute '5-1-2706-4'.

7. Drawing 5-1-2706, note and change as follows:

a. Delete NOTE 7 in its entirety. The 5-1-2706-4 hose clamp for this procurement **shall** be black oxide treated per NOTE 4 requirements. Supplier does not black oxide part, subsequent treatment is required.

b. NOTE 3 change as follows:

From: 304 PER QQ-S-766
To: 304 PER ASTM-A240, ASTM-A666 or ASTM-A693

c. NOTES 4 and 7, delete 'MIL-C-13924' and substitute 'MIL-DTL-13924'.

8. QAP 5-1-1967, page 1 of 5, under OTHER DOCUMENTS, change 'A-C-1563' to 'EA-C-1563'

9. SPI P5-1-1963, under LEVEL A UNIT PACK REQUIREMENTS, change as follows:

From: (MIL-P-116 METHOD IC-3)
To: (MIL-STD-2073-1 METHOD 31)

10. SPI P5-1-1963, under LEVEL A UNIT PACK REQUIREMENTS, in row 'Container, bags' delete 'MIL-B-117' and substitute 'MIL-DTL-117', also delete style 2, type I and class B from this row. Bag to be

constructed from material Type I or II, Grade A, Class 1 of A-A-3174.

11. SPI P5-1-1963, under LEVEL A UNIT PACK REQUIREMENTS,

- a. delete 'PPP-T-76' and substitute 'ASTM-D5486'.
- b. for 'Container (box)' row delete 'PPP-B-636' and substitute 'ASTM-D5118'
- c. for 'Closure (step 4)' row, delete 'PPP-B-636' and 'Appendix (Closure Method IV)' and substitute 'ASTM-D1974'

12. SPI P5-1-1963, under REMARKS block, para (A), change last sentence to: Bag to be constructed per class B of MIL-DTL-117.

13. Shelf Life markings **shall** apply and shall be in accordance with MIL-STD-129. The shelf life markings shall include the assembled date (mo./yr.) and the expiration date (mo./yr.). The inspection/test date shall be 60 months in the future from the assembled date.

14. The following Statement of Work for Ozone Depleting Chemicals also applies:

STATEMENT OF WORK - OZONE DEPLETING CHEMICALS

I.a. The following specifications and standards may be listed and included as part of this Technical Data Package (TDP)/ Scope of Work (SOW):

MIL-STD-2073/1
MIL-STD-171

b. Other specifications and standards, which identify ODCs among alternative substances for use, are part of this TDP/SOW as follows:

c. The above specifications and standards allow the optional use of Ozone Depleting Substances (ODS) or Ozone Depleting Chemicals (ODC). Preference should be given to the Non-ODS/ODC choices in compliance with Executive Order 12843, dated April 21, 1993, "Procurement Requirements and Policies for Federal Agencies for Ozone Depleting Substances".

II. Other specifications and standards containing ODS/ODC materials and included in this TDP for which a substitute is provided are as follows:

III. Other specifications and standards included in this TDP that specify use of an ODS/ODC and have been approved for use are as follows:

N/A

IV. NOTE: Offerers are requested, although not obligated, to perform their own screening of the TDP specifications and standards or SOW and identify any additional potential ODS/ODC to the contracting officer.

DOCUMENT SUMMARY LIST

Item: HOSE ASSEMBLY
NSN: 4720-01-378-6479
Control Number/PRON: C31IABXX

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."
- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
 Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
2. ANSI/ISO/ASQC Q9002	Model for Quality Assurance in Production, Installation & Servicing OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1

Pricing Evaluation Summary

Hose Assy, 42 inch

NSN: 4720-01-378-6479

Pt. # 5-1-1963

First Article

Testing

Range	Year 1		Year 2		Year 3		Year 4		Year 5	
	Unit Price	Wgt.								
2500-2999		10%		10%		10%		5%		10%
3000-3749		70%		70%		70%		10%		70%
3750-4749		10%		10%		10%		10%		10%
4750-5749		5%		5%		5%		70%		5%
5750-7000		5%		5%		5%		5%		5%
*5879	\$	EA		100%						

Notes:

1. Contractor's failing to bid on all years and all ranges may be disqualified
2. For evaluation purposes, the Government has weighted the ranges based on the likelihood that if an order is placed, it will be placed in that particular range. The total evaluated price will be calculated by multiplying the offered prices by their respective weights and minimum quantities for each range and adding the totals for all years (which will also include the total price for the minimum guaranteed quantity).
3. First Article Testing (I required on this product prior to production. The box to the right of First Article Test is for your proposed price of FAT. The location of the box indicates the probable year of the FAT requirement. Failure to propose on the FAT may be a reason for disqualification.
4. FAT costs proposed will be added to the evaluation price in the total as explained in note 2, above.
5. The FAT will be priced separately, and will be amortized into the unit price on the first order.

*Minimum Guaranteed Quantity first year only.