

DOCUMENT SUMMARY LIST

Item: MOTOR, ELECTRIC D.C.  
NSN: 6105-01-297-3818  
Control Number/PRON: P18FABXX

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".

(3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."

(4) Para 5.4.3.5.1. Minor deviations.  
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."

- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract, requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.  
Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
<hr/>		
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
<hr/>		

PRON NO: P18FABXX

---

3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment	30 Aug 94
-----------------------------	--	-----------

OR

ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
-------------------------	--	------

3b. DI-RELI-80322 (DD Form 1423)	Quality Conformance Inspection and Test Procedures	20 Feb 87 Cat 1
-------------------------------------	---	--------------------

---

CONTRACT DATA REQUIREMENTS LIST  
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: MOTOR, ELECTRIC D.C.  
TO CONTRACT/PR:P18FABXX

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

---

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3.	ATTACHED	/ /
4. DI-CMAN-80639B		
5. MIL-STD-973		
6. AMSTA-AR-EDT-R	7. LT 8. - 9. -	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

---

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED	/ /
4. DI-CMAN-80640B		
5. MIL-STD-973		
6. AMSTA-AR-EDT-R	7. LT 8. - 9. -	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

---


1. A003  
 2. REQUEST FOR WAIVER (RFW)  
 3.  
 4. DI-CMAN-80641B  
 5. MIL-STD-973  
 6. AMSTA-AR-EDT      7. LT   8. -      9. -  
 10. ASREQ      11. ---      15. TOTAL      0/ 0/ 0  
 12. ASREQ      13.  
 16. REMARKS  
 \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

-----  
 1. A004  
 2. NOTICE OF REVISION (NOR)  
 3.  
 4. DI-CMAN-80642B  
 5. MIL-STD-973  
 6. AMSTA-AR-EDT-R      7. LT   8. -      9. -  
 10. ASREQ      11. ---      15. TOTAL      0/ 0/ 0  
 12. ASREQ      13.  
 16. REMARKS  
 THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AND SUBMIT SAID NOR WITH THE ECP. \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

-----  
 1. A005  
 2. QUALITY CONFORMANCE INSP & TEST PROCEDURES  
 3.  
 4. DI-RELI-80322  
 5. SECTION E  
 6. AMSTA-AR-QA      7. XX   8. A      9. N/A  
 10. ASREQ      11.      15. TOTAL      0/ 2/ 0  
 12. \*      13. \*\*  
 16. REMARKS

A DD FORM 250 IS NOT REQUIRED. \*SUFFICIENTLY PRIOR TO INITIATION OF PRODUCTION, OR FIRST ARTICLE TEST IF CONTRACTUALLY REQUIRED (SEE NOTE BELOW). \*\*WHENEVER ANY REVISION THERETO IS NEEDED FOR ANY REASON. NOTE: THE GOVERNMENT WILL FURNISH DISPOSITION WHITHIN 45 DAYS AFTER RECEIPT.  
email: (1)aie-qat@pica.army.mil (2)amsta-ar-qa-cdrl@ria-emh2.army.mil  
Text:Microsoft Office 97  
Drawings:AutoCAD-Release 14(Expressed mailed hard copies will be accepted)  
Files may be compressed using ZIP program.  
WARNING: Large packages may cause delays in delivery using mail internet.  
Email subject line must contain end item nomenclature.

---



---

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-EDT-R

DATE: 12/09/1997

**INSTRUCTIONS FOR COMPLETING DD FORM 1423**  
(See DoD 5010.12-M for detailed instructions.)

**FOR GOVERNMENT PERSONNEL**

- Item A.** Self-explanatory.
- Item B.** Self-explanatory.
- Item C.** Mark (X) appropriate category: TDP - Technical Data Package; TM - Technical Manual; Other - other category of data, such as "Provisioning," "Configuration Management", etc.
- Item D.** Enter name of system/item being acquired that data will support.
- Item E.** Self-explanatory (to be filled in after contract award).
- Item F.** Self-explanatory (to be filled in after contract award).
- Item G.** Signature of preparer of CDRL.
- Item H.** Date CDRL was prepared.
- Item I.** Signature of CDRL approval authority.
- Item J.** Date CDRL was approved.
- Item 1.** See DoD FAR Supplement Subpart 4.71 for proper numbering.
- Item 2.** Enter title as it appears on data acquisition document cited in Item 4.
- Item 3.** Enter subtitle of data item for further definition of data item (optional entry).
- Item 4.** Enter Data Item Description (DID) number, military specification number, or military standard number listed in DoD 5010.12-L (AMSDL), or one-time DID number, that defines data content and format requirements.
- Item 5.** Enter reference to tasking in contract that generates requirement for the data item (e.g., Statement of Work paragraph number).
- Item 6.** Enter technical office responsible for ensuring adequacy of the data item.
- Item 7.** Specify requirement for inspection/acceptance of the data item by the Government.
- Item 8.** Specify requirement for approval of a draft before preparation of the final data item.
- Item 9.** For technical data, specify requirement for contractor to mark the appropriate distribution statement on the data (ref. DoD 5230.24).
- Item 10.** Specify number of times data items are to be delivered.
- Item 11.** Specify as-of date of data item, when applicable.
- Item 12.** Specify when first submittal is required.
- Item 13.** Specify when subsequent submittals are required, when applicable.
- Item 14.** Enter addressees and number of draft/final copies to be delivered to each addressee. Explain reproducible copies in Item 16.
- Item 15.** Enter total number of draft/final copies to be delivered.
- Item 16.** Use for additional/clarifying information for Items 1 through 15. Examples are: Tailoring of documents cited in Item 4; Clarification of submittal dates in Items 12 and 13; Explanation of reproducible copies in Item 14; Desired medium for delivery of the data item.

**FOR THE CONTRACTOR**

**Item 17.** Specify appropriate price group from one of the following groups of effort in developing estimated prices for each data item listed on the DD Form 1423.

a. Group I. Definition - Data which is not otherwise essential to the contractor's performance of the primary contracted effort (production, development, testing, and administration) but which is required by DD Form 1423.

Estimated Price - Costs to be included under Group I are those applicable to preparing and assembling the data item in conformance with Government requirements, and the administration and other expenses related to reproducing and delivering such data items to the Government.

b. Group II. Definition - Data which is essential to the performance of the primary contracted effort but the contractor is required to perform additional work to conform to Government requirements with regard to depth of content, format, frequency of submittal, preparation, control, or quality of the data item.

Estimated Price - Costs to be included under Group II are those incurred over and above the cost of the essential data item without conforming to Government requirements, and the administrative and other expenses related to reproducing and delivering such data item to the Government.

c. Group III. Definition - Data which the contractor must develop for his internal use in performance of the primary contracted effort and does not require any substantial change to conform to Government requirements with regard to depth of content, format, frequency of submittal, preparation, control, and quality of the data item.

Estimated Price - Costs to be included under Group III are the administrative and other expenses related to reproducing and delivering such data item to the Government.

d. Group IV. Definition - Data which is developed by the contractor as part of his normal operating procedures and his effort in supplying these data to the Government is minimal.

Estimated Price - Group IV items should normally be shown on the DD Form 1423 at no cost.

**Item 18.** For each data item, enter an amount equal to that portion of the total price which is estimated to be attributable to the production or development for the Government of that item of data. These estimated data prices shall be developed only from those costs which will be incurred as a direct result of the requirement to supply the data, over and above those costs which would otherwise be incurred in performance of the contract if no data were required. These estimated data prices shall not include any amount for rights in data. The Government's right to use the data shall be governed by the pertinent provisions of the contract.

## GUIDANCE ON DOCUMENTATION OF CONTRACT DATA REQUIREMENTS LIST (CDRL)

The following information is furnished to provide guidance with respect to the abbreviations and codes utilized in various blocks of DD Form 1423, Contract Data Requirements List.

**Block 1, Sequence Number.** This number is specified by DOD components in accordance with FAR Supplement 4.71..

**Block 2, Title of Description of Data.** This represents the title or brief description of the data. This title should be identical to the Data Item Description (DID) title with Block 3 being used for further identification, if required.

**Block 3, Subtitle of Data.** If the title requires further identification, a subtitle is entered.

**Block 4, Authority, Data Item Number.** Data item number of the DID which provides the data preparation instructions.

**Block 5, Contractor Reference.** The specific paragraph number of the contract procurement request, system specification or other applicable document which identifies the effort associated with the data item authorized by Block 4 above.

**Block 6, Technical Office.** The office that is responsible for assuring the adequacy of the data item unless this responsibility is delegated elsewhere in the contract or in Block 7 on the DD Form 1423.

**Block 7, DD Form 250 Requirement.** This block designates the location (contractor's facility or destination) for performance of Government inspection and acceptance. The applicable codes for inspection and acceptance are cited below. The Government activity to perform the destination acceptance task is entered in Block 14 as the first addressee.

<u>Code</u>	<u>Inspection</u>	<u>Acceptance</u>
SS	*Source (DD Form 250)	*Source (DD Form 250)
DD	Destination (DD Form 250)	Destination (DD Form 250)
SD	*Source (DD Form 250)	Destination (DD Form 250)
DS	Destination (DD Form 250)	*Source (DD Form 250)
LT	Letter of Transmittal only	
NO	No inspection or acceptance required	
XX	Inspection/acceptance requirements specified elsewhere in the contract	

\*Source indicates contractor's facility.

**Block 8, Approval Code.** Items of critical data requiring specific advanced written approval, such as test plans, are identified by an "A" in this field. This data requires submission of a preliminary draft prior to publication of the final document. When advanced approval is not required, this field is blank.

**Block 9, Distribution Statement Required.** The code letter corresponding to the distribution statement to be marked on the technical data item by the contractor, in accordance with DoD Directive 5230.24 and the guidance in DoD 5010.12-M.

**Block 10. Frequency.** The codes that appear in this block are cited below:

ANNLY	Annually	ASGEN	As generated*
ASREQ	As required*	BI-MO	Every 2 months
BI-WE	Every 2 weeks	DAILY	Daily
DFDEL	Deferred delivery	MTHLY	Monthly
ONE/P	One preliminary	ONE/R	One time w/revisions
QRTLY	Quarterly	R/ASR	Revision as required*
SEMIA	Every 6 months	WEKLY	Weekly
XTIME**	Number of times to be submitted (1TIMES, 2TIMES, etc)		

\*Use of these codes requires further explanation in block 16 to provide the contractor with guidance necessary to accurately price the deliverable data item.

\*\*A number must be inserted in place of the "X".

**Block 11, As of Date (AOD).** When data is submitted only once, this block indicates the number of days the data is to be submitted prior to the end of the reporting period; e.g., "15" would place the AOD for this report as 15 days before the end of each month, quarter, or year depending on the frequency established in Block 10; "0" places the AOD at the end of the month, quarter, or year. Further guidance is shown in Block 13 or 16 as required.

**Block 12, Date of First Submission.** This block indicates the initial data submission date (Year/Month/Day). When the contract start date has not been established, this block indicates the number of days after the contract start date that the data is due; e.g., 30 days after contract (DAC). Further information, if required, is contained in Block 13. "DFDEL" indicates deferred delivery.

**Block 13, Date of Subsequent Submission/Event Identification.** When data is submitted more than once, the date(s) of subsequent submission(s) is indicated in this block. Example: "Not later than (NLT) 15 days before start of production"; 45 days before first article", etc.

**Block 14, Distribution and Addressees.** Addressees and number of copies (draft/regular/reproducible) to be forwarded to each addressee as cited in this block. Addressees are indicated by office symbols (i.e., AMSTA-XYZ). A list explaining these symbols and their addressees is attached to the form. When reproducible copies are required, the type of copies required will be cited in this block or Block 16.

NOTE: Unless otherwise cited in Block 10 of DD Form 1664, entries in Blocks 3 through 9 on DD Form 1664, Data Item Descriptions, are for information purposes only and are not contractually binding.

NOTE: It is required that data items be delivered using electronic media. Where possible electronic transmission (e-mail) is the most preferred method. Refer to the Contract Data Requirements List (CDRL), DD Form 1423 for more specific information (i.e., e-mail addresses, etc.)

For narrative kinds of reports, submission of a 3 ½ inch disk in Rich Text Format (RTF), Microsoft Word or by e-mail is acceptable. For spreadsheets or database kinds of reports, the acceptable software packages would be Microsoft Office products, i.e., Access or Excel. If these packages are not available, the information could be forwarded using a word processing kind of document saved in a Rich Text Format (RTF).

## LIST OF ADDRESSES

Commander  
U.S. Army Industrial Operations Command  
ATTN: AMSIO-\_\_\_\_\_ (see block 14 of DD form 1423 for symbols that apply)  
Rock Island, IL 61299-6000

Director  
Armament and Chemical Acquisition, and Logistics Activity  
ATTN: AMSTA-AC\_\_\_\_\_ (see block of DD form 1423 for symbols that apply)  
Rock Island, IL 61299-8630

Director  
U.S. Army, Armament, Research, Development & Engineering Center  
ATTN: AMSTA-AR\_\_\_\_\_ \*(R) (see block of DD form 1423 for symbols that apply)  
Rock Island, IL 61299-7300

Commander  
U.S. Army, Armament Research, Development & Engineering Center  
ATTN: AMSTA-AR-\_\_\_\_\_ \*(D) (See block 14 of DD Form 1423 for symbols that apply)  
Picatinny Arsenal, NJ 07806-5000

\*When letter in parentheses at end of office symbol is a "R", use Rock Island address; when it is a "D", use Picatinny Arsenal address.

### E-MAIL ADDRESSES:

AMSTA-AR-QAA(D)	aie-qa@pica.army.mil
AMSTA-AR-QAC(D)	aie-qac@pica.army.mil
AMSTA-AR-QAT(D)	aie-qat@pica.army.mil
AMSTA-AR-QA__(R)	amsta-ar-qa-cdr1@ria-emh2.army.mil

**ADDRESS CODE DISTRIBUTION  
FOR ECP/RFD/RFW/VECP**

1. Concurrent distribution of Value Engineering Change Proposals (VECPs), Engineering Change Proposals (ECPs), Request for Deviations (RFDs) shall be submitted by the Contractors as follows:
2. The contractor shall submit copies as required and as identified below to: Director, U.S. Army Armament Research, Development and Engineering Center, ATTN: AMSTA-AR-EDT-R (ECPs), Rock Island, IL 61299-7300 except for Chemical items (see note below).

- |               |  |
|---------------|--|
| a. VECPs -    | original plus 3 copies<br>original (Tools & Equipment)<br>original plus 2 copies (Navy or Air Force) |
| b. ECPs -     | original plus 2 copies<br>original (Tools & Equipment)<br>original plus 2 copies (Navy or Air Force) |
| c. RFDs/RFWs- | original plus 2 copies<br>original plus 2 copies (Navy or Air Force)                                 |

**\*\*NOTE - All Chemical items shall be submitted to: Commander, CBDCOM, ATTN: SCBRD-EN(RI), Rock Island, IL 61299-7410.\*\***

- a. VECPs - original plus 3 copies
- b. ECPs - original plus 2 copies
- c. RFDs/RFWs - original plus 1 copy

3. Provide one copy designated "Advance Copy" to one of the following design agencies if the agency is cited in the contract:

- a. Chemical Command: Commander, Chemical Biological Defense Agency, ATTN: SCBRD-ENE-D, Aberdeen Proving Ground, MD 21010-5423.

- b. U.S. Navy: Commander, Naval Surface Warfare Center, Crane Division, ATTN: Code 40, Crane, IN 47522-5000, or Commander, Naval Air Warfare Center, Weapons Division, 521.9th St., ATTN: Code 332200E, Point Mugu, CA 83042-5001.

- c. U.S. Air Force: Commander, U.S. Army Industrial Operations Command, ATTN: AMSIO-ASI-SA (Mr. Flood ASD/YH), Eglin Air Force Base, FL 32542-5000, or Commander, Ogden Air Logistics Center, ATTN: OO-ALC/LIWGE, 6034 Dogwood Ave., Hill Air Force Base, UT 84056-5816.

4. Provide one copy designated "Advance Copy" to:

- a. Contracting Officer: Director, Armament and Chemical Acquisition, and Logistics Activity, Rock Island, IL 61299-8630 (ACALA items) or Commander, Industrial Operations Command, Rock Island, IL 61299-6000 (IOC items).

- b. Administrative Contracting Officer.

5. For VECPs only, provide one copy designated "Advance Copy" to the Value Engineering Division: Commander, U.S. Army Industrial Operations Command, ATTN: AMSIO-RMV, Rock Island, IL 61299-6000.

6. When ECPs, RFWs, RFDs are determined to be Urgent, Critical and/or Schedule impacting, an action copy shall be provided to AMSTA-AR-EDT-R via data facsimile (FAX) to 309-782-6450. This transmission is to be immediately followed with the usual hard copy mailing.


SPECIAL PACKAGING INSTRUCTIONS (AMCCOM Suppl 1 to AR 700-15)				1. NATIONAL STOCK NO 6150-01-297-3818			
2. SPI NO (AM) P12553352		3. REVISION A/G6K2002		4. DATE 96-01-26			
3. PART OR DRAWING NO 12553352		6. FSCM 19200		7. MIL-P-116 CLEANING/DRYING * MIL-P-116			
8. QUP/UNIT OF ISSUE 1/EA	9. KCG	10. UNIT PACK WEIGHT (APPROX LB) 192.39	11. UNIT PACK CUBE (EXT) (APPROX FT) 8.765	12. UNIT PACK SIZE (EXT) (APPROX FT) 2.33 X 1.98 X 1.90			
13. LEVEL A UNIT PACK REQUIREMENTS							
MIL-P-116 METHOD	STEPS	DRAWING OR SPECIFICATION	STYLE	TYPE	GRADE	CLASS	SIZE (INSIDE DIMENSIONS IN INCHES) AND REMARKS
IA-16	1	PPP-C-1797		I			SEE NOTE (A)
	2	A-A-883					SEE NOTE (A)
	3	MIL-P-6060					
	4	PPP-P621	7			2	SEE NOTE (B)
14a. LEVEL B: METHOD <u>IA-16</u> <input type="checkbox"/> NOT APPLICABLE <input type="checkbox"/> SEE NOTE _____							
14b. LEVEL C: METHOD _____ <input checked="" type="checkbox"/> NOT APPLICABLE <input type="checkbox"/> SEE NOTE _____							
15. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.							
16. MARKING WILL BE IN ACCORDANCE WITH MIL-STD-129.							
17. SPECIFICATIONS, STANDARDS, AND DRAWINGS LISTED HEREON OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID FORM A PART OF THIS DATA SHEET. THE APPLICABLE GENERAL AND REFERENCED REQUIREMENTS OF SPECIFICATION MIL-STD-2073-1 FORM PART OF THIS DATA SHEET. UNLESS OTHERWISE SPECIFIED, MATERIALS WILL BE MINIMUM SIZE LAW MIL-STD-2073-1.							
18. TOLERANCES SHALL BE IN ACCORDANCE WITH MATERIAL SPECIFICATIONS. QUALITY PERFORMANCE AND TESTING REQUIREMENTS SHALL BE IN CONFORMANCE WITH MIL-P-116 OR AS OTHERWISE SPECIFIED HEREON.							
19. NOTES/DRAWINGS							
* UNLESS OTHERWISE SPECIFIED, ANY APPLICABLE PROCESS OF MIL-P-116 THAT DOES NOT DAMAGE THE ITEM SHALL BE UTILIZED.							
(A) CUSHION ALL CONTACT POINTS BETWEEN ITEM AND BLOCKING BRACING WITH MINIMUM 1/8" THICK MATERIAL. CUSHION ALL SHARP EDGES/PROTRUSIONS ON ITEM AND BLOCKING TO PROTECT BARRIER BAG. SECURE WITH TAPE (AS APPLICABLE).							
(B) REUSABLE CONTAINER, NAIL SUPERSTRUCTURE (SIDES, ENDS, AND TOP) TOGETHER. HOWEVER, LAG BOLT PERIMETER OF SUPERSTRUCTURE TO BASE ASSEMBLY, 3 EA. 1/4" X 3" BOLTS PER END PANEL AND 2 EA. 1/4" X 2" BOLTS PER SIDE PANEL.							
STATEMENT A, UNLIMITED							
20. ITEM IDENTIFICATION CODE(S) KP		21. ITEM SIZE 14.16 X 11.41 X 9.69		22. ITEM WT 95.00		23. APPROVED EUGENE FARRELL	
24. NOMENCLATURE MOTOR, ELECTRIC, D.C.				25. PAGE 1 OF 5 PAGES			

SPECIAL PACKAGING INSTRUCTION (Continued)

NATIONAL STOCK NUMBER 6105-01-297-3818 SPI NUMBER (PIN) P12553352

REV A/66K2002

QTY	DESCRIPTION	DETAIL
4	Nut, Plain, Hex 1/2" UNC-2B	A
4	Washer, Flat 1/2"	B
1	Block (Page 3)	C
1	Block (Page 3)	D
1	Block (Page 4)	E
1	Block (Page 4)	F
4	Carriage Bolt 1/2" x 16" UNC-2A	G
1	Floating Barrier	H
1	Container Base, Style 7	I
1	Motor, Electric, D.C.	J



NOMENCLATURE MOTOR, ELECTRIC, D.C. PAGE NUMBER 2 NUMBER OF PAGES 5

SPECIAL PACKAGING INSTRUCTION (Continued)

NATIONAL STOCK NUMBER

6105-01-297-3818


SPI NUMBER (PN)

P12553352




REV A/19662002

- Ⓒ Blocks detail C, D, E, and F shall be constructed from 3/4" plywood, fabricated and assembled as shown, secured by means of nailing.

BLOCK Ⓒ



BLOCK Ⓓ



NOMENCLATURE

MOTOR, ELECTRIC, D.C.

PAGE NUMBER  
3

NUMBER OF PAGES  
5

SPECIAL PACKAGING INSTRUCTION (Continued)

NATIONAL STOCK NUMBER




6105-01-297-3818

SPI NUMBER (PN)



P12553352

REV A/GOK202

BLOCK (F)



BLOCK (E)



NOMENCLATURE

MOTOR, ELECTRIC, D.C.

PAGE NUMBER  
4

NUMBER OF PAGES  
5

SPECIAL PACKAGING INSTRUCTION (Continued)

NATIONAL STOCK NUMBER


6105-01-297-3818

SPI NUMBER (P/N)

P12553352


REV A/G6K2002

(I)  
HOLE PATTERN  
IN SKID BASE



FRONT VIEW

(H)  
BARRIER  
BAG  
LAYOUT



NOMENCLATURE

MOTOR. ELECTRIC. D.C.

PAGE NUMBER  
5

NUMBER OF PAGES  
5