


ENGINEERING CHANGE PROPOSAL (ECP), PAGE 1				1. DATE (YYMMDD) 950221		Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.						2. PROCURING ACTIVITY NO. G5S3008	
						3. DODAAC	
4. ORIGINATOR		b. ADDRESS (Street, City, State, Zip Code)		5. CLASS OF ECP			
a. TYPED NAME (First, Middle Initial, Last) LYLE E. MILLER		ARDEC AMSTA-AR-ESW-S ROCK ISLAND, IL. 61299		6. JUST. CODE D		7. PRIORITY R	
8. ECP DESIGNATION				9. BASELINE AFFECTED			
a. MODEL / TYPE M9		b. CAGE CODE 19200		c. SYSTEM DESIGNATION PISTOL, SEMIAUTOMATIC, 9mm: M9		FUNCTIONAL <input checked="" type="checkbox"/> PRODUCT ALLOCATED	
d. ECP NO. see block 2				10. OTHER SYS. / CONFIG AFFECTED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO			
11. SPECIFICATIONS AFFECTED				12. DRAWINGS AFFECTED			
	CAGE Code	Specification/Document No.	Rev	SCN	CAGE Code	Number	Rev
a. SYSTEM					19200	F9346417	A 001
b. DEVELOPMENT							
c. PRODUCT							
13. TITLE OF CHANGE CORRECTION OF PLASTIC MATERIAL SPECIFICATION							
14. CONTRACT NO. AND LINE ITEM DAAA09-95-C-0103				15. PROCURING CONTRACTING OFFICER			
				a. NAME (First, Middle Initial, Last) BRIAN SCHMIDT			
				b. CODE		c. TELEPHONE NO.	
16. CONFIGURATION ITEM NOMENCLATURE PISTOL, SEMIAUTOMATIC, 9mm: M9						17. IN PRODUCTION <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	
18. ALL LOWER LEVEL ITEMS AFFECTED							
a. NOMENCLATURE FOLLOWER, CARTRIDGE				b. PART NO. 9346417		c. NSN 1005-15-063-8009	
19. DESCRIPTION OF CHANGE ONE OF THE DIGITS IN THE MATERIAL SPECIFICATION FOR THE PLASTIC FOLLOWER IN THE MAGAZINE IS CORRECTED FROM "6" TO "5". ALSO, A DIGIT (ZERO) IS ADDED (AS THE THIRD CHARACTER) TO EXACTLY MATCH THE REQUIRED SPECIFICATION FORMAT.							
20. NEED FOR CHANGE THE CURRENT SPECIFICATION IS WRONG.							
21. PRODUCTION EFFECTIVITY BY SERIAL NUMBER NA				22. EFFECT ON PRODUCTION DELIVERY SCHEDULE NA			
23. RETROFIT							
a. RECOMMENDED ITEM EFFECTIVITY IMMEDIATELY				b. SHIP / VEHICLE CLASS AFFECTED NA			
c. ESTIMATED KIT DELIVERY SCHEDULE NA				d. LOCATIONS OR SHIP / VEHICLE NUMBERS AFFECTED NA			
24. ESTIMATED CONSTS / SAVINGS UNDER CONTRACT NA				25. ESTIMATED NET TOTAL COSTS / SAVINGS NA			
26. SUBMITTING ACTIVITY a. AUTHORIZED SIGNATURE <i>Lyle E. Miller</i> LYLE E. MILLER				b. TITLE GENERAL ENGINEER			
27. APPROVAL / DISAPPROVAL							
a. CLASS I <input type="checkbox"/> APPROVAL RECOMMENDED <input type="checkbox"/> DISAPPROVAL RECOMMENDED		b. CLASS II <input checked="" type="checkbox"/> APPROVED <input type="checkbox"/> DISAPPROVED		c. CLASS II <input type="checkbox"/> CONCUR IN CLASSIFICATION OF CHANGE <input type="checkbox"/> DO NOT CONCUR IN CLASSIFICATION OF CHANGE			
d. GOVERNMENT ACTIVITY				e. SIGNATURE		f. DATE SIGNED (YYMMDD)	
g. APPROVAL <input checked="" type="checkbox"/> APPROVED <input type="checkbox"/> DISAPPROVED		h. GOVERNMENT ACTIVITY HQ, ARDEC, AMSTA-AR-ESW		i. SIGNATURE <i>[Signature]</i>		j. DATE SIGNED (YYMMDD) 950301	

28 FEB 1995




NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved OMB No. 0704-0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		950221	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			2. PROCURING ACTIVITY NO. G5S 3008
			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO. 001
a. TYPED NAME (First, Middle Initial, Last)	ARDEC	19200	G5S 3008
LYLE E. MILLER	AMSTA-AR-ESW-S	7. CAGE CODE	8. DOCUMENT NO.
	ROCK ISLAND, IL. 61299	19200	9346417
9. TITLE OF DOCUMENT	10. REVISION LETTER		11. ECP NO.
FOLLOWER, CARTRIDGE	a. CURRENT	b. NEW	G5S 3008
	A **		
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			
PISTOL, SEMIAUTOMATIC, 9mm: M9			
13. DESCRIPTION OF REVISION			
** INCLUDES CHANGES INCORPORATED BY APPROVED ECP G4S3077.			
IN NOTE 2, CHANGE FROM: "----PLASTIC, PA110G30A43600CA249GA136MA110AB001,----"			
TO: "----PLASTIC, PA0110G30A43500CA249GA136MA110AB001,----"			
			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
HQ, ARDEC, AMSTA-AR-ESW		950301	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	c. DATE SIGNED	

ESW-S

ENGINEERING CHANGE PROPOSAL (ECP), PAGE 1				1. DATE (YYMMDD) 95-05-11		Form Approved OMB No. 0704-0188		
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503						2. PROCURING ACTIVITY NO. G5S3062		
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES, RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.						3. DODAAC		
4. ORIGINATOR		b. ADDRESS (Street, City, State, Zip Code)			5. CLASS OF ECP			
a. TYPED NAME (First, Middle Initial, Last) Lyle E. Miller		AMSTA-AR-ESW-S, Rock Island, Illinois 61299			6. JUST. CODE C		7. PRIORITY R	
8. ECP DESIGNATION				9. BASELINE AFFECTED				
a. MODEL / TYPE M9	b. CAGE CODE 19200	c. SYSTEM DESIGNATION Pistol		<input type="checkbox"/> FUNCTIONAL <input checked="" type="checkbox"/> PRODUCT <input type="checkbox"/> ALLOCATED				
d. ECP NO.		e. TYPE F	f. REV	10. OTHER SYS / CONFIG AFFECTED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO				
11. SPECIFICATIONS AFFECTED				12. DRAWINGS AFFECTED				
	CAGE Code	Specification/Document No.	Rev	SCN	CAGE Code	Number	Rev	NOR
a. SYSTEM					19200	9346488		001
b. DEVELOPMENT								
c. PRODUCT								
13. TITLE OF CHANGE DRAWING DIMENSION LOCATION CORRECTION								
14. CONTRACT NO. AND LINE ITEM Solicitation				15. PROCURING CONTRACTING OFFICER				
				a. NAME (First, Middle Initial, Last) Ms. A. Tkatch				
				b. CODE		c. TELEPHONE NO. 5313		
16. CONFIGURATION ITEM NOMENCLATURE Pistol, Semiautomatic, 9mm: M9						17. IN PRODUCTION <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		
18. ALL LOWER LEVEL ITEMS AFFECTED								
a. NOMENCLATURE Slide			b. PART NO. 9346488		c. NSN			
19. DESCRIPTION OF CHANGE The 1.25 +/- .1 dimension is relocated from the bottom edge of the Slide to the lowest surface of the receiver rail groove.								
20. NEED FOR CHANGE The leader lines for the 1.25 +/- .1 dimension were applied to the wrong surfaces during the ERR process for approved ECP G8S3108.								
21. PRODUCTION EFFECTIVITY BY SERIAL NUMBER NA				22. EFFECT ON PRODUCTION DELIVERY SCHEDULE NA				
23. RETROFIT								
a. RECOMMENDED ITEM EFFECTIVITY Immediately				b. SHIP / VEHICLE CLASS AFFECTED NA				
c. ESTIMATED KIT DELIVERY SCHEDULE NA				d. LOCATIONS ON SHIP / VEHICLE NUMBERS AFFECTED NA				
24. ESTIMATED COSTS / SAVINGS UNDER CONTRACT NA				25. ESTIMATED NET TOTAL COSTS / SAVINGS NA				
26. SUBMITTING ACTIVITY				b. TITLE				
a. AUTHORIZED SIGNATURE Lyle E. Miller				General Engineer				
27. APPROVAL								
a. CLASS I		b. CLASS II		c. CLASS II		DO NOT CONCUR IN CLASSIFICATION OF CHANGE		
<input type="checkbox"/> APPROVAL RECOMMENDED	<input type="checkbox"/> DISAPPROVAL RECOMMENDED	<input type="checkbox"/> APPROVED	<input type="checkbox"/> DISAPPROVED	<input type="checkbox"/> CONCUR IN CLASSIFICATION OF CHANGE				
d. GOVERNMENT ACTIVITY			e. SIGNATURE			f. DATE SIGNED (YYMMDD)		
g. APPROVAL			h. GOVERNMENT ACTIVITY			i. SIGNATURE		
<input checked="" type="checkbox"/> APPROVED	Configuration Manager Act Ch, Cmbt Spt & Sm Cal Wpn Sys Div		J. DATE SIGNED (YYMMDD)			950608		
<input type="checkbox"/> DISAPPROVED								

16 MAY 1995

003

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved OMB No. 0704-0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		95 05 11	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			2. PROCURING ACTIVITY NO. G5S 3062
			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO. 001
a. TYPED NAME (First, Middle Initial, Last) LYLE E. MILLER	ARDEC AMSTA-AR-ESW-S ROCK ISLAND, IL. 61299	19200	G5S 3062
		7. CAGE CODE	8. DOCUMENT NO.
		19200	F 9346488
9. TITLE OF DOCUMENT	10. REVISION LETTER		11. ECP NO.
SLIDE	a. CURRENT	b. NEW	G5S 3062
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			
PISTOL, SEMIAUTOMATIC, 9mm: M9			
13. DESCRIPTION OF REVISION			
<p>IN ZONE C-4, D-4 :</p> <p>DELETE: 1.25 +0/-0.1 AS SHOWN BELOW.</p>  <p>ADD: 1.25 +0/-0.1 AS SHOWN BELOW.</p>  <p>Reference: ECP G8S3108</p>			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
HQ, ARDEC, AMSTA-AR-ESW		8 Jun 95	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	c. DATE SIGNED	

ESD-S

ENGINEERING CHANGE PROPOSAL (ECP), PAGE 1 1. DATE (YYMMDD) 960321 Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

2. PROCURING ACTIVITY NO. **G6S3029**
3. DODAAC W52H09

4. ORIGINATOR
a. TYPED NAME (First, Middle Initial, Last) Beretta USA, Corp.
b. ADDRESS (Street, City, State, Zip Code) 17601 Beretta Drive Accokeek, MD 20607

5. CLASS OF ECP I
6. JUST. CODE P
7. PRIORITY U

8. ECP DESIGNATION
a. MODEL/TYPE M9 Pistol
b. CAGE CODE 65490
c. SYSTEM DESIGNATION Pistol, Semiautomatic, 9mm: M9
d. ECP NO. 0390-E-0001
e. TYPE F
f. REV -

9. BASELINE AFFECTED
FUNCTIONAL PRODUCT
ALLOCATED
10. OTHER SYS./CONFIG. ITEMS AFFECTED
YES NO

11. SPECIFICATIONS AFFECTED

	CAGE Code	Specification/Document No.	Rev.	SCN
a. SYSTEM				
b. DEVELOPMENT				
c. PRODUCT				

12. DRAWINGS AFFECTED

	CAGE Code	Number	Rev.	NOR
a. SYSTEM		See attached list		
b. DEVELOPMENT				
c. PRODUCT				

13. TITLE OF CHANGE Introduction of Alternate Material

14. CONTRACT NO. AND LINE ITEM DAAE20-95-C-0390

15. PROCURING CONTRACTING OFFICER
a. NAME (First, Middle Initial, Last) Daniel Thorpe
b. CODE W52H09
c. TELEPHONE NO. (309) 782-513

16. CONFIGURATION ITEM NOMENCLATURE Pistol, Semiautomatic, 9mm: M9

17. IN PRODUCTION
 YES NO

18. ALL LOWER LEVEL ITEMS AFFECTED
a. NOMENCLATURE See Block 12
b. PART NO. See Block 12
c. NSN -

19. DESCRIPTION OF CHANGE
This ECP requests the addition of an alternate alloy steel for the manufacture of seven M9 detents and pins. It proposes introducing 4320H alloy steel as an alternate to the 4320 and 43L20 now specified on the component drawings.

SMCA-EXT-IR
MAR 29 9 27 PM '96
APR 2 1996

20. NEED FOR CHANGE See attachment.

21. PRODUCTION EFFECTIVITY BY SERIAL NUMBER N/A

22. EFFECT ON PRODUCTION DELIVERY SCHEDULE N/A

23. RETROFIT
a. RECOMMENDED ITEM EFFECTIVITY N/A
c. ESTIMATED KIT DELIVERY SCHEDULE N/A

b. SHIP/VEHICLE CLASS AFFECTED N/A
d. LOCATIONS OR SHIP/VEHICLE NUMBERS AFFECTED N/A

24. ESTIMATED COSTS/SAVINGS UNDER CONTRACT None.

25. ESTIMATED NET TOTAL COSTS/SAVINGS None.

26. SUBMITTING ACTIVITY
a. AUTHORIZED SIGNATURE *Calvin de Plano*

b. TITLE Product Engineering Manager

27. APPROVAL/DISAPPROVAL *As Modified*

a. CLASS I		b. CLASS II		c. CLASS II		DO NOT CONCUR IN CLASSIFICATION OF CHANGE	
APPROVAL RECOMMENDED	DISAPPROVAL RECOMMENDED	APPROVED	DISAPPROVED	CONCUR IN CLASSIFICATION OF CHANGE	DO NOT CONCUR IN CLASSIFICATION OF CHANGE		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
d. GOVERNMENT ACTIVITY				e. SIGNATURE <i>[Signature]</i>		f. DATE SIGNED (YYMMDD)	
g. APPROVAL <input checked="" type="checkbox"/> APPROVED <input type="checkbox"/> DISAPPROVED				h. GOVERNMENT ACTIVITY <i>[Signature]</i>		i. DATE SIGNED (YYMMDD) 5-3-96	

Attach 004

ATTACHMENT TO BERETTA USA ECP NO. 0390-E-0001

12. DRAWINGS AFFECTED

CAGE CODE	NUMBER	REV.	NOR	NOMENCLATURE
19200	C9346432	C	0001	DETENT, TRIGGER BAR
19200	C9346433	B	0002	DETENT, SAFETY
19200	C9346435	B	0003	STRIKER, FIRING PIN
19200	C9346456	B	0004	PIN, STRAIGHT, HEADED: TRIGGER
19200	C9346465	C	0005	PIN, STRAIGHT, HEADLESS: SEAR
19200	C9346469	C	0006	PIN, STRAIGHT, HEADED: HAMMER RELEASE LEVER
19200	C12556375	C	0007	PIN, SHOULDER HEADLESS, LANYARD LOOP

March 21, 1996

ATTACHMENT TO BERETTA USA ECP NO. 0390-E-0001

20. NEED FOR CHANGE

The 4320 or 43L20 material specified on the drawings of the components in question has been difficult to obtain. Current Beretta vendor was unable to find this material, especially in the small quantities typically required for the production of small pins and detents. In February of 1994 it was decided to deviate the material requirements for these components, for Beretta commercial use only, to accept 4320H steel alloy.

The use of 4320H is not detrimental to the form, fit or function of the M9 pistol. There are several justifications for the use of this material:

a) An examination of the material specifications shows how similar in chemical composition the two materials are:

Specifications for 4320 (per ASTM A29) and 4320H (per ASTM A304)

Material		C	Mn	P	Alloy Elements				Mo
					S	Si	Ni	Cr	
4320	min	.17	.45			.15	1.65	.40	.20
	max	.22	.65	.035	.04	.30	2.00	.60	.30
4320H	min	.17	.40			.15	1.55	.35	.20
	max	.23	.70	.035	.04	.30	2.00	.65	.30

As this table shows, there is, at most, only a 0.1% difference between any element's composition range.

b) The 4320H material, per ASTM A304, Section 6.1, will have to meet all the applicable requirements of A29, unless otherwise specified by ASTM A304. This is another indication that the actual material differences will be minimized.

c) There is considerable experience in the field with the use of 4320H in the Beretta Model 92 and 96 pistol series. Beretta first deviated this material for commercial use in February of 1994 and there have been no reported failures of the components in question. (Please note that the Model 96, being chambered for the more powerful 40 S&W cartridge, subjects its components to greater stresses than its 9mm counterpart).

d) By specifying an H-type material, we are requiring additional hardenability tests which will correlate with strength characteristics. As required by ASTM A304, Section 9.2, the hardenability values shall meet the limits shown in Figure 21. With the standard 4320 grade, variations in strength due to steel making

continued on next page

practices and variations of alloy content within the allowable ranges are disregarded.

e) Mechanical properties of 4320 and 4320H are the same: Republic Steel, Precision-Kidd Steel, and Jorgenson Steel all report the mechanical properties of their 4320 "standard" and "H" grades as being the same.

These values, as reported in the Metals Handbook (ASM, 9th Edition, Volume I) are shown below:

4320/4320H Mechanical Properties (for 25mm round bar)
Quench and 150° C Temper


Tensile strength	152 ksi
Yield strength	107 ksi
% Elongation	17.0
Impact energy (Izod)	44 ft-lb


f) Purchasing this material, by both Beretta and possible future contractors, will be simplified with the addition of yet another acceptable and available material.


g) The components in question are not heavily stressed. The pins and detents are not subject to failure. There is no concern that a small change in material will change this situation.


March 21, 1996


nickel-titanium detent - A Halimetal


NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		960321	OMB No. 0704-0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT/PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			G6S3029
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO.
c. TYPED NAME (First, Middle Initial, Last)	17601 Beretta Drive	19200	0002
Beretta USA, Corp.	Accokeek, MD 20607	7. CAGE CODE	8. DOCUMENT NO.
		65490	C9346433
9. TITLE OF DOCUMENT	10. REVISION LETTER		11. ECP NO.
Detent, Safety	a. CURRENT	b. NEW	0390-E-0001
	B		
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			
Pistol, Semiautomatic, 9mm: M9			
13. DESCRIPTION OF REVISION			
<p><u>Zone D4</u></p> <p>Change Note 2, FROM:</p> <p>"2-MATERIAL: STEEL, BAR, ALLOY 4320 OR 43L20, COLD ROLLED, GRAIN SIZE 5 THRU 8, ASTM A29."</p> <p>Change Note 2, TO:</p> <p>"2 - MATERIAL: STEEL, BAR, ALLOY 4320 OR 43L20, COLD ROLLED, GRAIN SIZE 5 THRU 8, ASTM A29; OR 4320H, GRAIN SIZE 5 THRU8, ASTM A304."</p>			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	(1) Existing document supplemented by this NOR may be used in manufacture.		
<input checked="" type="checkbox"/>	(2) Revised document must be received before manufacturer may incorporate this change.		
<input type="checkbox"/>	(3) Custodian of master document shall make above revision and furnish revised document.		
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	SIGNATURE		1. DATE SIGNED (YYMMDD)
NO, PROC, INSTA-AR-ESW			5-3-96
15.a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)		c. DATE SIGNED (YYMMDD)
			

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		960321	OMB No. 0704-0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT/PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			66S3029
4. ORIGINATOR		5. CAGE CODE	3. DODAAC
a. TYPED NAME (First, Middle Initial, Last)	b. ADDRESS (Street, City, State, Zip Code)	19200	W52H09
Beretta USA, Corp.	17601 Beretta Drive Accokeek, MD 20607	7. CAGE CODE	6. NOR NO.
		65490	0003
9. TITLE OF DOCUMENT		10. REVISION LETTER	
Striker, Firing Pin		a. CURRENT	b. NEW
		B	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			
Pistol, Semiautomatic, 9mm: M9			
13. DESCRIPTION OF REVISION			
<p><u>Zone D4</u></p> <p>Change Note 2, FROM:</p> <p>"2-MATERIAL: STEEL, BAR, ALLOY 4320 OR 43L20, COLD ROLLED, GRAIN SIZE 5 THRU 8, ASTM A29."</p> <p>Change Note 2, TO:</p> <p>"2 - MATERIAL: STEEL, BAR, ALLOY 4320 OR 43L20, COLD ROLLED, GRAIN SIZE 5 THRU 8, ASTM A29; OR 4320H, GRAIN SIZE 5 THRU 8, ASTM A304."</p>			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	(1) Existing document supplemented by this NOR may be used in manufacture.		
<input checked="" type="checkbox"/>	(2) Revised document must be received before manufacturer may incorporate this change.		
<input type="checkbox"/>	(3) Custodian of master document shall make above revision and furnish revised document.		
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED (YYMMDD)	
NO. APPROV. INSTA-10-PCU		5-3-96	
15.a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	c. DATE SIGNED (YYMMDD)	
			

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		960321	OMB No. 0704-0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.		2. PROCURING ACTIVITY NO. 6653029	
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT/PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.		3. DODAAC W52H09	
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last) Beretta USA, Corp.	17601 Beretta Drive Accokeek, MD 20607	19200	0004
		7. CAGE CODE 65490	8. DOCUMENT NO. C9346456
9. TITLE OF DOCUMENT Pin, Straight, Headed: Trigger		10. REVISION LETTER	
		a. CURRENT B	b. NEW
		11. ECP NO. 0390-E-0001	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES Pistol, Semiautomatic, 9mm: M9			
13. DESCRIPTION OF REVISION Zone D4 Change Note 2, FROM: "2-MATERIAL: STEEL, BAR, ALLOY 4320 OR 43L20, COLD ROLLED, GRAIN SIZE 5 THRU 8, ASTM A29." Change Note 2, TO: "2 - MATERIAL: STEEL, BAR, ALLOY 4320 OR 43L20, COLD ROLLED, GRAIN SIZE 5 THRU 8, ASTM A29; OR 4320H, GRAIN SIZE 5 THRU 8, ASTM A304."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	(1) Existing document supplemented by this NOR may be used in manufacture.		
<input checked="" type="checkbox"/>	(2) Revised document must be received before manufacturer may incorporate this change.		
<input type="checkbox"/>	(3) Custodian of master document shall make above revision and furnish revised document.		
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE M9, ARDEC, ANSTA-AR-ECM	e. SIGNATURE 		f. DATE SIGNED (YYMMDD) 5-3-96
15.a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)		c. DATE SIGNED (YYMMDD)

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		960321	OMB No. 0704-0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT/ PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			G653029
4. ORIGINATOR		5. CAGE CODE	3. DODAAC
a. TYPED NAME (First, Middle Initial, Last)	b. ADDRESS (Street, City, State, Zip Code)	19200	W52H09
Beretta USA, Corp.	17601 Beretta Drive Accokeek, MD 20607	7. CAGE CODE	6. NOR NO.
		65490	0005
9. TITLE OF DOCUMENT		10. REVISION LETTER	
Pin, Straight, Headless: Sear		a. CURRENT	b. NEW
		C	
11. ECP NO.			
0390-E-0001			
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			
Pistol, Semiautomatic, 9mm: M9			
13. DESCRIPTION OF REVISION			
<p><u>Zone D4</u></p> <p>Change Note 2, FROM:</p> <p>"2-MATERIAL: STEEL, BAR, ALLOY 4320 OR 43L20, COLD ROLLED, GRAIN SIZE 5 THRU 8, ASTM A29."</p> <p>Change Note 2, TO:</p> <p>"2 - MATERIAL: STEEL, BAR, ALLOY 4320 OR 43L20, COLD ROLLED, GRAIN SIZE 5 THRU 8, ASTM A29; OR 4320H, GRAIN SIZE 5 THRU 8, ASTM A304."</p>			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2) Revised document must be received before manufacturer may incorporate this change.	
	<input type="checkbox"/>	(3) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE		f. DATE SIGNED (YYMMDD)
MR. AMEC, MSTA-AR-ESW			5-3-96
15.a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)		c. DATE SIGNED (YYMMDD)
			

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved OMB No. 0704-0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		960321	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO. 6653029
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT/PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			3. DODAAC W52H09
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last) Beretta USA, Corp.	17601 Beretta Drive Accokeek, MD 20607	19200	0006
		7. CAGE CODE 65490	8. DOCUMENT NO. C9346469
9. TITLE OF DOCUMENT Pin, Straight, Headed: Hammer Release Lever	10. REVISION LETTER		11. ECP NO. 0390-E-0001
	a. CURRENT C	b. NEW	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES Pistol, Semiautomatic, 9mm: M9			
13. DESCRIPTION OF REVISION			
Zone D4			
Change Note 2, FROM:			
"2-MATERIAL: STEEL, BAR, ALLOY 4320 OR 43L20, COLD ROLLED, GRAIN SIZE 5 THRU 8, ASTM A29."			
Change Note 2, TO:			
"2 - MATERIAL: STEEL, BAR, ALLOY 4320 OR 43L20, COLD ROLLED, GRAIN SIZE 5 THRU 8, ASTM A29; OR 4320H, GRAIN SIZE 5 THRU 8, ASTM A304."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2) Revised document must be received before manufacturer may incorporate this change.	
	<input type="checkbox"/>	(3) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE HQ, ARDEC, ANSTA-AD-ESH	e. SIGNATURE 		f. DATE SIGNED (YYMMDD) 5-3-96
15.a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)		c. DATE SIGNED (YYMMDD)

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		960321	OMB No. 0704-0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT/PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			66S3029
4. ORIGINATOR		5. CAGE CODE	3. DODAAC
a. TYPED NAME (First, Middle Initial, Last)	b. ADDRESS (Street, City, State, Zip Code)	19200	W52H09
Beretta USA, Corp.	17601 Beretta Drive Accokeek, MD 20607	7. CAGE CODE	6. NOR NO.
		65490	0007
9. TITLE OF DOCUMENT		10. REVISION LETTER	
Pin, Shoulder Headless, Lanyard Loop		a. CURRENT	b. NEW
		C	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			
Pistol, Semiautomatic, 9mm: M9			
13. DESCRIPTION OF REVISION			
<p><u>Zone D4</u></p> <p>Change Note 2, FROM:</p> <p>"2-MATERIAL: STEEL, BAR, ALLOY 4320 OR 43L20, COLD ROLLED, GRAIN SIZE 5 THRU 8, ASTM A29."</p> <p>Change Note 2, TO:</p> <p>"2 - MATERIAL: STEEL, BAR, ALLOY 4320 OR 43L20, COLD ROLLED, GRAIN SIZE 5 THRU 8, ASTM A29; OR 4320H, GRAIN SIZE 5 THRU 8, ASTM A304."</p>			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2) Revised document must be received before manufacturer may incorporate this change.	
	<input type="checkbox"/>	(3) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED (YYMMDD)	
HQ. ARDEC, ANSTA-AD-PSW		5-3-96	
15.a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	c. DATE SIGNED (YYMMDD)	
			

HIL-STD-973
APPENDIX D

ENGINEERING CHANGE PROPOSAL (ECP), PAGE 1			1. DATE (YYMMDD) 960806		Form Approved OMB No 0704-0188				
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Park Highway, Suite 1204, Arlington VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington, DC 20503.			2. PROCURING ACTIVITY NO. 6LS3134		3. DODAAC				
4. ORIGINATOR a. TYPED NAME (First, Middle Initial, Last) THOMAS VIEWEG		b. ADDRESS (Street, City, State, Zip Code) CHECK-MATE INDUSTRIES 777 MOUNT AVENUE WYANDANCH, NY 11798		5. CLASS OF ECP J		6. JUST CODE D		7. PRIORITY R	
8. ECP DESIGNATION a. MODEL/TYPE b. CAGE CODE 19200 c. SYSTEM DESIGNATION 9mm MAGAZINE CARTRIDGE			9. BASELINE AFFECTED FUNCTIONAL <input checked="" type="checkbox"/> PRODUCT ALLOCATED			10. OTHER SYS./CONFIG. ITEMS AFFECTED YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			
11. SPECIFICATIONS AFFECTED a. SYSTEM b. DEVELOPMENT c. PRODUCT		12. DRAWINGS AFFECTED CAGE Code 19200 Specification Document No MAGAZINE CART. B Rev SCN		CAGE Code 19200 Number 9346414 Rev NOR		13. TITLE OF CHANGE FROM: ALUMINUM CASTING TO: STAINLESS STEEL PLATE			
14. CONTRACT NO AND LINE ITEM DAAE20-96-C-0034 0001			15. PROCURING CONTRACTING OFFICER a. NAME (First, Middle Initial, Last) KAY STROMER b. CODE AMSTA-AC- PCX-E c. TELEPHONE NO 309-782-4818			17. IN PRODUCTION YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			
16. CONFIGURATION ITEM NOMENCLATURE STAINLESS STEEL PLATE			18. ALL LOWER LEVEL ITEMS AFFECTED a. NOMENCLATURE NONE b. PART NO NONE c. NSN NONE			19. DESCRIPTION OF CHANGE DELETE: FLOOR PLATE MAGAZINE - ALUMINUM ALLOY CASTING SUBSTITUTE: FLOOR PLATE MAGAZINE - STAINLESS STEEL			
20. NEED FOR CHANGE FLOOR PLATE MAGAZINE FABRICATED FROM ALUMINUM CASTING HAS A TENDENCY TO CRACK WHEN DROPPED FROM 3 TO 4 FT. HIGH. STEEL PLATE PRECLUDES THIS EVENT.			21. PRODUCTION EFFECTIVITY BY SERIAL NUMBER NONE			22. EFFECT ON PRODUCTION DELIVERY SCHEDULE NONE-IF ADOPTED WITHIN 30 DAYS			
23. RETROFIT a. RECOMMENDED ITEM EFFECTIVITY IMMEDIATE c. ESTIMATED P/D DELIVERY SCHEDULE NONE			24. ESTIMATED COSTS/SAVINGS UNDER CONTRACT NONE			25. ESTIMATED NET TOTAL COSTS/SAVINGS			
26. SUBMITTING ACTIVITY a. AUTHORIZED SIGNATURE			27. EFFECT ON PRODUCTION DELIVERY SCHEDULE NONE-IF ADOPTED WITHIN 30 DAYS			28. ESTIMATED NET TOTAL COSTS/SAVINGS			
27. APPROVAL/RECOMMENDATION a. CLASS I <input checked="" type="checkbox"/> RECOMMENDED <input type="checkbox"/> DISAPPROVED/RECHALLENGED b. CLASS II <input type="checkbox"/> RECOMMENDED <input type="checkbox"/> DISAPPROVED/RECHALLENGED c. CLASS III <input type="checkbox"/> RECOMMENDED <input type="checkbox"/> DISAPPROVED/RECHALLENGED			28. ESTIMATED NET TOTAL COSTS/SAVINGS			29. ESTIMATED NET TOTAL COSTS/SAVINGS			
d. GOVERNMENT ACTIVITY ARDEC, ROCK ISLAND, IL 61299-7300			e. SIGNATURE RONALD E. ELBE			f. DATE SIGNED (YYMMDD) 960814			
g. APPROVAL <input checked="" type="checkbox"/> APPROVED <input type="checkbox"/> DISAPPROVED			h. GOVERNMENT ACTIVITY Acting Ch, Cmbt Spt & Sm Cal Wpn Sys Div			i. DATE SIGNED (YYMMDD) 960814			

SMCAR
 AUG 8 8 55 AM '96
 28 AUG 1996




Figure 9a. Engineering Change Proposal - Page 1

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD) 960806	Form Approved OMB No. 0704-0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED			
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO. G6S3134
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE 19200	6. NOR NO. G6S3134-001
a. TYPED NAME (First, Middle Initial, Last) PHILIP L. VERNON	ARDEC, AMSTA-AR-ESW-S ROCK ISLAND, IL 61299	7. CAGE CODE 19200	8. DOCUMENT NO. D9346414
9. TITLE OF DOCUMENT FLOORPLATE, MAGAZINE	10. REVISION LETTER		11. ECP NO.
	a. CURRENT A	b. NEW	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES PISTOL, 9MM, M9			
13. DESCRIPTION OF REVISION REDRAW IN ACCORDANCE WITH ATTACHED SKETCH.			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT ARDEC, ROCK ISLAND, IL c1299-7300		c. TYPED NAME (First, Middle Initial, Last) RONALD E. ELBE	
d. TITLE Configuration Manager Act Ch, Cmbt Spt & Sm Cal Wpn Sys Div	e. SIGNATURE 		f. DATE SIGNED 960814
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	c. DATE SIGNED	

REVISIONS

LTR	DESCRIPTION	DATE	APP

PATENT PENDING TO CHECK-MATE INDUSTRIES, INC.,
 777 MOUNT AVE, WYANDANCH, N.Y., OFFERING UNLIMITED
 DATA, DESIGN, DRAWING AND PATENT RIGHTS TO THE UNITED
 STATES DEPARTMENT OF DEFENSE (OR COMPONENTS
 THEREOF) ONLY.
 NOTICE: THIS DRAWING IS FOR USE ONLY IN CONNECTION
 WITH PROCUREMENT BY THE UNITED STATES DEPARTMENT
 OF DEFENSE AND SHALL NOT BE USED NOR REPRODUCED
 EITHER WHOLLY OR IN PART FOR ANY OTHER PURPOSE.



THIS DRAWING FORMS A
 PART OF NOR G6S3134-001
 DATED 6 AUG 96

DRAFT

METRIC

NOTES:

- MIL-W-13055 AND ANSI Y14.5M - 82 APPLY.
- MATERIAL: STAINLESS STEEL, ALLOY 410, AMS 5504 OR ASTM A240
- HEAT TREAT TO Rc 38 - 45
- UNLESS OTHERWISE SPECIFIED ALL EXTERNAL SHARP EDGES SHALL BE BROKEN 0.05 TO 0.25
- UNLESS OTHERWISE SPECIFIED, ALL SURFACES 3.2
- PROTECTIVE FINISH: FINISH 30.7 OF MIL-STD-171

TOLERANCES UNLESS OTHERWISE SPECIFIED 2PL +/- .13 1PL +/- .3 ANGLES +/- 1	TITLE FLOORPLATE, MAGAZINE	
	SCALE	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS	DATE	P/N
		SHEET

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD) 960806	Form Approved OMB No. 0704-0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED			
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.		2. PROCURING ACTIVITY NO. G6S3134	
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.		3. DODAAC	
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE 19200	6. NOR NO. G6S3134-002
a. TYPED NAME (First, Middle initial, Last) PHILIP L. VERNON	ARDEC, AMSTA-AR-ESW-S ROCK ISLAND, IL 61299	7. CAGE CODE 19200	8. DOCUMENT NO. SQ9346413 SHT 3
9. TITLE OF DOCUMENT QAP FOR MAGAZINE, CARTRIDGE	10. REVISION LETTER		11. ECP NO.
	a. CURRENT A	b. NEW	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES PISTOL, 9MM, M9			
13. DESCRIPTION OF REVISION			
SHEET 3: INSPECTION POSITION A, FLOORPLATE, CARTRIDGE DWG. 9346414 REVISE TO READ AS FOLLOWS:			
CRITICAL: NONE DEFINED			
MAJOR:			
101	1.02 SLOT WIDTH	0.65	SMTE
102	1.02 MATERIAL THICKNESS	0.65	SMTE
103	23.24 WIDTH	0.65	SMTE
104	POSITION OF 23.24 DIMENSION	0.65	SMTE
105	20.83 MAGAZINE SLOT WIDTH	0.65	SMTE
MINOR:			
201	5.21 HOLE DIAMETER	1.5	SMTE
202	33.91 MAGAZINE SLOT LENGTH	1.5	SMTE
203	PROTECTIVE FINISH	1.5	SMTE
204	WORKMANSHIP (PER MIL-W-63150)	2.5	SMTE
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT ARDEC, ROCK ISLAND, IL c1299-7300		c. TYPED NAME (First, Middle Initial, Last) RONALD E. ELBE	
d. TITLE Configuration Manager Act Ch, Cmbt Spt & Sm Cal Wpn Sys Div	e. SIGNATURE 		f. DATE SIGNED 9608/4
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	c. DATE SIGNED	

ENGINEERING CHANGE PROPOSAL (ECP), PAGE 1			1. DATE (YYMMDD) 971216		Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 2 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES, RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM					2. PROCURING ACTIVITY NO. L7S2074	
					3. DODAAC	
4. ORIGINATOR		b. ADDRESS (Street, City, State, Zip Code)		5. CLASS OF ECP		
a. TYPED NAME (First, Middle Initial, Last) Suitoerto Arias		AMSTA-AR-CCL-A Picatinny Arsenal 07806-5000		6. JUST. CODE D		7. PRIORITY R
8. ECP DESCRIPTION			9. BASELINE AFFECTED			
a. MODEL / TYPE	b. CAGE CODE	c. SYSTEM DESIGNATION		<input type="checkbox"/> FUNCTIONAL	<input checked="" type="checkbox"/> PRODUCT	
	19200	9mm MAGAZINE CARTRIDGE		<input type="checkbox"/> ALLOCATED		
d. ECP NO. L7S2074		e. TYPE	f. REV	10. OTHER SYS. / CONFIG. ITEMS AFFECTED		
				<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		
11. SPECIFICATION AFFECTED			12. DRAWING AFFECTED			
	CAGE Code	Specification/Document No.	Rev.	SCN	CAGE Code	Number
a. SYSTEM					19200	9346414
b. DEVELOPMENT						
c. PRODUCT						
13. TITLE OF CHANGE Check-Mate proprietary statement was inadvertently omitted						
14. CONTRACT NO. AND LINE ITEM DAAE20-96-C-0034 0001			15. PROCURING CONTRACTING OFFICER			
			a. NAME (First, Middle Initial, Last) Kay Stromer			
			b. Code AMSTA-AC-PCX-E		c. TELEPHONE NO. 309-782-4819	
16. CONFIGURATION ITEM NOMENCLATURE STAINLESS STEEL PLATE					17. IN PRODUCTION?	
					<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	
18. ALL LOWER LEVEL ITEMS AFFECTED						
a. NOMENCLATURE STAINLESS STEEL PLATE			b. PART NO. 9346414		c. NSN	
19. DESCRIPTION OF CHANGE To add Check-Mate proprietary statement.						
20. NEED FOR CHANGE Item is proprietary						
21. PRODUCTION EFFECTIVITY BY SERIAL NUMBER N/A			22. EFFECT ON PRODUCTION DELIVERY SCHEDULE N/A			
23. RETROFIT						
a. RECOMMENDED ITEM EFFECTIVITY N/A			b. SHIP / VEHICLE CLASS AFFECTED N/A			
c. ESTIMATED KIT DELIVERY SCHEDULE N/A			d. LOCATION OR SHIP / VEHICLE NUMBER AFFECTED N/A			
24. ESTIMATED COST / SAVINGS UNDER CONTRACT N/A			25. ESTIMATED NET TOTAL COSTS / SAVINGS N/A			
26. SUBMITTING ACTIVITY			b. TITLE MECH ENG. TECH			
a. AUTHORIZED SIGNATURE <i>Suitoerto Arias</i> Suitoerto Arias						
27. APPROVAL - BUREAUCRATIC						
a. CLASS I		b. CLASS II		c. CLASS II		
<input checked="" type="checkbox"/> APPROVAL RECOMMENDED		<input type="checkbox"/> DISAPPROVAL RECOMMENDED		<input type="checkbox"/> APPROVED		<input type="checkbox"/> DISAPPROVED
						<input type="checkbox"/> CONCUR IN CLASSIFICATION OF CHANGE
						<input type="checkbox"/> DO NOT CONCUR IN CLASSIFICATION OF CHANGE
d. GOVERNMENT ACTIVITY			e. SIGNATURE		f. DATE SIGNED (YYMMDD)	
g. APPROVAL			h. GOVERNMENT ACTIVITY		i. SIGNATURE	
<input checked="" type="checkbox"/> APPROVED			RONALD E. ELBE, Configuration Manager Chief, Cmbt Spt & Sm Cal Wpn Sys Div		<i>Ronald Elbe</i>	
<input type="checkbox"/> DISAPPROVED					980012	

AM STA-AR-ESM-I-EDT-R
 22 DEC 1997
 1997 DEC 22 P 11





NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		971216	OMB No. 0704 - 0188
Public reporting burden for the collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			L7S2074
4. ORIGINATOR		5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last)	b. ADDRESS (Street, City, State, Zip Code)	19200	L7S2074-001
Suitberto Arias	AMSTA-AR-CCL-A Picatinny Arsenal, NJ 07806-5000	7. CAGE CODE	8. DOCUMENT NO.
9. TITLE OF DOCUMENT	10. REVISION LETTER	19200	D9346414
FLOORPLATE, MAGAZINE	a. CURRENT	b. NEW	11. ECP NO.
	A		L7S2074
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			Sheet 1 of 1
PISTOL, 9mm, M9			
13. DESCRIPTION OF REVISION			
ADD: To the drawing Check-Mate proprietary statement was inadvertently omitted on ERR-G6S3134.			
<div style="border: 2px solid black; padding: 10px; width: fit-content; margin: auto;"> <p>PATENT PENDING TO CHECK-MATE INDUSTRIES, INC., 777 MOUNT AVE, WYANDANCH, N.Y., OFFERING UNLIMITED DATA, DESIGN, DRAWING AND PATENT RIGHTS TO THE UNITED STATES DEPARTMENT OF DEFENSE (OR COMPONENTS THEREOF) ONLY.</p> <p>NOTICE: THIS DRAWING IS FOR USE ONLY IN CONNECTION WITH PROCUREMENT BY THE UNITED STATES DEPARTMENT OF DEFENSE AND SHALL NOT BE USED NOR REPRODUCED EITHER WHOLLY OR IN PART FOR ANY OTHER PURPOSE.</p> </div>			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
RONALDE ELBE, Configuration Manager Chief, Comb Sps & Sm Cal Wpn Sys Div		980112	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	f. DATE SIGNED	

G6S3134

REVISIONS

LTR	DESCRIPTION	DATE	APP

PATENT PENDING TO CHECK-MATE INDUSTRIES, INC., 777 MOUNT AIE, WYANDANCH, N.Y., OFFERING UNLIMITED DATA DESIGN DRAWING AND PATENT RIGHTS TO THE UNITED STATES DEPARTMENT OF DEFENSE (OR COMPONENTS THEREOF) ONLY.
 NOTICE: THIS DRAWING IS FOR USE ONLY IN CONNECTION WITH PROCUREMENT BY THE UNITED STATES DEPARTMENT OF DEFENSE AND SHALL NOT BE USED NOR REPRODUCED EITHER WHOLLY OR IN PART FOR ANY OTHER PURPOSE.



THIS DRAWING FORMS A PART OF NOR G6S3134-001 DATED 6 AUG 96


DRAFT

METRIC

NOTES:

- MIL-W-13006 AND ANSI Y14.5M - 82 APPLY.
- MATERIAL: STAINLESS STEEL, ALLOY 416, AMS 6584 OR ASTM A206
- HEAT TREAT TO Fc 38 - 46
- UNLESS OTHERWISE SPECIFIED ALL EXTERNAL SHARP EDGES SHALL BE BROKEN 0.13 TO 0.25
- UNLESS OTHERWISE SPECIFIED, ALL SURFACES 32/
- PROTECTIVE FINISH: FINISH 38.7 OF MIL-STD-171

TOLERANCES UNLESS OTHERWISE SPECIFIED 2PL +/- .13 1PL +/- .3 ANGLES +/- 1	TITLE FLOORPLATE, MAGAZINE	
	SCALE	P/N
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS	DATE	SHEET

ENGINEERING CHANGE PROPOSAL (ECP), PAGE 1				1. DATE (YYMMDD) 970819		Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES, RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.						2. PROCURING ACTIVITY NO. L753056	
						3. DODAAC	
4. ORIGINATOR		b. ADDRESS (Street, City, State, Zip Code)		5. CLASS OF ECP			
a. TYPED NAME (First, Middle Initial, Last) John D. Kreider		AMSTA-AR-ESW-S, Rock Island, IL 61299		1		7. PRIORITY R	
8. ECP DESIGNATION				9. BASELINE AFFECTED			
a. MODEL / TYPE Rifle/Pistol		b. CAGE CODE 19200		c. SYSTEM DESIGNATION M16, M16A1, M16A2, M4, M4A1, M231, M9 Pistol		FUNCTIONAL ALLOCATED <input checked="" type="checkbox"/> PRODUCT	
d. ECP NO.		e. TYPE F		f. REV		10. OTHER SYS / CONFIG AFFECTED YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
11. SPECIFICATIONS AFFECTED				12. DRAWINGS AFFECTED			
		CAGE Code	Specification/Document No.	Rev	SCN	CAGE Code	Number
a. SYSTEM							12011994
b. DEVELOPMENT							8448672
c. PRODUCT							9346417
13. TITLE OF CHANGE Change material call out.							
14. CONTRACT NO. AND LINE ITEM				15. PROCURING CONTRACTING OFFICER			
				a. NAME (First, Middle Initial, Last)			
				b. CODE		c. TELEPHONE NO.	
16. CONFIGURATION ITEM NOMENCLATURE Rifle, 5.56mm, M16, M16A1, M16A2, M4 M4A1 Carbine, M231 FPW, M9 Pistol						17. IN PRODUCTION <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	
18. ALL LOWER LEVEL ITEMS AFFECTED							
a. NOMENCLATURE Follower, Magazine, Plastic				b. PART NO. 12011994		c. NSN	
19. DESCRIPTION OF CHANGE Change material call out to PA110G33A53380 per ASTM D4066.						20 AUG 1997 AM STA-AR-EDT-R 991 AUG 20 A 11:25	
20. NEED FOR CHANGE Material, PA110G33A53380 replaces an obsolete material call out.							
21. PRODUCTION EFFECTIVITY BY SERIAL NUMBER NA				22. EFFECT ON PRODUCTION DELIVERY SCHEDULE NA			
23. RETROFIT							
a. RECOMMENDED ITEM EFFECTIVITY NA				b. SHIP / VEHICLE CLASS AFFECTED NA			
c. ESTIMATED KIT DELIVERY SCHEDULE NA				d. LOCATIONS ON SHIP / VEHICLE NUMBERS AFFECTED NA			
24. ESTIMATED COSTS / SAVINGS UNDER CONTRACT NA				25. ESTIMATED NET TOTAL COSTS / SAVINGS NA			
26. SUBMITTING ACTIVITY a. AUTHORIZED SIGNATURE 				b. TITLE General Engineer			
27. APPROVAL/DISAPPROVAL							
a. CLASS I		b. CLASS II		c. CLASS II		DO NOT CONCUR IN CLASSIFICATION OF CHANGE	
<input checked="" type="checkbox"/> APPROVAL RECOMMENDED		<input type="checkbox"/> DISAPPROVAL RECOMMENDED		<input type="checkbox"/> APPROVED <input type="checkbox"/> DISAPPROVED		<input type="checkbox"/> CONCUR IN CLASSIFICATION OF CHANGE	
d. GOVERNMENT ACTIVITY				e. SIGNATURE		f. DATE SIGNED (YYMMDD)	
g. APPROVAL <input checked="" type="checkbox"/> APPROVED <input type="checkbox"/> DISAPPROVED		h. GOVERNMENT ACTIVITY RONALD E. ELBE Configuration Manager Ch. Cmbt Spt & Sm Cal Wpn Sys Div		i. SIGNATURE 		j. DATE SIGNED (YYMMDD) 970909	

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved OMB No. 0704-0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED		970708	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-43-2, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO. L7S3056
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last) John D. Kreider	AMSTA-AR-ESW-S, Rock Island, IL 61299	19200	
		7. CAGE CODE	8. DOCUMENT NO.
		19200	12011994
9. TITLE OF DOCUMENT	10. REVISION LETTER		11. ECP NO.
Follower, Magazine, Plastic	a. CURRENT	b. NEW	
	-	A	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			
Rifle, 5.56mm, M16, M16A1, M16A2, M4, M4A1 Carbine, M231 FPW			
13. DESCRIPTION OF REVISION			
Delete Note 2 and replace with:			
"2. Material - Plastic PA110G33A53380 per ASTM D4066."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT	c. TYPED NAME (First, Middle Initial, Last)		
ARDEC, ROCK ISLAND, IL 61299-7300	RONALD E. ELBE		
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
Configuration Manager Chg. Spt & Sm Cal Wpn Sys Div		970909	
g. ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	c. DATE SIGNED	

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved OMB No. 0704-0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED		970708	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-43-2, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.		2. PROCURING ACTIVITY NO.	L7S3056
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICE FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.		3. DODAAC	
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last) John D. Kreider	AMSTA-AR-ESW-S, Rock Island, IL 61299	19200	
		7. CAGE CODE	8. DOCUMENT NO.
		19200	8448672
9. TITLE OF DOCUMENT	10. REVISION LETTER		11. ECP NO.
Follower, Magazine	a. CURRENT	b. NEW	
	F	G	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			
Rifle, 5.56mm, M16, M16A1, M16A2, M4, M4A1 Carbine, M231 FPW			
13. DESCRIPTION OF REVISION			
Change note 1			
From: "Plastic, PA110G30A43500CA249GA136MA110AB001,ASTMD4066. Color..."			
To: "Plastic, PA110G33A53380, ASTM D4066. Color..."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT	c. TYPED NAME (First, Middle Initial, Last)		
ARDEC, ROCK ISLAND, IL 61299-7300	RONALD E. ELBE		
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
Configuration Manager Ch, Cmbt Spt & Sm Cal / Sys Div		970909	
15a. ACTIVITY ACCOMPLISHED	b. REVISION COMPLETED (Signature)	c. DATE SIGNED	

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD) 970708	Form Approved OMB No. 0704-0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED			
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-43-2, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO. L7S3056
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE 19200	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last) John D. Kreider	AMSTA-AR-ESW-S, Rock Island, IL 61299	7. CAGE CODE 19200	8. DOCUMENT NO. 9346417
9. TITLE OF DOCUMENT Follower, Cartridge	10. REVISION LETTER		11. ECP NO.
	a. CURRENT D	b. NEW E	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES Pistol, 9mm, M9			
13. DESCRIPTION OF REVISION Change note 2 From: "Material: Plastic, PA110G30A43500CA249GA136MA110AB001, ASTM D4066. Color ..." To: "Material: Plastic, PA110G33A53380, ASTM D4066. Color ..."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT ARDEC, ROCK ISLAND, IL 61299-7300		c. TYPED NAME (First, Middle Initial, Last) RONALD E. ELBE	
d. TITLE Configuration Manager Ch, Cmbt Spt & Sm Cal Wpn Sys Div	e. SIGNATURE 		f. DATE SIGNED 970909
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)		c. DATE SIGNED

CSW-2

ENGINEERING CHANGE PROPOSAL (ECP), PAGE 1				1. DATE (YYMMDD) 980812		Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.						2. PROCURING ACTIVITY NO. L8S'3034	
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.						3. DODAAC	
4. ORIGINATOR		b. ADDRESS (Street, City, State, Zip Code)			5. CLASS OF ECP 2 I		
a. TYPED NAME (First, Middle Initial, Last) John D. Kreider		AMSTA-AR-ESW-S, Rock Island, IL 61299			6. JUST. CODE C		7. PRIORITY R
8. ECP DESIGNATION				9. BASELINE AFFECTED			
a. MODEL / TYPE Pistol		b. CAGE CODE 19200	c. SYSTEM DESIGNATION M9		<input type="checkbox"/> FUNCTIONAL		<input checked="" type="checkbox"/> PRODUCT
				<input type="checkbox"/> ALLOCATED			
d. ECP NO. ESWS-98-07			e. TYPE F	f. REV	10. OTHER SYS / CONFIG AFFECTED		
					<input type="checkbox"/> YES		<input checked="" type="checkbox"/> NO
11. SPECIFICATIONS AFFECTED				12. DRAWINGS AFFECTED			
	CAGE Code	Specification/Document No.		Rev	SCN	CAGE Code	Number
a. SYSTEM							9346414
b. DEVELOPMENT							C
c. PRODUCT							
13. TITLE OF CHANGE Dimensional changes to the magazine floorplate							
14. CONTRACT NO. AND LINE ITEM				15. PROCURING CONTRACTING OFFICER			
				a. NAME (First, Middle Initial, Last)			
				b. CODE		c. TELEPHONE NO.	
16. CONFIGURATION ITEM NOMENCLATURE Pistol, M9, 9mm						17. IN PRODUCTION	
						<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	
18. ALL LOWER LEVEL ITEMS AFFECTED							
a. NOMENCLATURE Magazine Floorplate				b. PART NO. 9346414		c. NSN	
19. DESCRIPTION OF CHANGE This ECP obsoletes approved ECP L8S3031. This ECP corrects a typographical error made in ECP L8S3031.							
20. NEED FOR CHANGE This ECP corrects a typographical error made in approved ECP L8S3031.							
21. PRODUCTION EFFECTIVITY BY SERIAL NUMBER NA				22. EFFECT ON PRODUCTION DELIVERY SCHEDULE NA			
23. RETROFIT							
a. RECOMMENDED ITEM EFFECTIVITY NA				b. SHIP / VEHICLE CLASS AFFECTED NA			
c. ESTIMATED KIT DELIVERY SCHEDULE NA				d. LOCATIONS ON SHIP / VEHICLE NUMBERS AFFECTED NA			
24. ESTIMATED COSTS / SAVINGS UNDER CONTRACT NA				25. ESTIMATED NET TOTAL COSTS / SAVINGS NA			
26. SUBMITTING A: a. AUTHORIZED SIGNATURE <i>John D. Kreider</i>				b. TITLE General Engineer			
27. APPROVAL							
a. CLASS I		b. CLASS II		c. CLASS II		DO NOT CONCUR IN CLASSIFICATION OF CHANGE	
<input checked="" type="checkbox"/> APPROVED RECOMMENDED		<input type="checkbox"/> DISAPPROVAL RECOMMENDED		<input type="checkbox"/> APPROVED		<input type="checkbox"/> DISAPPROVED	
d. GOVERNMENT ACTIVITY				e. SIGNATURE		f. DATE SIGNED (YYMMDD)	
g. APPROVAL		h. GOVERNMENT ACTIVITY		i. SIGNATURE		j. DATE SIGNED (YYMMDD)	
<input checked="" type="checkbox"/> APPROVED		Configuration Manager Ch. Cmbt Spt & Sm Cal Wpn Sys Div		<i>Ronald S. [Signature]</i>		980818	
<input type="checkbox"/> DISAPPROVED							

13 AUG 1998
AMSTA-AR-ED
1998 AUG 13 A 9

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD) 980812	Form Approved OMB No. 0704-0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED			
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-43-2, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE 19200	6. NOR NO. 001
a. TYPED NAME (First, Middle Initial, Last) John D. Kreider	AMSTA-AR-ESW-S, Rock Island, IL 61299	7. CAGE CODE 19200	8. DOCUMENT NO. 9346414
9. TITLE OF DOCUMENT Magazine Floorplate	10. REVISION LETTER		11. ECP NO. ESWS-98-07
	a. CURRENT C	b. NEW D	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES Pistol, 9mm, M9			
13. DESCRIPTION OF REVISION			
Change the following two dimensions:			
Zone C2.			
From: "1.02 +/- .05" To: ".85 +.14"			
Zone B2.			
From: "1.02" To: ".90 -.10"			
Change the following reference dimension:			
Zone C-6			
From: "(3.06)"			
To: "(2.65)"			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE Configuration Manager Ch, Cmbt Spt & Sm Cal Wpn Sys Div	e. SIGNATURE 		f. DATE SIGNED 980818
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)		c. DATE SIGNED

ESW-5

ENGINEERING CHANGE PROPOSAL (ECP), PAGE 1				1. DATE (YYMMDD) 980827		Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.						2. PROCURING ACTIVITY NO. L85'3037	
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICE FOR THE CONTRACT. PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.						3. DODAAC	
4. ORIGINATOR a. TYPED NAME (First, Middle initial, Last) John D. Kreider		b. ADDRESS (Street, City, State, Zip Code) AMSTA-AR-ESW-S, Rock Island, IL 61299		5. CLASS OF ECP 1		6. JUST. CODE C	
8. ECP DESIGNATION				9. BASELINE AFFECTED		7. PRIORITY R	
a. MODEL / TYPE Pistol	b. CAGE CODE 19200	c. SYSTEM DESIGNATION M9		FUNCTIONAL ALLOCATED		<input checked="" type="checkbox"/> PRODUCT	
d. ECP NO. ESWS-98-09		e. TYPE F	f. REV	10. OTHER SYS / CONFIG AFFECTED			
11. SPECIFICATIONS AFFECTED				12. DRAWINGS AFFECTED			
a. SYSTEM		CAGE Code	Specification/Document No.	Rev	SCN	CAGE Code	Number
b. DEVELOPMENT							9346413
c. PRODUCT							Rev B
13. TITLE OF CHANGE Update SOAP characteristics							
14. CONTRACT NO. AND LINE ITEM				15. PROCURING CONTRACTING OFFICER			
				a. NAME (First, Middle initial, Last)			
				b. CODE			
				c. TELEPHONE NO.			
16. CONFIGURATION ITEM NOMENCLATURE Pistol, 9mm, M9						17. IN PRODUCTION	
						<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	
16. ALL LOWER LEVEL ITEMS AFFECTED							
a. NOMENCLATURE Cartridge Magazine				b. PART NO. 9340410		c. NSN	
19. DESCRIPTION OF CHANGE Update SOAP characteristics to account for changes in material thickness and slot width.							
20. NEED FOR CHANGE To bring SQAP characteristics in line with drawing requirements.							
21. PRODUCTION EFFECTIVITY BY SERIAL NUMBER NA				22. EFFECT ON PRODUCTION DELIVERY SCHEDULE NA			
23. RETROFIT							
a. RECOMMENDED ITEM EFFECTIVITY NA				b. SHIP / VEHICLE CLASS AFFECTED NA			
c. ESTIMATED KIT DELIVERY SCHEDULE NA				d. LOCATIONS ON SHIP / VEHICLE NUMBERS AFFECTED NA			
24. ESTIMATED COSTS / SAVINGS UNDER CONTRACT NA				25. ESTIMATED NET TOTAL COSTS / SAVINGS NA			
26. SUBMITTING ACTIVITY a. AUTHORIZED SIGNATURE <i>[Signature]</i>				b. TITLE General Engineer			
27. <input checked="" type="checkbox"/> APPROVAL <input type="checkbox"/> DISAPPROVAL							
a. CLASS I <input checked="" type="checkbox"/> APPROVAL <input type="checkbox"/> DISAPPROVAL		b. CLASS II <input type="checkbox"/> APPROVED <input type="checkbox"/> DISAPPROVED		c. CLASS II <input type="checkbox"/> CONCUR IN CLASS I <input type="checkbox"/> DO NOT CONCUR IN CLASS I			
d. GOVERNMENT ACTIVITY				e. SIGNATURE		f. DATE SIGNED (YYMMDD)	
g. APPROVAL <input checked="" type="checkbox"/> APPROVED <input type="checkbox"/> DISAPPROVED		h. GOVERNMENT ACTIVITY Configuration Manager Ch. Cmbt Spt & Sm Cal Wpn Sys Div		i. SIGNATURE <i>[Signature]</i>		j. DATE SIGNED (YYMMDD) 980910	

98 AUG 28 A 9:53 AM STA-AR-EDT-R 28 AUG 1998

Attach 089

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		980824	OMB No. 0704 - 0188
<small>Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.</small>			
2. PROCURING ACTIVITY NO.		3. DODAAC	
4. ORIGINATOR		5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last)	b. ADDRESS (Street, City, State, Zip Code)	19200	
Leonard J Cichucki	AMSTA-AR-QAC-C Picatinny Arsenal, NJ 07806	7. CAGE CODE	8. DOCUMENT NO.
9. TITLE OF DOCUMENT		19200	SO9346413
Magazine, Cartridge	10. REVISION LETTER		11. ECP NO.
	a. CURRENT	b. NEW	L853037
	B		
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			Sheet 1 of 1
Pistol, 9MM, M9			
13. DESCRIPTION OF REVISION			
<p>THE DESCRIBED CHANGES APPLY TO REV. A, SUPPLEMENTED BY THE FOLLOWING APPROVED NORs:</p> <p style="text-align: center;">G6S3134</p> <p>PAGE 3, under INSPECTION POSITION A:</p> <p>Change characteristic 101 from "1.02 Slot width" to "0.85 Slot width"</p> <p>Change characteristic 102 from "1.02 Material thickness" to "0.90 Material thickness"</p>			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
		980910	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	f. DATE SIGNED	

ENGINEERING CHANGE PROPOSAL (ECP), PAGE 1

1 DATE (YYMMDD)
980903

Form Approved
OMB No 0704-0158

3. PROJING
ACTIVITY NO
L853043
3. DDCRAC

Please retaining burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of California, Washington, California, Director, Office of Information Collection and Reporting, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0158), Washington, DC 20503.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

4. ORIGINATOR		b ADDRESS (Street, City, State ZIP Code)		5 CLASS OF ECP	
a TYPED NAME (Firm, Middle Initial, Last) THOMAS VIEWEG		CHECK-MATE INDUSTRIES INC 777 MOUNT AVENUE WYANDANCH, NY 11798		I	
				6 JUST CODE	7. PRIORITY
				C	R

8 ECP DESIGNATION			9. BASELINE AFFECTED		
a MODEL/TYFF	b CAGE CODE	c SYSTEM DESIGNATION	<input type="checkbox"/> FUNCTIONAL	<input checked="" type="checkbox"/> PRODUCT	<input type="checkbox"/> ALLOCATED
MAGAZINE	1M291	9MM MAGAZINE			
d. ECP NO 0002 98		e TYPE	f REV	10 OTHER SYS./CONFIG ITEMS AFFECTED	
				<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	

11. SPECIFICATIONS AFFECTED		12. DRAWINGS AFFECTED						
	CAGE Code	Specification Document No	Fig	SCN	CAGE Code	Number	Rev	NO2
a SYSTEM	19200	9346414	B		19200	9346414		B
b DEVELOPMENT								
c PRODUCT								

13 TITLE OF CHANGE DIMENSION REVISION		15. PROCURING CONTRACTING OFFICER	
14. CONTRACT NO. AND LINE ITEM DAAE20-98-C-0063		a NAME (Firm, Middle Initial, Last) ELEN BARTZ	
		b. CODE	c TELEPHONE NO 309-782-5120

16 CONFIGURATION ITEM NOMENCLATURE FLOOR PLATE		17. IN PRODUCTION	
		<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	

18 ALL LOWER LEVEL ITEMS AFFECTED		19. IN PRODUCTION	
a NOMENCLATURE NONE	b PART NO.	c NSN NONE	

19 DESCRIPTION OF CHANGE
**ON DRAWING NO. 9346414 DIMENSION NOTED AS 23.24
ADD MINIMUM AFTER 23.24 MINIMUM**

20 NEED FOR CHANGE
TO CONTROL DIMENSION

21 PRODUCTION EFFECTIVITY BY SERIAL NUMBER NONE	22. EFFECT ON PRODUCTION DELIVERY SCHEDULE NONE
---	---

23. RETROFIT	b SHIP/VEHICLE CLASS AFFECTED NONE
a RECOMMENDED ITEM EFFECTIVITY IMMEDIATE	c. LOCATIONS OR SHIP/VEHICLE NUMBERS AFFECTED NONE
c. ESTIMATED KIT DELIVERY SCHEDULE	

24 ESTIMATED COSTS / SAVINGS UNDER CONTRACT NONE	25. ESTIMATED NET TOTAL COSTS / SAVINGS NONE
--	--

26 SUBMITTING ACTIVITY	b TITLE PRESIDENT
a AUTHORIZED SIGNATURE <i>[Signature]</i>	

27 APPROVAL / DISAPPROVAL		c. CLASS II	
a CLASS I	b CLASS II	DO NOT CONCERN RECLASSIFICATION OF CHANGE	
<input checked="" type="checkbox"/> RECOMMENDED	<input type="checkbox"/> DISAPPROVED		

28 GOVERNMENT ACTIVITY		e SIGNATURE		f DATE SIGNED (YYMMDD)	
a APPROVAL		b SIGNATURE <i>[Signature]</i>		f DATE SIGNED (YYMMDD) 981019	
c APPROV D SAPP RONALD E. ELBE, Configuration Manager Chief, Cmbt Spt & Sm Cal Wpn Sys Div					

17 SEP 98
AM SIA-AR-EDT-1
1998 SEP 1 P 9:58

Attach 010

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved OMB No. 0704-0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED		980916	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-43-2, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO. L8S3043
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last) John D. Kreider	AMSTA-AR-ESW-S, Rock Island, IL 61299	19200	
		7. CAGE CODE	8. DOCUMENT NO.
		19200	9346414
9. TITLE OF DOCUMENT	10. REVISION LETTER		11. ECP NO.
Magazine Floorplate	a. CURRENT	b. NEW	L8S3043
	C	D	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			
Pistol, 9mm, M9			
13. DESCRIPTION OF REVISION			
Zone B1, change dimension:			
From: "23.24"			
To: "23.24 minimum"			
To: "23.24 + .43"			
Zone B7, CHANGE DIMENSION:			
From: "(25.29)"			
To: "(25.4)"			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
Configuration Manager Ch, Cmbt Spt & Sm Cal Wpn Sys Div		98/10/19	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	c. DATE SIGNED	

ESW-2

ENGINEERING CHANGE PROPOSAL (ECP), PAGE 1				1. DATE (YYMMDD) 981029		Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.						2. PROCURING ACTIVITY NO. L853053	
						3. DODAAC	
4. ORIGINATOR		b. ADDRESS (Street, City, State, Zip Code)			5. CLASS OF ECP		
a. TYPED NAME (First, Middle Initial, Last) John D. Kreider		AMSTA-AR-ESW-S, Rock Island, IL 61299			1		
8. ECP DESIGNATION				6. JUST. CODE		7. PRIORITY	
a. MODEL / TYPE Pistol		b. CAGE CODE 19200		c. SYSTEM DESIGNATION M9		C	
9. BASELINE AFFECTED				10. OTHER SYS / CONFIG AFFECTED			
a. FUNCTIONAL <input checked="" type="checkbox"/> PRODUCT				b. ALLOCATED <input type="checkbox"/>			
d. ECP NO. ESWS-98-10				e. TYPE F		f. REV	
11. SPECIFICATIONS AFFECTED				12. DRAWINGS AFFECTED			
a. SYSTEM		b. DEVELOPMENT		c. PRODUCT		13. TITLE OF CHANGE	
CAGE Code		Specification/Document No.		Rev		SCN	
						14. CONTRACT NO. AND LINE ITEM	
						15. PROCURING CONTRACTING OFFICER	
						a. NAME (First, Middle Initial, Last)	
						b. CODE	
						c. TELEPHONE NO.	
16. CONFIGURATION ITEM NOMENCLATURE Pistol, 9mm, M9						17. IN PRODUCTION	
						X YES <input type="checkbox"/> NO	
18. ALL LOWER LEVEL ITEMS AFFECTED							
a. NOMENCLATURE Magazine Tube				b. PART NO. 9346418		c. NSN	
19. DESCRIPTION OF CHANGE Change the final protective finish from phosphate and oil to phosphate and dry film lubricant							
20. NEED FOR CHANGE The dry film lubricant provides a longer lasting corrosion preventive. In addition, phosphate and dry film provides a smoother surface for the magazine follower to travel than phosphate and oil.							
21. PRODUCTION EFFECTIVITY BY SERIAL NUMBER NA				22. EFFECT ON PRODUCTION DELIVERY SCHEDULE NA			
23. RETROFIT							
a. RECOMMENDED ITEM EFFECTIVITY NA				b. SHIP / VEHICLE CLASS AFFECTED NA			
c. ESTIMATED KIT DELIVERY SCHEDULE NA				d. LOCATIONS ON SHIP / VEHICLE NUMBERS AFFECTED NA			
24. ESTIMATED COSTS / SAVINGS UNDER CONTRACT NA				25. ESTIMATED NET TOTAL COSTS / SAVINGS NA			
26. SUBMITTING ACTIVITY				b. TITLE			
a. AUTHORIZED SIGNATURE <i>John D. Kreider</i>				General Engineer			
27. APPROVAL / DISAPPROVAL							
a. CLASS I		b. CLASS II		c. CLASS II		DO NOT CONCUR IN CLASSIFICATION OF CHANGE	
<input checked="" type="checkbox"/> APPROVAL RECOMMENDED		<input type="checkbox"/> DISAPPROVAL RECOMMENDED		<input type="checkbox"/> APPROVED		<input type="checkbox"/> DISAPPROVED	
d. GOVERNMENT ACTIVITY				e. SIGNATURE		f. DATE SIGNED (YYMMDD)	
g. APPROVAL				h. GOVERNMENT ACTIVITY		i. SIGNATURE	
<input checked="" type="checkbox"/> APPROVED <i>w/mod</i>				Configuration Manager		<i>Randy G. [unclear]</i>	
<input type="checkbox"/> DISAPPROVED				Ch. Cmbt Spt & Sm Cal Wpn Sys Div		981125	

AMSTA-AR-ESW-S-19200-01
 2 NOV 98
 A 11:22

NOTICE OF REVISION (NOR)

1. DATE
(YYMMDD)
981029

Form Approved
OMB No. 0704-0188

THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED

Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-43-2, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

2. PROCURING
ACTIVITY NO.

3. DODAAC

4. ORIGINATOR
a. TYPED NAME (First, Middle Initial, Last)
John D. Kreider

b. ADDRESS (Street, City, State, Zip Code)
AMSTA-AR-ESW-S, Rock Island, IL 61299

5. CAGE CODE
19200
7. CAGE CODE
19200

6. NOR NO.
8. DOCUMENT NO.
9346418

9. TITLE OF DOCUMENT
Magazine Tube

10. REVISION LETTER
a. CURRENT
C
b. NEW
D

11. ECP NO.
ESWS-98-10

12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES
Pistol, 9mm, M9

13. DESCRIPTION OF REVISION

Delete Note 7, concerning the final protective finish, and replace with the following.

"7. Protective Finish: Finish 5.3.1.3 with 30.7 or 5.3.2.3 with 30.7 of MIL-STD-171. Film thickness, shall be .008 to .013 mm."

14. THIS SECTION FOR GOVERNMENT USE ONLY

a. (X one) (1.) Existing document supplemented by this NOR may be used in manufacture.
 (2.) Revised document must be received before manufacture may incorporate this change.
 (3.) Custodian of master document shall make above revision and furnish revised document.

b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT
c. TYPED NAME (First, Middle Initial, Last)

d. TITLE
Configuration Manager
Ch, Cmbt Spt & Sm Cal Wpn Sys Div
e. SIGNATURE
Ronald G Effe
f. DATE SIGNED
98/125

15a. ACTIVITY ACCOMPLISHING REVISION
b. REVISION COMPLETED (Signature)
c. DATE SIGNED

NOTICE OF REVISION (NOR)

THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED

1. DATE
(YYYYMMDD)
19981124

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THIS ADDRESS. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT/PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

2. **PROCURING ACTIVITY NO.**

3. **DODAAC**

4. **ORIGINATOR**
a. TYPED NAME (First, Middle Initial, Last)
J. WHITE

b. ADDRESS (Street, City, State, Zip Code)
ARDEC
AMSTA-AR-ESK
ROCK ISLAND, IL 61299-7300

5. **CAGE CODE**
59678
7. **CAGE CODE**
19200

6. **NOR NO.**
8. **DOCUMENT NO.**
PS 9346413

9. **TITLE OF DOCUMENT**
SPECIAL PACKAGING INSTRUCTION

10. **REVISION LETTER**
a. CURRENT
B
b. NEW
C

11. **ECP NO.**
L8S3053

12. **CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES**
MAGAZINE, CARTRIDGE

13. **DESCRIPTION OF REVISION**

DELETE: BLOCK 18, STEP 1, PRESERVATIVE (MIL-L-3150)
BLOCK 18, STEP 2: BAG LINER (MIL-P-3420)
BLOCK 17, NOTE A AND NOTE B

CHANGE: BLOCK 12, METHOD 33
TO: METHOD 31

CHANGE: BLOCK 20, MIL-B-117, CLASS C
TO: MIL-B-117, CLASS B

14. THIS SECTION FOR GOVERNMENT USE ONLY

a. (X one) (1) Existing document supplemented by this NOR may be used in manufacture.
 (2) Revised document must be received before manufacturer may incorporate this change.
 (3) Custodian of master document shall make above revision and furnish revised document.

b. **ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT** c. TYPED NAME (First, Middle Initial, Last)

d. **TITLE** e. **SIGNATURE**
Ronald F. Elk f. **DATE SIGNED (YYYYMMDD)**
98/1125

15.a. **ACTIVITY ACCOMPLISHING REVISION** b. **REVISION COMPLETED (Signature)** c. **DATE SIGNED (YYYYMMDD)**

ENGINEERING CHANGE PROPOSAL (ECP), PAGE 1

1. DATE (YYMMDD) **990120**

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 2 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES, RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM

2. PROCURING ACTIVITY NO.


L9S2003


3. DODAAC

4. ORIGINATOR		b. ADDRESS (Street, City, State, Zip Code)		5. CLASS OF ECP				
a. TYPED NAME (First, Middle Initial, Last) Suitberto Arias		U.S. ARMY. ARDEC AMSTA-AR-CCL-A PICATINNY ARSENAL, NJ 07806-500		21				
8. ECP DESCRIPTION			9. BASELINE AFFECTED					
a. MODEL / TYPE M9, Pistol	b. CAGE CODE 19200	c. SYSTEM DESIGNATION		<input type="checkbox"/> FUNCTIONAL <input checked="" type="checkbox"/> PRODUCT <input type="checkbox"/> ALLOCATED				
d. ECP NO.		e. TYPE	f. REV	10. OTHER SYS. / CONFIG. ITEMS AFFECTED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO				
11. SPECIFICATION AFFECTED			12. DRAWING AFFECTED					
	CAGE Code	Specification/Document No.	Rev.	SCN	CAGE Code	Number	Rev.	NOR
a. SYSTEM					19200	See attached NOR's		
b. DEVELOPMENT								
c. PRODUCT								
13. TITLE OF CHANGE Update Technical Data Package								
14. CONTRACT NO. AND LINE ITEM				15. PROCURING CONTRACTING OFFICER				
				a. NAME (First, Middle Initial, Last)				
				b. Code		c. TELEPHONE NO.		
16. CONFIGURATION ITEM NOMENCLATURE Pistol, 9mm, M9							17. IN PRODUCTION? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	
18. ALL LOWER LEVEL ITEMS AFFECTED								
a. NOMENCLATURE Pistol, 9mm, M9			b. PART NO. 9346412		c. NSN			
19. DESCRIPTION OF CHANGE To update TDP								
20. NEED FOR CHANGE To update Technical Data Package								
21. PRODUCTION EFFECTIVITY BY SERIAL NUMBER N/A				22. EFFECT ON PRODUCTION DELIVERY SCHEDULE N/A				
23. RETROFIT								
a. RECOMMENDED ITEM EFFECTIVITY N/A				b. SHIP / VEHICLE CLASS AFFECTED N/A				
c. ESTIMATED KIT DELIVERY SCHEDULE N/A				d. LOCATION OR SHIP / VEHICLE NUMBER AFFECTED N/A				
24. ESTIMATED COST / SAVINGS UNDER CONTRACT N/A				25. ESTIMATED NET TOTAL COSTS / SAVINGS N/A				
26. SUBMITTING ACTIVITY				b. TITLE Mech. Eng. Tech.				
a. AUTHORIZED SIGNATURE <i>Suitberto Arias</i> Suitberto Arias								
27. APPROVAL / DISAPPROVAL <i>AS NEEDED</i>								
a. CLASS I <input type="checkbox"/> APPROVAL RECOMMENDED <input type="checkbox"/> DISAPPROVAL RECOMMENDED			b. CLASS II <input type="checkbox"/> APPROVED <input type="checkbox"/> DISAPPROVED			c. CLASS II <input type="checkbox"/> CONCUR IN CLASSIFICATION OF CHANGE <input type="checkbox"/> DO NOT CONCUR IN CLASSIFICATION OF CHANGE		
d. GOVERNMENT ACTIVITY				e. SIGNATURE			f. DATE SIGNED (YYMMDD)	
g. APPROVAL <i>AS MOD</i> GOVERNMENT ACTIVITY <input checked="" type="checkbox"/> APPROVED <i>per</i> Ronald E. Elbe, Chief <input type="checkbox"/> DISAPPROVED Cmbt Spt & Sm Cal Wpn Sys Div				i. SIGNATURE <i>Ronald E. Elbe</i>			j. DATE SIGNED (YYMMDD) 990218	

AMSTA-AR-CCL-A
 M9 PISTOL - I
 A 11:30
 - 1 FEB 1999

Attach 012


NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		990120	OMB No. 0704 - 0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			L9S2003
4. ORIGINATOR		5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last)	b. ADDRESS (Street, City, State, Zip Code)	19200	
Arias, Suitberto	ARDEC, AMSTA-AR-CCL-A Picatinny Arsenal, NJ, 07806-5000	7. CAGE CODE	8. DOCUMENT NO.
		19200	F9346426
9. TITLE OF DOCUMENT		10. REVISION LETTER	
Barrel, Pistol		a. CURRENT	b. NEW
		H	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			11. ECP NO.
Pistol, 9mm, M9			L9S2003
13. DESCRIPTION OF REVISION			
Change: (In Note 9.)			
From: " _ _ _ _ MIL-S-13165. _ _ _ _ _ ."			
To: " _ _ _ _ AMS-S-13165. _ _ _ _ _ ."			
Add: "Distribution Statement A. Unlimited."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
Ronald E. Elbe, Chief Cmbt Spt & Sm Cal Wpn Sys Div		990218	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	f. DATE SIGNED	

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved OMB No. 0704 - 0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		990120	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			2. PROCURING ACTIVITY NO. L9S2003
			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last)	ARDEC, AMSTA-AR-CCL-A Picatinny Arsenal, NJ 07806-5000	19200	
Arias, Suitberto		7. CAGE CODE	8. DOCUMENT NO.
		19200	F9346431
9. TITLE OF DOCUMENT	10. REVISION LETTER		11. ECP NO.
Lever, Right Safety	a. CURRENT	b. NEW	
	A		L9S2003
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			Sheet 2 of 13
Pistol, 9mm, M9			
13. DESCRIPTION OF REVISION			
Remove: (In it's entirety)			
"Note 7."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
Ronald E. Elbe, Chief Cmbt Spt & Sm Cal Wprn Sys Ltr		990218	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	f. DATE SIGNED	

NOTES:

- 1-SPEC MIL-W-13855 AND ANSI Y14.5M-82 APPLY.
- 2-MATERIAL: STEEL, STRIP, CARBON 1030, COLD ROLLED, SPHEROIDIZED, GRAIN SIZE 5 THRU 8, ASTM A682, FINISH NUMBER 2.
- 3-UNLESS OTHERWISE SPECIFIED, ALL EXTERNAL SHARP EDGES SHALL BE BROKEN 0.05 TO 0.25; INTERNAL EDGES R 0.2 MAX.
- 4-SUGGESTED HEAT TREATMENT:
A-HEAT AT 400° C.
B-HARDEN AT 850° C IN NEUTRAL ATMOSPHERE.
C-QUENCH IN OIL AT 90 TO 130° C FOR 10 MINUTES MIN.
D-WASH, PICKLE, NEUTRALIZE.
E-HEAT AT 530° C FOR 60 MINUTES IN INERT ATMOSPHERE.
- 5-UNLESS OTHERWISE SPECIFIED, ALL SURFACES $\sqrt{32}$.
- 6-PROTECTIVE FINISH: FINISH 5.3.1.3 OR 5.3.2.3 PLUS FINISH 30.7 OF MIL-STD-171; MATTE SURFACE; CURE AT 204° TO 218° C FOR 1 HR. MIN. THICKNESS OF FINISH 30.7: 0.005 TO 0.015; COLOR 3703B BUT NO LIGHTER THAN 36076 PER FED-STD-595; THICKNESS MUST BE CHECKED IN AREA A, LOCATE APPROXIMATELY AS SHOWN.
- 7-ALTERNATE PROTECTIVE FINISH: FINISH 5.3.1.3 OR 5.3.2.3 OF MIL-STD-171 PLUS FINISH PER MIL-P-48689; MATTE SURFACE; THICKNESS OF MIL-P-48689: 0.005 TO 0.015; THICKNESS MUST BE CHECKED IN AREA A, LOCATE APPROXIMATELY AS SHOWN.
- 8-DIMENSIONS AND SURFACE ROUGHNESS APPLY BEFORE PROTECTIVE FINISH.

NO.	DESCRIPTION	DATE	APPROVAL
1	PRODUCTION RELEASE	07/14/88	AS
2	REV. 62520-49		
3	A: HDR 63592/93087		35084



DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

9346431		Pistol		PART NO 9346431	
APPROVED FOR RELEASE		DATE 08-05-11		LEVER, RIGHT SAFETY	
F 19200		9346431		1.6.6	







NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		990120	OMB No. 0704 - 0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			L9S2003
4. ORIGINATOR		5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last)	b. ADDRESS (Street, City, State, Zip Code)	19200	
Arias, Suitberto	ARDEC, AMSTA-AR-CCL-A Picatinny Arsenal, NJ, 07806-5000	7. CAGE CODE	8. DOCUMENT NO.
		19200	F9346436
9. TITLE OF DOCUMENT		10. REVISION LETTER	
Safety		a. CURRENT	b. NEW
		B	
11. ECP NO.			
L9S2003			
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			Sheet 3 of 13
Pistol, 9mm, M9			
13. DESCRIPTION OF REVISION			
Remove: (In it's entirety)			
"Note 8."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
Ronald E. Elbe, Chief Cmbt Spt & Sm Cal Wpn Sys Div		990218	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	f. DATE SIGNED	

QUANTITY 100
 PART NO 9346436

NOTES:

- 1-SPEC MIL-W-13855 AND ANSI Y14.5M-82 APPLY.
- 2-MATERIAL:
 A-COLD DRAWN STEEL, BAR, ALLOY 8640,
 GRAIN SIZE 5 THRU 8, ASTM A 29.
 B-INVESTMENT CASTING IC 8640, MIL-S-22141.
- 3-CASTING SHALL CONFORM TO CLASS 2, GRADE B, MIL STD-2175.
- 4-UNLESS OTHERWISE SPECIFIED, ALL EXTERNAL SHARP EDGES SHALL BE BROKEN Q.05 TO Q.25; INTERNAL EDGES R 0.2 MAX.
- 5-MANDATORY HEAT TREATMENT:
 A-HEAT AT 400°±14°C.
 B-HARDEN AT 850°±24°C IN NEUTRAL ATMOSPHERE.
 C-QUENCH AT 180°±10°C FOR 10 MINUTES IN SALT.
 D-WASH, PICKLE, NEUTRALIZE.
 E-HEAT AT 600°±8°C FOR 60 MINUTES IN INERT ATMOSPHERE.
- 6-UNLESS OTHERWISE SPECIFIED, ALL SURFACES $\sqrt{3.2}$.
- 7-PROTECTIVE FINISH: FINISH 5.3.1.3 OR 5.3.2.3 PLUS FINISH 30.7 OF MIL-STD-171; MATTE SURFACE; CURVE AT 204° TO 218° C FOR 1 HPL MIN; THICKNESS OF FINISH 30.7: 0.006 TO 0.015; COLOR 37038 BUT NO LIGHTER THAN 38076 PER FED-STD-595; THICKNESS MUST BE CHECKED IN AREA A. LOCATE APPROXIMATELY AS SHOWN.
- 8-ALTERNATE PROTECTIVE FINISH: FINISH 5.3.1.3 OR 5.3.2.3 OF MIL-STD-171 PLUS FINISH PER MIL-P-48989; MATTE SURFACE; THICKNESS OF MIL-P-48989: 0.005 TO 0.015; THICKNESS MUST BE CHECKED IN AREA A. LOCATE APPROXIMATELY AS SHOWN.

10-UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE RELATIVE TO $\begin{matrix} A \\ \text{---} \\ B \\ \text{---} \\ C \end{matrix}$.



SECTION E-E 2 HOLES

REV	DESCRIPTION	DATE	BY	CHKD
1	PRODUCTION RELEASE	ERR 625 20 73	10/21/73	
A	NOR G75302/870020	1907/81		
B	NOR G65308/860027			
	NOR G55801/830047			

SHEET	B
SHEET 2	SHEET 1
REVISION STATUS OF SHEETS	

PART NO 9346436

9346436	PISTOL M9	19200	9346436
APPLICATOR	DATE	REV	REV


DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE;
 DISTRIBUTION IS UNLIMITED.


DO NOT SCALE DIMENSIONS

SAFETY

9346436 PISTOL M9 19200 9346436

APPLICATOR DATE REV REV





NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		990120	OMB No. 0704 - 0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			2. PROCURING ACTIVITY NO.
			L9S2003
			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last)	ARDEC, AMSTA-AR-CCL-A Picatinny Arsenal, NJ, 07806-5000	19200	
Arias, Suitberto		7. CAGE CODE	8. DOCUMENT NO.
		19200	F9346438
9. TITLE OF DOCUMENT	10. REVISION LETTER		11. ECP NO.
Extractor	a. CURRENT	b. NEW	
	C		L9S2003
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			Sheet 4 of 13
Pistol, 9mm, M9			
13. DESCRIPTION OF REVISION			
Remove: (In it's entirety)			
"Note 8."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
Ronald E. Elbe, Chief Cmbt Spt & Sm Cal Wpn Sys Div		990218	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	f. DATE SIGNED	

NOTICE OF REVISION (NOR)			1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.			990120	OMB No. 0704 - 0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			2. PROCURING ACTIVITY NO.	
			L9S2003	
4. ORIGINATOR			5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last)	b. ADDRESS (Street, City, State, Zip Code)		19200	
Arias, Suitberto	ARDEC, AMSTA-AR-CCL-A Picatinny Arsenal, NJ 07806-5000		7. CAGE CODE	8. DOCUMENT NO.
			19200	D9346440
9. TITLE OF DOCUMENT		10. REVISION LETTER		11. ECP NO.
Pin, Firing		a. CURRENT	b. NEW	
		A		L9S2003
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES				Sheet 5 of 13
Pistol, 9mm, M9				
13. DESCRIPTION OF REVISION				
Change: (In note 6.)				
From: " _ _ _ _ _ MIL-S-13165 _ _ _ _ _ ."				
To: " _ _ _ _ _ AMS-S-13165 _ _ _ _ _ ."				
Add: "Distribution Statement A. Unlimited."				
14. THIS SECTION FOR GOVERNMENT USE ONLY				
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.		
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.		
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.		
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT			c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED		
Comdr Sp4 & Sm Col, Vp, Sp4		990218		
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	f. DATE SIGNED		

NOTES:

- 1 - SPEC MIL-W-13855 AND ANSI Y14.5 M-82 APPLY.
- 2 - MATERIAL: STEEL, BAR, ALLOY E30, GRAIN SIZE 5 THRU 8, ASTM A564.
- 3 - UNLESS OTHERWISE SPECIFIED, ALL EXTERNAL SHARP EDGES SHALL BE BROKEN 0.05 TO 0.25; INTERNAL EDGES R 0.2 MAX.
- 4 - MANDATORY HEAT TREATMENT:
A - HEAT AT 490 ± 5°C FOR 60 MINUTES.
B - QUENCH IN AIR AT ROOM TEMPERATURE.
- 5 - UNLESS OTHERWISE SPECIFIED, ALL SURFACES $\sqrt{1.6}$
- 6 - FINISH: SHOT PEENING CONFORMING TO MIL-S-13165;
USE STEEL BALLS WITH DIAMETER 0.3 TO 0.6.

REVISIONS		
NO.	DESCRIPTION	DATE
1	PRODUCTION RELEASE EHR G/S 2045	870518
2	NOK G753057/070520	890718
3	TECP G853093/880921	




METRIC









PART NO. 9346440
U.S. ARMY RESEARCH, DEVELOPMENT AND ENGINEERING CENTER
AT WRIGHT PATTENSON AIR FORCE GUNNERY CENTER
WRIGHT-PATTENSON AIR FORCE GUNNERY CENTER
DAYTON, OHIO 45433-3901

9346485	PISTOL MS	C 40 - 45		MECHANICAL PREPARATION UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ON DECIMALS: FRACTIONS IN ANGLES IN THIRDS ANGLE PROJECTION	DESIGN DATE OF DRAWING 86-09-16 CHECKED BY DATE DRAWN BY DATE
				APPLICATION	SCALE 4/1 UNIT WT 6.6 G SHEET
APPLICATION				DO NOT SCALE DRAWING UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ON DECIMALS: FRACTIONS IN ANGLES IN THIRDS ANGLE PROJECTION	DESIGN DATE OF DRAWING 86-09-16 CHECKED BY DATE DRAWN BY DATE
APPLICATION				DO NOT SCALE DRAWING UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ON DECIMALS: FRACTIONS IN ANGLES IN THIRDS ANGLE PROJECTION	DESIGN DATE OF DRAWING 86-09-16 CHECKED BY DATE DRAWN BY DATE

PIN, FIRING
FSCM NO 19200
9346440
SCALE 4/1 UNIT WT 6.6 G SHEET

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		990120	OMB No. 0704 - 0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			L9S2003
4. ORIGINATOR		5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last)	b. ADDRESS (Street, City, State, Zip Code)	19200	
Arias, Suitberto	ARDEC, AMSTA-AR-CCL-A Picatinny Arsenal, NJ, 07806-5000	7. CAGE CODE	8. DOCUMENT NO.
		19200	F9346445
9. TITLE OF DOCUMENT		10. REVISION LETTER	
Lever, Disassembly		a. CURRENT	b. NEW
		B	
11. ECP NO.			
L9S2003			
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			Sheet 6 of 13
Pistol, 9mm, M9			
13. DESCRIPTION OF REVISION			
Remove: (In it's entirety)			
"Note 9."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE		e. SIGNATURE	
Ronald E. Elbe, Chief Cmbt Spt & Sm Cal Wpn Sect			
		f. DATE SIGNED	
		990218	
15a. ACTIVITY ACCOMPLISHING REVISION		b. REVISION COMPLETED (Signature)	
		f. DATE SIGNED	

- NOTES:**
- 1 - SPEC MIL-W-13855 AND ANSI Y14.5M-82 APPLY.
 - 2 - MATERIAL: A - COLD DRAWN STEEL BAR, ALLOY 4320, GRAIN SIZE 5 THRU 8, ASTM A29.
B - INVESTMENT CASTING KC 8620, MIL-S-22141.
 - 3 - CASTING SHALL CONFORM TO CLASS 2, GRADE B, MIL-STD-2175.
 - 4 - UNLESS OTHERWISE SPECIFIED, ALL EXTERNAL SHARP EDGES SHALL BE BROKEN 0.05 TO 0.25; INTERNAL EDGES R 0.2 MAX.
 - 5 - CASE HARDEN TO A CARBURIZING DEPTH OF 0.15 TO 0.25.
 - 6 - MANDATORY HEAT TREATMENT:
A - HEAT AT 400° ± 14° C.
B - HARDEN AT 850° ± 14° C IN CARBURIZING ATMOSPHERE.
C - QUENCH AT 180° ± 10° C FOR 10 MINUTES IN SALT.
D - WASH, PICKLE, NEUTRALIZE.
 - 7 - UNLESS OTHERWISE SPECIFIED, ALL SURFACES $\sqrt{32}$.
B - PROTECTIVE FINISH: FINISH 5.3.1.3 OR 5.3.2.3 PLUS FINISH 30.7 OF MIL-STD-171; MATTE SURFACE; CURE AT 204° TO 218° C FOR 1 MIL MIN. THICKNESS OF FINISH 30.7, 0.005 TO 0.015; COLOR 37036 BUT NO LIGHTER THAN 36076 PER FED-STD-596; THICKNESS MUST BE CHECKED IN AREA A, LOCATE APPROXIMATELY AS SHOWN.
 - 8 - ALTERNATE PROTECTIVE FINISH: FINISH 5.3.1.3 OR 5.3.2.3 OF MIL-STD-171 PLUS FINISH PER MIL-P-4889; MATTE SURFACE; THICKNESS OF MIL-P-4889: 0.005 TO 0.015; THICKNESS MUST BE CHECKED IN AREA A, LOCATE APPROXIMATELY AS SHOWN.
 - 10 - DIMENSIONS AND SURFACE FINISHES APPLY BEFORE PROTECTIVE FINISH.
 - 11 - UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE RELATIVE TO $\text{A} \oplus \text{B} \oplus \text{C}$.
 - 12 - THE RHC REQUIREMENT INDICATED IS A COMBINATION OF THE CASE AND THE CORE HARDNESS BECAUSE THE HARDNESS INDENTER CAN BE EXPECTED TO BREAK THROUGH THE CASE.




DATUM TARGETS

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE.
DISTRIBUTION IS UNLIMITED.


NO.	DESCRIPTION	DATE	INITIALS
1	PRODUCTION RELEASE	07/29/14	...
2	MR. 675305/870520	08/08/14	...
3	MR. 686305/880927
4	MR. 636932/93087	03/09/27	...

3346440 PISTOL W/P		PART NO. 9346445	
REV. 1	DATE 1-23-50	REV. 1	DATE 1-23-50
REV. 2	DATE 1-23-50	REV. 2	DATE 1-23-50
REV. 3	DATE 1-23-50	REV. 3	DATE 1-23-50
REV. 4	DATE 1-23-50	REV. 4	DATE 1-23-50
REV. 5	DATE 1-23-50	REV. 5	DATE 1-23-50
REV. 6	DATE 1-23-50	REV. 6	DATE 1-23-50
REV. 7	DATE 1-23-50	REV. 7	DATE 1-23-50
REV. 8	DATE 1-23-50	REV. 8	DATE 1-23-50
REV. 9	DATE 1-23-50	REV. 9	DATE 1-23-50
REV. 10	DATE 1-23-50	REV. 10	DATE 1-23-50
REV. 11	DATE 1-23-50	REV. 11	DATE 1-23-50
REV. 12	DATE 1-23-50	REV. 12	DATE 1-23-50
REV. 13	DATE 1-23-50	REV. 13	DATE 1-23-50
REV. 14	DATE 1-23-50	REV. 14	DATE 1-23-50
REV. 15	DATE 1-23-50	REV. 15	DATE 1-23-50
REV. 16	DATE 1-23-50	REV. 16	DATE 1-23-50
REV. 17	DATE 1-23-50	REV. 17	DATE 1-23-50
REV. 18	DATE 1-23-50	REV. 18	DATE 1-23-50
REV. 19	DATE 1-23-50	REV. 19	DATE 1-23-50
REV. 20	DATE 1-23-50	REV. 20	DATE 1-23-50
REV. 21	DATE 1-23-50	REV. 21	DATE 1-23-50
REV. 22	DATE 1-23-50	REV. 22	DATE 1-23-50
REV. 23	DATE 1-23-50	REV. 23	DATE 1-23-50
REV. 24	DATE 1-23-50	REV. 24	DATE 1-23-50
REV. 25	DATE 1-23-50	REV. 25	DATE 1-23-50
REV. 26	DATE 1-23-50	REV. 26	DATE 1-23-50
REV. 27	DATE 1-23-50	REV. 27	DATE 1-23-50
REV. 28	DATE 1-23-50	REV. 28	DATE 1-23-50
REV. 29	DATE 1-23-50	REV. 29	DATE 1-23-50
REV. 30	DATE 1-23-50	REV. 30	DATE 1-23-50
REV. 31	DATE 1-23-50	REV. 31	DATE 1-23-50
REV. 32	DATE 1-23-50	REV. 32	DATE 1-23-50
REV. 33	DATE 1-23-50	REV. 33	DATE 1-23-50
REV. 34	DATE 1-23-50	REV. 34	DATE 1-23-50
REV. 35	DATE 1-23-50	REV. 35	DATE 1-23-50
REV. 36	DATE 1-23-50	REV. 36	DATE 1-23-50
REV. 37	DATE 1-23-50	REV. 37	DATE 1-23-50
REV. 38	DATE 1-23-50	REV. 38	DATE 1-23-50
REV. 39	DATE 1-23-50	REV. 39	DATE 1-23-50
REV. 40	DATE 1-23-50	REV. 40	DATE 1-23-50
REV. 41	DATE 1-23-50	REV. 41	DATE 1-23-50
REV. 42	DATE 1-23-50	REV. 42	DATE 1-23-50
REV. 43	DATE 1-23-50	REV. 43	DATE 1-23-50
REV. 44	DATE 1-23-50	REV. 44	DATE 1-23-50
REV. 45	DATE 1-23-50	REV. 45	DATE 1-23-50
REV. 46	DATE 1-23-50	REV. 46	DATE 1-23-50
REV. 47	DATE 1-23-50	REV. 47	DATE 1-23-50
REV. 48	DATE 1-23-50	REV. 48	DATE 1-23-50
REV. 49	DATE 1-23-50	REV. 49	DATE 1-23-50
REV. 50	DATE 1-23-50	REV. 50	DATE 1-23-50

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		990120	OMB No. 0704 - 0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			2. PROCURING ACTIVITY NO.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			L9S2003
4. ORIGINATOR		5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last)	b. ADDRESS (Street, City, State, Zip Code)	19200	
Arias, Suitberto	ARDEC, AMSTA-AR-CCL-A Picatinny Arsenal, NJ, 07806-5000	7. CAGE CODE	8. DOCUMENT NO.
		19200	D9346446
9. TITLE OF DOCUMENT		10. REVISION LETTER	
Button, Disassembly		a. CURRENT	b. NEW
		C	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			11. ECP NO.
Pistol, 9mm, M9			L9S2003
13. DESCRIPTION OF REVISION			
Remove: (In it's entirety)			
"Note 7."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
Ronald E. Elbe, Chief Cmbt Spt & Sm Cal Wpn Svc Dir.		990218	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	f. DATE SIGNED	
			


NOTES:

- 1- SPEC MIL-W-13855 AND ANSI Y14.5M-82 APPLY.
- 2- MATERIAL: COLD DRAWN STEEL,
 BAR ALLOY 8640, GRAIN SIZE 5 THRU 8, ASTM A 29.
- 3- UNLESS OTHERWISE SPECIFIED, ALL EXTERNAL SHARP EDGES
 SHALL BE BROKEN 0.05 TO 0.25; INTERNAL EDGES R0.2 MAX.
- 4- MANDATORY HEAT TREATMENT:
 A- HEAT AT 400° ± 14° C.
 B- HARDEN AT 850° ± 14° C IN NEUTRAL ATMOSPHERE.
 C- QUENCH AT 180° ± 10° C FOR 10 MINUTES IN SALT.
 D- WASH, PICKLE, NEUTRALIZE.
 E- HEAT AT 600° ± 8° C FOR 60 MINUTES IN INERT ATMOSPHERE.
- 5- UNLESS OTHERWISE SPECIFIED, ALL SURFACES $\sqrt{3.2}$.
- 6- PROTECTIVE FINISH: FINISH 5.3.2.3 OR 5.3.1.3 PLUS FINISH 30.7
 OF MIL-STD-171, MATTE SURFACE; CURE AT 204° TO 218° C FOR
 1 HR. MIN.; THICKNESS OF FINISH 30.7: 0.005 TO 0.015; COLOR
 37038 BUT NO LIGHTER THAN 36076 PER FED-STD-595; THICK-
 NESS MUST BE CHECKED IN AREA A, LOCATE APPROXIMATELY
 AS SHOWN.
- 7- ALTERNATE PROTECTIVE FINISH: FINISH 5.3.1.3 OR 5.3.2.3 OF
 MIL-STD-171 PLUS FINISH PER MIL-P-48699; MATTE SURFACE;
 THICKNESS OF MIL-P-48699; 0.005 TO 0.015; THICKNESS MUST
 BE CHECKED IN AREA A, LOCATE APPROXIMATELY AS SHOWN.
- 8- DIMENSIONS AND SURFACE ROUGHNESS APPLY BEFORE PROTECTIVE FINISH.



SECTION A-A

SECTION B-B



DATUM TARGETS

METRIC

REV	DESCRIPTION	DATE	APPROVAL
20			
-	PRODUCTION RELEASE ERR G7S 2049	87 09 14	
A	NOR 6852012 88 03 01	88 04 08	
B	NOR 6753057/870520 IECP 6853093/880927)	89 07 18	
C	NOR 6359511/930617	93 09 27	

PART NO. 9346446

U S ARMY ARMAMENT RESEARCH AND DEVELOPMENT CENTER
 DAVENP, NEW JERSEY 07815-5001

BUTTON, DISASSEMBLY

MECHANICAL PROPERTIES		DO NOT SCALE DRAWING UNLESS OTHERWISE SPECIFIED		GENERAL DATE OF DRAWING 86-03-14		SCALE 4/1 UNITS 3.2 G	
SP		DIMENSIONS ARE IN MILLIMETERS		APPROVED		DATE	
TY		TOLERANCES UNLESS OTHERWISE SPECIFIED		DRAWN		DATE	
FIN		DIMENSIONS ON DIMENSION LINES		CHECKED		DATE	
DR		THIRD ANGLE PROJECTION		APPROVED		DATE	
9346480	PISTOL M9	C 28-15		APPROVED		DATE	
APPLICATOR							

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE.
 DISTRIBUTION IS UNLIMITED.

NOTICE OF REVISION (NOR)

THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.

1. DATE
(YYMMDD)

990120

Form Approved

OMB No. 0704 - 0188

Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.

2. PROCURING
ACTIVITY NO.

L9S2003

3. DODAAC

4. ORIGINATOR

a. TYPED NAME (First, Middle Initial, Last)

Arias, Suitberto

b. ADDRESS (Street, City, State, Zip Code)

ARDEC, AMSTA-AR-CCL-A
Picatinny Arsenal, NJ, 07806-5000

5. CAGE CODE

19200

7. CAGE CODE

19200

6. NOR NO.

8. DOCUMENT NO.

F9346453

9. TITLE OF DOCUMENT

Bar, Trigger

10. REVISION LETTER

a. CURRENT

B

b. NEW

11. ECP NO.

L9S2003

12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES

Pistol, 9mm, M9

Sheet 8 of 13

13. DESCRIPTION OF REVISION

Remove: (In it's entirety)

"Note 7."

14. THIS SECTION FOR GOVERNMENT USE ONLY

a. (X one)

(1.) Existing document supplemented by this NOR may be used in manufacture.

(2.) Revised document must be received before manufacture may incorporate this change.

(3.) Custodian of master document shall make above revision and furnish revised document.


b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT

c. TYPED NAME (First, Middle Initial, Last)

d. TITLE

Ronald E. Eibe, Chief
Cmbt Spt & Sm Cal V, S, DIV

e. SIGNATURE




f. DATE SIGNED

990218



15a. ACTIVITY ACCOMPLISHING REVISION

b. REVISION COMPLETED (Signature)

f. DATE SIGNED


NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	<i>Form Approved</i>
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		990120	OMB No. 0704 - 0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			2. PROCURING ACTIVITY NO. L9S2003
			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last) Arias, Suitberto	ARDEC, AMSTA-AR-CCL-A Picatinny Arsenal, NJ, 07806-5000	19200	
		7. CAGE CODE 19200	8. DOCUMENT NO. F9346454
9. TITLE OF DOCUMENT Stop, Slide	10. REVISION LETTER		11. ECP NO.
	a. CURRENT B	b. NEW	L9S2003
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES Pistol, 9mm, M9			Sheet 4 of 13
13. DESCRIPTION OF REVISION Remove: (In it's entirety) "Note 9."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE Ronald E. Elbe, Chief Cmbt Spt & Sm Cal Wor Svc D	e. SIGNATURE 		f. DATE SIGNED 990218
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)		f. DATE SIGNED


- NOTES:**
- 1-SPEC MIL-W-13855 AND ANSI Y14.5M-82 APPLY.
 - 2-MATERIAL: A- COLD DRAWN STEEL, BAR, ALLOY 4320, GRAIN SIZE 5 THRU 8, ASTM A29.
B- INVESTMENT CASTING IC 8620, MIL-S-22141.
 - 3-CASTING SHALL CONFORM TO CLASS 2, GRADE B, MIL-STD-2175.
 - 4-UNLESS OTHERWISE SPECIFIED, ALL EXTERNAL SHARP EDGES SHALL BE BROKEN 0.05 TO 0.25; INTERNAL EDGES R 0.3 MAX.
 - 5-CASE HARDEN TO A CARBURIZING DEPTH OF 0.05 TO 0.15 .
 - 6-MANDATORY HEAT TREATMENT:
A - HEAT AT 400°±14°C.
B - HARDEN AT 850°±14°C IN CARBURIZING ATMOSPHERE.
C - QUENCH AT 180°±10°C FOR 10 MINUTES IN SALT.
D - WASH, PICKLE, NEUTRALIZE.
 - 7-UNLESS OTHERWISE SPECIFIED, ALL SURFACES SHALL BE PROTECTIVE FINISH: FINISH 5.3.2.3 OR 5.3.1.3 PLUS FINISH 30.7 OF MIL-STD-171, MATTE SURFACE; CURVE AT 20° TO 218° C FOR 1 HR MIN.; THICKNESS OF FINISH 30.7: 0.006 TO 0.015; COLOR 37008 BUT NO LIGHTER THAN 36076 PER FED-STD-506; THICKNESS MUST BE CHECKED IN AREA A, LOCATE APPROXIMATELY AS SHOWN.
 - 8-ALTERNATE PROTECTIVE FINISH: FINISH 5.3.1.3 OR 5.3.2.3 OF MIL-STD-171 PLUS FINISH PER MIL-P-48688; MATTE SURFACE; THICKNESS OF MIL-P-48688: 0.005 TO 0.015; THICKNESS MUST BE CHECKED IN AREA A, LOCATE APPROXIMATELY AS SHOWN.
 - 9-DIMENSIONS AND SURFACE TOUGHNESS APPLY BEFORE PROTECTIVE FINISH.
 - 10-THE RHC REQUIREMENT INDICATED IS A COMBINATION OF THE CASE AND THE CORE HARDNESS BECAUSE THE HARDNESS INDENTER CAN BE EXPECTED TO BREAK THROUGH THE CASE.



REV	DESCRIPTION	DATE	BY	CHKD
1	PRODUCTION RELEASE	07/02/84
A	NOR 6753057870620	08/07/84
B	NOR 6355511793047	05/02/82



9346480 PISTOL W/9		DATE: 04/15/84	REV: 1
DRAWN BY: [Signature]		DATE: 04/15/84	REV: 1
CHECKED BY: [Signature]		DATE: 04/15/84	REV: 1
APPROVED BY: [Signature]		DATE: 04/15/84	REV: 1
PART NO 9346454		STOP, SLIDE	PKG NO 9346454
F 19200		471	876

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		990120	OMB No. 0704 - 0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			2. PROCURING ACTIVITY NO.
			L9S2003
			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last)	ARDEC, AMSTA-AR-CCL-A Picatinny Arsenal, NJ, 07806-5000	19200	
Arias, Suitberto		7. CAGE CODE	8. DOCUMENT NO.
		19200	F9346458
9. TITLE OF DOCUMENT	10. REVISION LETTER		11. ECP NO.
Trigger	a. CURRENT	b. NEW	
	C		L9S2003
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			Sheet 10 of 13
Pistol, 9mm, M9			
13. DESCRIPTION OF REVISION			
Remove: (In it's entirety)			
"Note 8."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
Ronald E. Ebe, Chief Comdr Sp4 & Sr Col USAF Ret		990218	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	f. DATE SIGNED	

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD) 990120	<i>Form Approved</i> OMB No. 0704 - 0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.			
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			2. PROCURING ACTIVITY NO. L9S2003
			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE 19200	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last) Arias, Suitberto	ARDEC, AMSTA-AR-CCL-A Picatinny Arsenal, NJ, 07806-5000	7. CAGE CODE 19200	8. DOCUMENT NO. F9346463
9. TITLE OF DOCUMENT Hammer		10. REVISION LETTER	
		a. CURRENT B	b. NEW
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES Pistol, 9mm, M9			Sheet 1 of 13
13. DESCRIPTION OF REVISION Remove: (In it's entirety) "Note 9."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE Ronald E. Elbe, Chief Cmbt Spt & Sm Cal Wpn Sys Div	e. SIGNATURE 	f. DATE SIGNED 990218	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	f. DATE SIGNED	

FORM 128
MAY 1962 EDITION

- NOTES:**
- 1-SPEC MIL-W-13855 AND ANSI Y14.5M-82 APPLY.
 - 2-MATERIAL: COLD DRAWN, STEEL, BAR, ALLOY 4320, GRAIN SIZE 5 THRU 8, ASTM A29.
 - 3-UNLESS OTHERWISE SPECIFIED, ALL EXTERNAL SHARP EDGES SHALL BE BROKEN 0.05 TO 0.25; INTERNAL EDGES R 0.2 MAX.
 - 4-CASE HARDEN TO A CARBURIZING DEPTH OF 0.15 TO 0.25.
 - 5-MANDATORY HEAT TREATMENT:
A-HEAT AT 400°±14°C.
B-HARDEN AT 850°±14°C IN CARBURIZING ATMOSPHERE.
C-QUENCH AT 180°±10°C FOR 10 MINUTES IN SALT D-WASH, PICKLE, NEUTRALIZE.
 - 6-UNLESS OTHERWISE SPECIFIED, ALL SURFACES 32.
 - 7-CASE HARDENING MAY BE REMOVED FROM SURFACE INDICATED DURING PROCESSING.
 - 8-PROTECTIVE FINISH: FINISH 5.3.1.3 OR 5.3.2.3 PLUS FINISH 30.7 OF MIL-STD-171; MATTE SURFACE; CURE AT 204° TO 218° C FOR 1 HR MIN; THICKNESS OF FINISH 30.7: 0.005 TO 0.015; COLOR 37088 BUT NO LIGHTER THAN 36076 PER FED-STD-595; THICKNESS MUST BE CHECKED IN AREA B, LOCATE APPROXIMATELY AS SHOWN.
 - 9-ALTERNATE PROTECTIVE FINISH: FINISH 5.3.1.3 OR 5.3.2.3 OF MIL-STD-171 PLUS FINISH PER MIL-P-48889; MATTE SURFACE; THICKNESS OF MIL-P-48889: 0.005 TO 0.015; THICKNESS MUST BE CHECKED IN AREA B, LOCATE APPROXIMATELY AS SHOWN.
 - 10-DIMENSIONS AND SURFACE ROUGHNESS APPLY BEFORE PROTECTIVE FINISH.
 - 11-THese DIMENSIONS ARE RELATIVE TO $\text{D} \oplus \text{A} \oplus \text{B} \oplus \text{I}$.
 - 12-APPLY MARKING "9346463" AND MANUFACTURER'S ID. MIL-STD-130 APPLIES. RECESSED MARKINGS; HEIGHT OF CHARACTERS 2±0.1; DEPTH OF CHARACTERS 0.1 TO 0.2. LOCATE APPROXIMATELY AS SHOWN. MARKINGS SHALL BE APPLIED PRIOR TO CASE HARDENING.
 - 13-THe RHC REQUIREMENT INDICATED IS A COMBINATION OF THE CASE AND THE CORE HARDNESS BECAUSE THE HARDNESS INDENTER CAN BE EXPECTED TO BREAK THROUGH THE CASE.




NO.	DESCRIPTION	DATE	BY
1	PRODUCTION RELEASE 314 652 049	12/29/62	PC
A	NON 625305/800520 (ECP 625305/871116) ECP 685305/880647 ECP 685305/880987 ECP 685305/880925	05/17/79	AS
B	NON 625307/91087	03/18/82	ART/ELC/MS

REVISION STATUS OF SHEETS	
Sheet No.	Sheet Total
1	2
SHEET 2 OF SHEET 1	

APPLICATION		DO NOT SCALE DIMENSIONS		MATERIAL		PART NO. 9346463	
9346463	HEAVY	9346463	HEAVY	9346463	HEAVY	9346463	HEAVY
TYPED SCALE PROJECTION DATE: 12/29/62 BY: PC				HAMMER F 19200 9346463 4/1 28.36 G 1 OF 2			








DISSEMINATION STATEMENT: APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD)	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED.		990120	OMB No. 0704 - 0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the collection of information. Send comments regarding this burden estimate or any other aspect of this information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			2. PROCURING ACTIVITY NO.
			L9S2003
			3. DODAAC
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last)	ARDEC, AMSTA-AR-CCL-A Picatinny Arsenal, NJ, 0786-5000	19200	
Arias, Suitberto		7. CAGE CODE	8. DOCUMENT NO.
		19200	F9346478
9. TITLE OF DOCUMENT	10. REVISION LETTER		11. ECP NO.
Catch, Magazine	a. CURRENT	b. NEW	
	C		L9S2003
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES			Sheet 12 of 13
Pistol, 9mm, M9			
13. DESCRIPTION OF REVISION			
Remove: {In it's entirety}			
"Note 8."			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. AUTHORITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE	e. SIGNATURE	f. DATE SIGNED	
for Ronald L. Elbe, Chief Cmbt Spt & Sm Cal Vpr Sys		990218	
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)	f. DATE SIGNED	

FORM 312 F
MAY 1962 EDITION

NOTES:

- 1-SPEC MIL-W-13855 AND ANSI Y14.5M-82 APPLY.
- 2-MATERIAL: COLD DRAWN STEEL BAR, ALLOY 4320 OR 43L20, GRAIN SIZE 5 THRU 8, ASTM A29.
- 3-UNLESS OTHERWISE SPECIFIED, ALL EXTERNAL SHARP EDGES SHALL BE BROKEN 0.05 TO 0.25; INTERNAL EDGES R 0.2 MAX.
- 4-CASE HARDEN TO A CARBURIZING DEPTH OF 0.05 TO 0.15.
- 5-MANDATORY HEAT TREATMENT:
A-HEAT AT 400°±14°C.
B-HARDEN AT 850°±14°C IN CARBURIZING ATMOSPHERE.
C-QUENCH AT 180°±10°C FOR 10 MINUTES IN OIL.
D-WASH, PICKLE, NEUTRALIZE.
- 6-UNLESS OTHERWISE SPECIFIED, ALL SURFACES \sqrt{R} .
- 7-PROTECTIVE FINISH: FINISH 5.3.1.3 OR 5.3.2.3 PLUS FINISH 30.7 OF MIL-STD-171; MATTE SURFACE; CURE AT 204° TO 218° C FOR 1 HR MIN.; THICKNESS OF FINISH 30.7: 0.005 TO 0.015; COLOR 37038 BUT NO LIGHTER THAN 36076 PER FED-STD-886; THICKNESS MUST BE CHECKED IN AREA A, LOCATE APPROXIMATELY AS SHOWN.
- 8-ALTERNATE PROTECTIVE FINISH: FINISH 5.3.1.3 OR 5.3.2.3 OF MIL-STD-171 PLUS FINISH PER MIL-P-48669; MATTE SURFACE; THICKNESS OF MIL-P-48669: 0.005 TO 0.015; THICKNESS MUST BE CHECKED IN AREA A, LOCATE APPROXIMATELY AS SHOWN.
- 9-DIMENSIONS AND SURFACE ROUGHNESS APPLY BEFORE PROTECTIVE FINISH.
- 10-THE RHC REQUIREMENT INDICATED IS A COMBINATION OF THE CASE AND THE CORE HARDNESS BECAUSE THE HARDNESS INDENTER CAN BE EXPECTED TO BREAK THROUGH THE CASE.



REV	DESCRIPTION	DATE	BY	APP'D
1	PRODUCTION RELEASE	07/02/84		
A	NOR 6763057/870520 (ECP 605305/880927)	08/07/84		
B	NOR 6053019 881228 (ECP 6053047 900305)	03/07/84		
C	NOR 6358217/930827	03/08/87		

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

REVISIONS		DO NOT SCALE DIMENSIONS		DATE	
NO.	DESCRIPTION	DATE	BY	DATE	BY
1	ISSUED FOR PRODUCTION	06-09-14			
2	REVISIONS BY DIMENSIONS				
3	REVISIONS BY DIMENSIONS				
4	REVISIONS BY DIMENSIONS				
5	REVISIONS BY DIMENSIONS				
6	REVISIONS BY DIMENSIONS				
7	REVISIONS BY DIMENSIONS				
8	REVISIONS BY DIMENSIONS				
9	REVISIONS BY DIMENSIONS				
10	REVISIONS BY DIMENSIONS				
11	REVISIONS BY DIMENSIONS				
12	REVISIONS BY DIMENSIONS				
13	REVISIONS BY DIMENSIONS				
14	REVISIONS BY DIMENSIONS				
15	REVISIONS BY DIMENSIONS				
16	REVISIONS BY DIMENSIONS				
17	REVISIONS BY DIMENSIONS				
18	REVISIONS BY DIMENSIONS				
19	REVISIONS BY DIMENSIONS				
20	REVISIONS BY DIMENSIONS				
21	REVISIONS BY DIMENSIONS				
22	REVISIONS BY DIMENSIONS				
23	REVISIONS BY DIMENSIONS				
24	REVISIONS BY DIMENSIONS				
25	REVISIONS BY DIMENSIONS				
26	REVISIONS BY DIMENSIONS				
27	REVISIONS BY DIMENSIONS				
28	REVISIONS BY DIMENSIONS				
29	REVISIONS BY DIMENSIONS				
30	REVISIONS BY DIMENSIONS				
31	REVISIONS BY DIMENSIONS				
32	REVISIONS BY DIMENSIONS				
33	REVISIONS BY DIMENSIONS				
34	REVISIONS BY DIMENSIONS				
35	REVISIONS BY DIMENSIONS				
36	REVISIONS BY DIMENSIONS				
37	REVISIONS BY DIMENSIONS				
38	REVISIONS BY DIMENSIONS				
39	REVISIONS BY DIMENSIONS				
40	REVISIONS BY DIMENSIONS				
41	REVISIONS BY DIMENSIONS				
42	REVISIONS BY DIMENSIONS				
43	REVISIONS BY DIMENSIONS				
44	REVISIONS BY DIMENSIONS				
45	REVISIONS BY DIMENSIONS				
46	REVISIONS BY DIMENSIONS				
47	REVISIONS BY DIMENSIONS				
48	REVISIONS BY DIMENSIONS				
49	REVISIONS BY DIMENSIONS				
50	REVISIONS BY DIMENSIONS				
51	REVISIONS BY DIMENSIONS				
52	REVISIONS BY DIMENSIONS				
53	REVISIONS BY DIMENSIONS				
54	REVISIONS BY DIMENSIONS				
55	REVISIONS BY DIMENSIONS				
56	REVISIONS BY DIMENSIONS				
57	REVISIONS BY DIMENSIONS				
58	REVISIONS BY DIMENSIONS				
59	REVISIONS BY DIMENSIONS				
60	REVISIONS BY DIMENSIONS				
61	REVISIONS BY DIMENSIONS				
62	REVISIONS BY DIMENSIONS				
63	REVISIONS BY DIMENSIONS				
64	REVISIONS BY DIMENSIONS				
65	REVISIONS BY DIMENSIONS				
66	REVISIONS BY DIMENSIONS				
67	REVISIONS BY DIMENSIONS				
68	REVISIONS BY DIMENSIONS				
69	REVISIONS BY DIMENSIONS				
70	REVISIONS BY DIMENSIONS				
71	REVISIONS BY DIMENSIONS				
72	REVISIONS BY DIMENSIONS				
73	REVISIONS BY DIMENSIONS				
74	REVISIONS BY DIMENSIONS				
75	REVISIONS BY DIMENSIONS				
76	REVISIONS BY DIMENSIONS				
77	REVISIONS BY DIMENSIONS				
78	REVISIONS BY DIMENSIONS				
79	REVISIONS BY DIMENSIONS				
80	REVISIONS BY DIMENSIONS				
81	REVISIONS BY DIMENSIONS				
82	REVISIONS BY DIMENSIONS				
83	REVISIONS BY DIMENSIONS				
84	REVISIONS BY DIMENSIONS				
85	REVISIONS BY DIMENSIONS				
86	REVISIONS BY DIMENSIONS				
87	REVISIONS BY DIMENSIONS				
88	REVISIONS BY DIMENSIONS				
89	REVISIONS BY DIMENSIONS				
90	REVISIONS BY DIMENSIONS				
91	REVISIONS BY DIMENSIONS				
92	REVISIONS BY DIMENSIONS				
93	REVISIONS BY DIMENSIONS				
94	REVISIONS BY DIMENSIONS				
95	REVISIONS BY DIMENSIONS				
96	REVISIONS BY DIMENSIONS				
97	REVISIONS BY DIMENSIONS				
98	REVISIONS BY DIMENSIONS				
99	REVISIONS BY DIMENSIONS				
100	REVISIONS BY DIMENSIONS				

PART NO. 9346478
CATCH, MAGAZINE
FORM NO. 19200
REV. 4/71

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD) 990204	Form Approved OMB No. 0704-0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED		2. PROCURING ACTIVITY NO.	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-43-2, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.		3. DODAAC	
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE 19200	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last) John D. Kreider	AMSTA-AR-ESW-S, Rock Island, IL 61299	7. CAGE CODE 19200	8. DOCUMENT NO. 9346443
9. TITLE OF DOCUMENT Rear Sight	10. REVISION LETTER		11. ECP NO. L9S2003
	a. CURRENT C	b. NEW D	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES Pistol, M9, 9mm			
13. DESCRIPTION OF REVISION Delete note 6 in its entirety.			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE Configuration Manager Ch, Cmbt Spt & Sm Cal Wpn Sys Div	e. SIGNATURE 		f. DATE SIGNED 990218
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)		c. DATE SIGNED

NOTICE OF REVISION (NOR)		1. DATE (YYMMDD) 990204	Form Approved OMB No. 0704-0188
THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED		2. PROCURING ACTIVITY NO.	
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate of Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-43-2, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.		3. DODAAC	
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			
4. ORIGINATOR	b. ADDRESS (Street, City, State, Zip Code)	5. CAGE CODE 19200	6. NOR NO.
a. TYPED NAME (First, Middle Initial, Last) John D. Kreider	AMSTA-AR-ESW-S, Rock Island, IL 61299	7. CAGE CODE 19200	8. DOCUMENT NO. 9346482
9. TITLE OF DOCUMENT Recoil Spring Rod	10. REVISION LETTER		11. ECP NO. L9S2003
	a. CURRENT B	b. NEW C	
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES Pistol, M9, 9mm			
13. DESCRIPTION OF REVISION Delete note 6 in its entirety.			
14. THIS SECTION FOR GOVERNMENT USE ONLY			
a. (X one)	<input checked="" type="checkbox"/>	(1.) Existing document supplemented by this NOR may be used in manufacture.	
	<input type="checkbox"/>	(2.) Revised document must be received before manufacture may incorporate this change.	
	<input type="checkbox"/>	(3.) Custodian of master document shall make above revision and furnish revised document.	
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT		c. TYPED NAME (First, Middle Initial, Last)	
d. TITLE Configuration Manager Ch, Cmbt Spt & Sm Cal Wpn Sys Div	e. SIGNATURE 		f. DATE SIGNED 990218
15a. ACTIVITY ACCOMPLISHING REVISION	b. REVISION COMPLETED (Signature)		c. DATE SIGNED

HAZARDOUS COMPONENT SAFETY DATA STATEMENT (HCSDS)		1. DATE PREPARED (YYMMDD) 92 Jul 20	REPORT CONTROL SYMBOL ML (AR) 1687
2. MATERIAL/COMPONENT/ASSEMBLY Cartridge, 9mm, Ball, NATO, M882		3. NUMBER 1833	4. REVISION E
5. APPLICABLE FEDERAL ACQUISITION REGULATION (FAR) SAFETY CLAUSE 28.7102			
PART I - SENSITIVITY (Apparatus and Comparison Values)			
6. FRICTION TEST NA	7. IMPACT TEST NA	8. ELECTROSTATIC DISCHARGE TEST NA	
PART II - HAZARDS			
9. FIRE Low	10. AUTO IGNITION TEMP NA	11. FLASH POINT NA	12. DECOMPOSITION PRODUCTS Toxic, Avoid Inhalation and Ingestion
13. FLAMMABLE AND/OR EXPLOSIVE LIMITS		14. EXPLOSION Low	15. EXPLOSIVE TEMP (5 Sec.) NA
a. LOWER PERCENT NA	b. UPPER PERCENT NA		
16. DUSTS NA		17. HEALTH HAZARD INFORMATION (Toxicity) Not Toxic	
18. UNPACKED (In-Process) HAZARD CLASS (Specify Quantities Involved) CLASS 1.4		19. SPECIAL REQUIREMENTS (if additional space is needed, use plain bond paper) Ref-Dwg: 9345211 and Spec: MIL-C-70508 Approved Packaging Drawings: 9354343, 9396205, 9396206, 12631028 NSN: 1305-01-172-9558 DODIC: A363 UN Ident: 0012	
PART III - SHIPPING/STORAGE CLASSIFICATION OF ITEM WHEN PACKED IN ACCORDANCE WITH APPROVED PACKING DRAWINGS			
20. DOD HAZARD CLASS/ON 1.4	21. DOD STORAGE COMPATIBILITY GROUP S	22. DOT HAZARD CLASSIFICATION 1.4S	23. DOT CONTAINER MARKING **
24. PREPARED BY (Initiator)			
a. TYPED OR PRINTED NAME R.W. BATSON	b. SIGNATURE <i>R.W. Batson</i>	c. ORGANIZATION SAFETY OFFICE, ARDEC	
25. CONCURRED IN BY			
a. TYPED OR PRINTED NAME R.W. SNOOK	b. SIGNATURE <i>R.W. Snook</i>	c. ORGANIZATION SAFETY OFFICE, ARDEC	
26. SAFETY CHIEF OR AUTHORIZED REPRESENTATIVE			
a. TYPED OR PRINTED NAME C.R. PETERS	b. SIGNATURE <i>C.R. Peters</i>	c. ORGANIZATION SAFETY OFFICE, ARDEC	
The information relating to safety (herein referred to as "safety data") contained in this document is limited to those instances when the document is provided as a part of a procurement/production package which involves the development, testing, storage, manufacture, modification, renovation, demilitarization, packaging, transportation, handling, disposal, inspection, repair or any other use of the item, (material/component/assembly) which is specified in the contract. The safety data contained herein are examples which shall be used by the contractor to alert contractor personnel as well as other personnel of hazards associated with the procure-		ment/production of the item. No representation is made that compliance with the information provided will prevent any accident to persons or property or that additional warnings may not be appropriate. Neither the foregoing nor any act or failure to act by the Government in regard to alerting personnel to the hazards of the item shall affect or relieve the contractor of responsibility for the safety of contractor personnel or property and for the safety of the general public in connection with the performance of the contract, or impose or add to any liability of the Government for such safety.	

1833
E
20 July 92

Cartridge, 9mm, Ball, NATO, M882

Spec: MIL-C-70508

HCSDS: 1833

Dwg: 9345211, Rev-D

Primer, Percussion, Commercial

HCSDS: 855

Dwg: 9354609

or

Propellant, HPC-33

Spec: MIL-P-3984

HCSDS: 2370

Dwg: 12556070

or

Propellant, WPR-280

Spec: MIL-P-3984

HCSDS: 2278

Dwg: 12551726

Bullet

Dwg: 9345212

1833
E
20 Jul 92

SPECIAL REQUIREMENTS: (CON'T)

Classifications are for shipment and storage when item is packaged IAW applicable parts of 49CFR for proper description, packaging, marking and classification, the following Hazard Classification is assigned to the subject item:

DOD Hazard Class/Div/SCG: 1.4S
DOT Hazard Class: 1.4S
(Section 173, Subpart C, Section 173.52)
DOT Label: Explosive 1.4S
(Section 172, Subpart E (172.411 (c) & (d))
DOT Proper Shipping Name (PSN): Cartridges, Small Arms
(Section 172, Subpart B and Section 172.101)
UN Serial Number: 0012
DOT Container Marking: Cartridges, Small Arms
UN: 0012
NSN: 1305-01-172-9558
DOT Authorization: EX-8606108
(Section 172, Subpart D, Section 172.301(a) and
172.320(a))
Packaging Method: US 005
Explosive Weight for QD Determination: lbs (kgs): 0.000911
(0.000413)