

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: RECEIVER, CARTRIDGE
TO CONTRACT/PR: M121S293

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80639C*			
5. SECTION C			
6. AMSTA-AR-QAW	7. LT	8. -	9. **
10. ASREQ	11. ---		15. TOTAL 0/0/0
12. ASREQ		13. ASREQ	

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://W4.PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80640C*			
5. SECTION C			
6. AMSTA-AR-QAW	7. LT	8. -	9. **
10. ASREQ	11. ---		15. TOTAL 0/0/0
12. ASREQ		13. ASREQ	

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://W4.PICA.AMRY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694, AND/OR 1695)

1. A003			14.	
2. NOTICE OF REVISION (NOR)			SEE ADDRESS CODE	/ /
3.			DISTRIBUTION	/ /
			ATTACHED**	/ /
4. DI-CMAN-80642C*				
5. SECTION C				
6. AMSTA-AR-QAW	7. LT	8. -	9. ***	
10. ASREQ	11. ---			15. TOTAL 0/ 0/ 0
12. ASREQ		13. ASREQ		

16. REMARKS
 *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. FORMS LOCATED AT HTTP://W4PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

1. A004			14.	
2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.			AMSTA-AR-QAC	(1) / 1/
3. AIE DESIGN DOCUMENTATION				(D) / /
			QAR	/ /
4. DI-QCIC-81006*			CO (LT ONLY)	/ /
5. SECTION E			AMSTA-AR-QAW-	(2) / /
			(LT ONLY) (R)	/ /
6. AMSTA-AR-QA	7. XX	8. A	9. N/A	
10. ONE/R	11.N/A			15. TOTAL 0/ 1/ 0
12. **		13.WHEN REV.		

16. REMARKS
 * BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2, 10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID. SUBMIT FOR ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP.** BLOCK 12: SUBMIT 30 DAYS PRIOR TO FA,OR PRODUCTION,IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 30 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS.REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT ONLY EVIDENCE OF PRIOR APPROVALS.
 email: (1)aie-qac@pica.army.mil (2)amsta-ar-qa-cdrl@ria-emh2.army.mil
 Text:Microsoft Office 97
 Drawings:AutoCAD-Release 14(Expressed mailed hard copies will be accepted)
 Files may be compressed using ZIP program.
 WARNING: Large packages may cause delays in delivery using mail internet.
 Email subject line must contain end item nomenclature.

 APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAC DATE:04/18/02

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: BARREL,RIFLE

TO CONTRACT/PR: M121S271

- | | | | |
|----------------------------|-----------------------------------|------------------|-----------------------|
| 1. SEQUENCE NUMBER | | 14. DISTRIBUTION | DRFT/REG/REPRO COPIES |
| 2. TITLE OF DATA ITEM | | | |
| 3. SUBTITLE | | | |
| 4. DATA ITEM NUMBER | | | |
| 5. CONTRACT REFERENCE | | | |
| 6. TECHNICAL OFFICE | 7. DD | 8. APP | 9. DIST STATEMENT |
| | 250 | CODE | REQUIRED |
| 10. FREQUENCY | 11. AS OF DATE | | 15. TOTAL: |
| 12. DATE OF 1ST SUBMISSION | 13. DATE OF SUBSEQUENT SUBMISSION | | |
| 16. REMARKS | | | |

- | | | | |
|--------------------------------------|-----------|----------------------|-----------|
| 1. A001 | | 14. SEE ADDRESS CODE | / / |
| 2. ENGINEERING CHANGE PROPOSAL (ECP) | | DISTRIBUTION | / / |
| 3. | | ATTACHED*** | / / |
| 4. DI-CMAN-80639C* | | | |
| 5. SECTION C | | | |
| 6. AMSTA-AR-QAW | 7. LT | 8. - | 9. ** |
| 10. ASREQ | 11. --- | 15. TOTAL | 0 / 0 / 0 |
| 12. ASREQ | 13. ASREQ | | |

16. REMARKS
 *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://W4.PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)

- | | | | |
|--------------------------------|-----------|----------------------|-----------|
| 1. A002 | | 14. SEE ADDRESS CODE | / / |
| 2. REQUEST FOR DEVIATION (RFD) | | DISTRIBUTION | / / |
| 3. | | ATTACHED*** | / / |
| 4. DI-CMAN-80640C* | | | |
| 5. SECTION C | | | |
| 6. AMSTA-AR-QAW | 7. LT | 8. - | 9. ** |
| 10. ASREQ | 11. --- | 15. TOTAL | 0 / 0 / 0 |
| 12. ASREQ | 13. ASREQ | | |

16. REMARKS
 *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://W4.PICA.AMRY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694, AND/OR 1695)

Exhibit B

1. A003				14.		
				SEE ADDRESS CODE	/	/
2. NOTICE OF REVISION (NOR)				DISTRIBUTION	/	/
3.				ATTACHED**	/	/
4. DI-CMAN-80642C*						
5. SECTION C						
6. AMSTA-AR-QAW	7. LT	8. -	9. ***			
10. ASREQ	11. ---			15. TOTAL	0/	0/ 0
12. ASREQ		13. ASREQ				

16. REMARKS
 *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. FORMS LOCATED AT HTTP://W4PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

1. A004				14.		
				AMSTA-AR-QAC	(1)	/ 1/
2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.					(D)	/ /
3. AIE DESIGN DOCUMENTATION				QAR		/ /
				CO (LT ONLY)		/ /
4. DI-QCIC-81006*				AMSTA-AR-QAW-	(2)	/ /
				(LT ONLY) (R)		/ /
5. SECTION E						
6. AMSTA-AR-QA	7. XX	8. A	9. N/A			
10. ONE/R	11.N/A			15. TOTAL	0/	1/ 0
12. **		13.WHEN REV.				

16. REMARKS
 * BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2, 10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID. SUBMIT FOR ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP.** BLOCK 12: SUBMIT 30 DAYS PRIOR TO FA,OR PRODUCTION,IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 30 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS.REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE.IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE,SUBMIT ONLY EVIDENCE OF PRIOR APPROVALS.
 email: (1)aie-qac@pica.army.mil (2)amsta-ar-qa-cdrl@ria-emh2.army.mil
 Text:Microsoft Office 97
 Drawings:AutoCAD-Release 14(Expressed mailed hard copies will be accepted)
 Files may be compressed using ZIP program.
 WARNING: Large packages may cause delays in delivery using mail internet.
 Email subject line must contain end item nomenclature.

1. A005
2. TRANSPORTATION DISCREPANCY REPORT
3.
4. DI-MGMT-80544A
5. SOW, ACTBY INST,para 3a(1)
6. AMSTA-LC-CIA 7. NO 8. 9. N/A
10. ASREQ 11. ASREQ 15. TOTAL 0/ 1/ 0
12. * 13.

16. REMARKS
*SUBMISSION REQUIRED UPON DISCOVERY OF TRANSPORTATION DISCREPANCY WHEN MATERIEL IS RECEIVED AT CONTRACTOR'S FACILITY.
E-MAIL: mosleya@tacom.army.mil

1. A006
2. REPORT OF SHIPPING (ITEM) AND
3. PACKAGING DISCREPANCY
4. DI-MGMT-80503
5. SOW,ACTBY INST,para 4a(2)
6. AMSTA-LC-CIA 7. NO 8. 9. N/A
10. ASREQ 11. ASREQ 15. TOTAL 0/ 1/ 0
12. * 13.

16. REMARKS
*SUBMISSION REQUIRED UPON DISCOVERY OF SHIPPING DISCREPANCY WHEN MATERIEL IS RECEIVED AT CONTRACTOR'S FACILITY. REPORT SHALL BE SUBMITTED WITHIN 3 DAYS OF DISCOVERY OF DISCREPANCY.
E-MAIL: rods@ria.army.mil

1. A007
2. REQUEST FOR GOVERNMENT FURNISHED
3. MATERIEL (GFM)
4. DI-MGMT-80408B
5. SOW, ACTBY INST,para 5
6. AMSTA-LC-CIA 7. NO 8. 9.N/A
10. ASREQ 11. ASREQ 15. TOTAL 0/ 1/ 0
12. * 13.

16. REMARKS
*SUBMISSION REQUIRED TO RECEIVE GFM
E-MAIL: mosleya@tacom.army.mil

1. A008

14.

AMSTA-LC-CIAT

/ 1/

2. GOVERNMENT FURNISHED MATERIEL (GFM)

3. CONSUMPTION REPORT

4. DI-MGMT-80438B

5. SOW, ACTBY INST,para 6

6. AMSTA-LC-CIA

7. DD 8.

9. N/A

10. MTHLY

11. 0 TIME

15. TOTAL

0/ 1/ 0

12. 40 DAC

13.

16. REMARKS

SUBMISSION REQUIRED TO REFLECT GFM CONSUMED DURING REPORT PERIOD-NEGATIVE
REPORT REQUIRED.BLK 10:10TH DAY OF MONTH FOLLOWING REPORT MONTH.

E-MAIL: mosleya@tacom.army.mil

APPROVED BY: STEPHEN HANSEN, SDMO, AMSTA-AR-QAC

DATE: 04/17/2002

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC
TO CONTRACT/PR:

SYSTEM/ITEM:

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE
9. DIST STATEMENT	10. FREQUENCY	11. AS OF DATE
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	15. TOTAL:
16. REMARKS		

1. A001	14. AMSTA-LC-CIAT	/ 1/
2. TRANSPORTATION DISCREPANCY REPORT		
3.		
4. DI-MGMT-80544A		
5. SOW, ACTBY INST, para 3a(1)		
6. AMSTA-LC-CIA	7. NO	8. 9. N/A
10. ASREQ	11. ASREQ	15. TOTAL 0/ 1/ 0
12. *	13.	
16. REMARKS		
*SUBMISSION REQUIRED UPON DISCOVERY OF TRANSPORTATION DISCREPANCY WHEN MATERIEL IS RECEIVED AT CONTRACTOR'S FACILITY. E-MAIL: mosleya@acom.army.mil		

1. A002	14. AMSTA-LC-CIAC	/ 1/
2. REPORT OF SHIPPING (ITEM) AND		
3. PACKAGING DISCREPANCY		
4. DI-MGMT-80503		
5. SOW, ACTBY INST, para 4a(2)		
6. AMSTA-LC-CIA	7. NO	8. 9. N/A
10. ASREQ	11. ASREQ	15. TOTAL 0/ 1/ 0
12. *	13.	
16. REMARKS		
*SUBMISSION REQUIRED UPON DISCOVERY OF SHIPPING DISCREPANCY WHEN MATERIEL IS RECEIVED AT CONTRACTOR'S FACILITY. REPORT SHALL BE SUBMITTED WITHIN 3 DAYS OF DISCOVERY. E-MAIL: rods@ria.army.mil		

1. A003	14. AMSTA-LC-CIAT	/ 1/
2. REQUEST FOR GOVERNMENT FURNISHED		
3. MATERIEL (GFM)		

SECURITY STATEMENT OF WORK (SOW)
PHYSICAL SECURITY STANDARDS FOR DOD ARMS, AMMUNITION AND EXPLOSIVES (AA&E) AT
CONTRACTOR-OWNED, CONTRACTOR-OPERATED (COCO) FACILITIES
SECURITY RISK CATEGORY III-IV ARMS and CATEGORY III-IV AMMUNITION AND EXPLOSIVES
(A&E) (from DoD 5100.76M, Appendix 2)

1. Facility Construction. This command will make a Suitability Determination of structural adequacy on production and storage facilities used by the contractor.

a. The contractor shall store CAT III-IV arms in arms rooms, modular vaults, existing facilities approved by the procuring command, or Class 5 containers when quantity is 30 arms or less. In these structures, he shall secure arms in either a Class 5 container, banded crates, or locked-down arms racks. Doors, windows, or any other openings shall provide the same level of security as the rest of the structure. A vault door will have a built-in combination lock; solid hardwood or metal doors need the Sargent & Greenleaf 833C key-operated high security padlock and NAPEC shrouded hasp.

b. The contractor shall store CAT III-IV A&E in approved magazines, Type 2 portable magazines, or existing facilities approved by the procuring command. The required locking system is the Sargent & Greenleaf 833C with NAPEC shrouded hasp except for the Type 2 magazines, which follow BATF locking requirements.

2. Arms Parts Storage. The contractor shall store major subparts, to include frame and receiver, in the same manner as the category of the arm to which they belong. He shall protect barrels and other major subassemblies as CAT IV arms.

3. Lock and key control. The contractor shall implement a control system that ensures accountability and control of storage structure locks and keys. The contractor shall maintain keys to AA&E storage areas and IDS separately from other keys. He should allow only those individuals authorized access to the AA&E keys. The number of keys should be held to the absolute minimum and signed for by authorized employees. When not attended or used, the contractor shall secure keys providing access to CAT III-IV AA&E in key containers of at least 20-gauge steel with either a GSA-approved built-in changeable combination lock or a GSA-approved key-operated low-security padlock. He shall provide the same level of security to replacement or spare locks, keys and cores for AA&E keys as those in active use. Master keying of locks and the use of a master key system is prohibited. The contractor shall appoint a key and lock custodian in writing, who shall maintain a key control register to ensure continuous administrative accountability for the keys. He shall perform semiannual key and lock inventories. The custodian shall maintain any AA&E registers, issue/turn-in records, and inventories separate from administrative keys reports and for a minimum of one year.

4. Fencing. CAT III-IV A&E does not require fencing.

5. Lighting. The contractor shall provide exterior security lighting for all CAT III-IV arms storage buildings and interior lighting above doors to CAT III-IV arms rooms. The lighting shall be of sufficient intensity to allow detection of unauthorized activity. Switches shall be installed in such a manner that they are accessible only to authorized individuals. CAT III-IV A&E does not require exterior security lighting.

6. Access controls. The contractor shall ensure that vehicular and pedestrian entry into and exit from the production and storage areas is controlled.

Privately-owned vehicles shall not be parked within 100 feet of storage and production structures.

7. Intrusion Detection System. All CAT III-IV arms storage structures, arms rooms, or Class 5 containers storing arms need a UL-approved IDS to include point sensors on doors and other openings, and interior motion or vibration sensors. If IDS is absent or inoperable at the areas where required, the contractor shall provide constant surveillance. An approved IDS will have a UL certificate showing that Underwriters Laboratories, Inc. lists the system and installer, and that the IDS meets the following UL codes: UL-681, UL-827, UL-1076, and UL-2050. The contractor shall have a UL-approved installer install the IDS. Each separately alarmed area will have a UL certificate. The contractor shall maintain daily logs of all alarms received, and maintain these logs for a minimum of 90 days for review to identify and correct IDS reliability problems. The contractor shall test the IDS monthly and maintain the test records for one year. CAT III-IV A&E structures do not require IDS.

8. Security Force. Security patrols may consist of civilian security personnel, state or local police, or responsible contractor employees. Where a public law enforcement agency has agreed to perform this function, the contractor shall maintain a current letter of agreement to that effect from the agency. A patrol shall periodically check facilities and areas used to store AA&E at least once during each 24-hour period. The contractor shall ensure that the patrols record these checks. He shall review guard procedures at least annually and revise, if necessary, to provide greater application of security measures. The contractor shall establish liaison with local civil police agencies to conduct periodic surveillance and coordinate a security plan.



9. Response Force. The contractor may use any one of the following investigative responses: Central station security force, proprietary security force, subcontract security force, law enforcement officials, or properly trained, designated employees. The UL certificate will state who the responder is and what the response time will be.

a. Response time to an activated alarm signal should not exceed 15 minutes from the time the alarm first registers. The contractor shall make arrangements with the responding law enforcement agency to contact the contractor's representative who shall go immediately to the facility to ascertain the nature of the alarm and take appropriate measures to ensure the security of AA&E items.

b. Security forces dispatched by an alarm monitoring station to an alarm shall remain on the premises until the contractor's representative arrives, or for a period of not less than 1 hour, whichever comes first. If the contractor's representative fails to arrive within 1 hour, the alarm monitoring station shall report the incident to the contractor within 24 hours.

10. Additional Security Measures. During periods when the production line is unattended, the contractor shall remove sensitive AA&E to approved storage areas or protect the production line. If used as overnight or temporary storage, the production building must meet the storage criteria construction requirements cited in 1.a. The contractor shall review weapon system production lines before operations to identify potential risks or pilferable items that may require additional physical security measures to prevent theft. The contractor shall incorporate the identified vulnerabilities and implemented physical security measures into the contractor's written security procedures and make these available for government review.

11. Accountability. The contractor shall have an accountability system for both sensitive AA&E components and end items produced under a DOD contract, or furnished or released to a contractor by the DOD. The contractor shall provide the government with a written description of his accountability procedures. He shall review accountability records and conduct quarterly inventories for bulk storage. At facilities where weapons are tested, he shall conduct daily inventories of weapons drawn from storage for testing purposes.
12. Security Procedures. The contractor shall develop written security procedures designed to ensure security standards in keeping with this security SOW. The contractor shall keep these procedures available at his facility for review by government representatives.
13. Transportation. The contractor shall transport sensitive AA&E as prescribed in the contract.
14. Classified AA&E. The contractor shall have a Department of Defense facility security clearance at the appropriate level to manufacture, store, transport, or otherwise hold classified AA&E.
15. Security Surveys and Inspections. To ensure that a prospective contractor will satisfy physical security requirements of this security SOW, government security personnel (usually Defense Security Service (DSS)) will perform a preaward security survey. The DSS office will perform security inspections at recurring 18-month intervals during the period of the contract to ensure compliance with this security SOW.
16. Exceptions/Waivers. The contractor shall submit written requests for exceptions/waivers to the security requirements of this security SOW to the Government PCO, coordinating with DSS and AMSOS-SC (Provost Marshal Office). The PCO shall forward such requests to AMSOS-SC, who will either endorse the request up to Department of Army (DA) for decision, or request further information from the contractor. DA normally grants waivers for a period of 1 year and may extend only after review of the contractor's request for extension. They grant exceptions on a more permanent basis. Requests for exceptions/waivers shall include a statement as to why the contractor cannot meet requirements and outline compensatory measures proposed by the contractor to provide equivalent or better protection than the original standard. The request for waiver shall also provide details of an upgrade project design to correct waived deficiencies, as well as the expected date of project completion. The AMSOS-SC office will furnish copies of approved exceptions/waivers to the applicable DSS office.
17. Significant Incidents Pertaining to AA&E. The contractor shall report all losses and thefts of sensitive AA&E as soon as discovered to local law enforcement agencies. The contractor shall notify the following no later than 72 hours after initial discovery: BATF, FBI, AMSOS-CC, AMSOS-SC, and DSS. The contractor shall report all losses and thefts; any armed robbery or attempted armed robbery; forced entry or attempted forced entry with physical evidence of the attempt; evidence of terrorist involvement; or illegal trafficking in sensitive AA&E.

HAZARDOUS COMPONENT SAFETY DATA STATEMENT (HCSDS)		1. DATE PREPARED	REPORT CONTROL SYMBOL
2. MATERIAL / COMPONENT / ASSEMBLY Cartridge, 5.56mm, Ball, M855		99 Mar 03	MIL (AR) 1687
E. APPLICABLE FEDERAL ACQUISITION REGULATION (FAR) SAFETY CLAUSE 28.7102		3. NUMBER 1728	4. REVISION K
PART I - SENSITIVITY (Apparatus and Comparison Values)			
6. FRICTION TEST NA	7. IMPACT TEST NA	8. ELECTROSTATIC DISCHARGE TEST NA	
PART II - HAZARDS			
9. FIRE Low	10. AUTO IGNITION TEMP NA	11. FLASH POINT NA	12. DECOMPOSITION PRODUCTS Toxic, Avoid Inhalation and Ingestion
13. FLAMMABLE AND/OR EXPLOSIVE LIMITS		14. EXPLOSION Low	15. EXPLOSIVE TEMP. (5sec) NA
a. LOWER PERCENT NA	b. UPPER PERCENT NA	16. DUSTS NA	
17. HEALTH HAZARD INFORMATION (Toxicity) Not Toxic		18. UNPACKED (in-Package) HAZARD CLASS (Specify Quantities Involved) Class I:4	
19. SPECIAL REQUIREMENTS (If additional space is needed, use plain bond paper) Ref-Dwg: 9342868 and Spec: MIL-C-63989 Approved Packaging Drawings (See Attached Sheet)			
PART III - SHIPPING / STORAGE CLASSIFICATION OF ITEM WHEN PACKED IN ACCORDANCE WITH APPROVED PACKING DRAWINGS			
20. DOD HAZARD CLASSON 1.4	21. DOD STORAGE COMPATIBILITY GROUP S	22. DOT HAZARD CLASSIFICATION 1.4S	23. DOT CONTAINER MARKING See attached sheet
24. PREPARED BY (Initials)			
a. TYPED OR PRINTED NAME R. W. BATSON	b. SIGNATURE 	c. ORGANIZATION Safety Office, ARDEC	
25. CONFERRED BY			
a. TYPED OR PRINTED NAME C. L. NGUYEN	b. SIGNATURE 	c. ORGANIZATION Safety Office, ARDEC	
26. SAFETY CHIEF OR AUTHORIZED REPRESENTATIVE			
a. TYPED OR PRINTED NAME C. R. PETERS, P.E.	b. SIGNATURE 	c. ORGANIZATION Safety Office, ARDEC	
The information relating to safety (herein referred to as "safety data") contained in this document is limited to those instances when the document is provided as a part of a procurement/production package which involves the development, testing, storage, manufacture, modification, renovation, demilitarization, packaging, transportation, handling, disposal, inspection, repair or any other use of the item, (material/component/assembly) which is specified in the contract. The safety data contained herein are examples which shall be used by the contractor to alert contractor personnel as well as other personnel of hazards associated with the		procurement/production of the item. No representation is made that compliance with the information provided will prevent any accidents to persons or property or that additional warnings may not be appropriate. Neither the foregoing nor any act or failure to act by the Government in regard to meeting personnel to the hazards of the item shall affect or relieve the contractor of responsibility for the safety of contractor personnel or property and for the safety of the general public in connection with the performance of the contract, or impose or add to any liability of the Government for such safety.	

Attachment 006

1728
K
03 Mar 99

Cartridge, 5.56mm, Ball, M855

Spec: MIL-C-63989

HCSDS: 1728

Dwg: 9342868, Rev-F

Primer, Percussion, M41

Spec: MIL-P-46610

HCSDS: 10032

Dwg: 10534279

Propellant, WC-844

Spec: MIL-P-3984

HCSDS: 340

Dwg: 10542743

"or"

Propellant, WCR-845

Spec: MIL-P-3984

HCSDS: 2504

Dwg: 12953490

Bullet, Ball, 5.56mm

Dwg: 9342869 Rev-E

9392531 Rev-

SPECIAL REQUIREMENTS: (CON'T)

In accordance with applicable parts of 49CFR for proper description, packaging, marking and classification, the following Hazard Classification is assigned to the subject item:

DOD Hazard Class/Div/SCG: 1.4S
DOT Hazard Class: 1.4S
(Section 173, Subpart C, Section 173.52)
DOT Label: Explosive 1.4
(Section 172, Subpart E (172.411 (c) & (d))
DOT Proper Shipping Name (PSN): Cartridges, Small Arms
(Section 172, Subpart B and Section 172.101)
UN Serial Number/PSN: 0012
DOT Container Marking: Cartridges, Small Arms
UN: 0012
NSN: (as applicable)
DOT Authorization: (as applicable)
(Section 172, Subpart D, Section 172.301(a) and
172.320(a))
Packaging Method: US005
Explosive Weight for QD Determination: lbs (kgs): 0.00379
(.00172)

2. Approved Packaging Drawings:

800 Cartridges - M27 Linked: 9354587, 9354586, 9354585,
9354584, 9354583

(NSN: 1305-01-156-7584 DODIC: A064 UN Ident: 0012)
DOT Authorization; Ref: 8501077A

1680 Cartridges - 10 Rd Clips: 9354626, 12551963-4, 11735708

(NSN: 1305-01-155-5459 DODIC: A059 UN Ident: 0012)
DOT Authorization; Ref: Ex-8501076C

1600 Cartridges - M27 Linked: 9357709, 9357711, 9357710

(NSN: 1305-01-155-5461 DODIC: A062 UN Ident: 0012)
DOT Authorization; Ref: Ex-8501076D

1680 Cartridges: 9357712, 9357715, 9357714, 9357713,
10534433

(NSN: 1305-01-155-5458 DODIC: A058 UN Ident: 0012)
DOT Authorization; Ref: Ex-8501076B

SPECIAL REQUIREMENTS: (CONT'D)

1680 Cartridges - 10 Rd Clips: 9357724, 9357715, 9357714,
9357713, 11010483

(NSN: 1305-01-155-5462 DODIC: A059 UN Ident: 0012)
DOT Authorization; Ref: Ex-8501076E

1640 Cartridges: 9357726, 9345240, 9345239, 10534433

(NSN: 1305-01-155-5455 DODIC: A058 UN Ident: 0012)
DOT Authorization; Ref: Ex-8501076

800 Cartridges - M27 Linked: 9378320, 9378319, 9378318,
9378317, 9378316

(NSN: 13305-01-174-9277 DODIC: A062 UN Ident: 0012)
DOT Authorization; Ref: Ex-8501076F

1600 Cartridges - M27 Linked: 12597656, 12590217, 12590219,
9354584, 9354583

(NSN: 1305-01-252-0153 DODIC: A064 UN Ident: 0012)
DOT Authorization; Ref: Ex-8712753

200 Cartridges - M27 Linked: 9357709, 9357711, 9357710

(NSN: 1305-01-155-5461)
DOT Authorization; Ref: Ex-8501076D

1600 Cartridges - M27 Linked - M248 Mag: 12590315, 12590217,
12590219, 9378317

(NSN: 1305-01-258-8692)
DOT Authorization; Ref: Ex-9211175

ACCOUNTABILITY INSTRUCTIONS

PRON M101S080M1, Barrel Carbine Heavy

1. Transfer of Accountability. Government furnished material (GFM) for consumption/incorporation: Accountability for this material is transferred to the Contractor under provisions of the FAR. The Contractor shall maintain the official property records in accordance with Part 45. Cited data item descriptions provide transaction reporting necessary for accurate physical and fiscal accounting for material in the possession of defense contractors.

2. Point of contact for accountability.

Associate Deputy, Commodity
Business Operations/
Rock Island Site Manager
ATTN: AMSTA-LC-CIAI
Rock Island, IL 61299-7630
Commercial Phone: (309) 782-5291

3. All Data/Reports to be submitted electronically utilizing E-Mail with attachments of MSWORD, MICROSOFT EXCEL, or Flat Text file software packages. If unable to E-Mail, reports to be submitted on 3 ½ 1.44M floppy disks.

4. Material Receipt by Contractor.

a. Discrepancy Reporting: Discrepancies shall be distinguished and reported as one of the following:

(1) Transportation type discrepancy: This discrepancy is evident when material received disagrees with the condition, quantity, or type from that property described on the bill of lading or other transportation document. See DI-MGMT-80544A.

(2) Shipping type discrepancy: This discrepancy is evident when freight is opened and the contents do not agree with the supply shipping documents. See DI-MGMT-80503, Report of Shipping (Item) and Packaging Discrepancy.

(3) Transactions may also be transceived by AUTODIN utilizing address routing indicator code RUQADUE with content indicator code AHAE.

(4) Submit a Supply Discrepancy Report (SDR) by any of the following means:

Attachment 007

Mail. Address to: U.S.Army Tank-Automotive Command,
ATTN: AMSTA-LC-CIAC, Rock Island, Il 61299-7630.

Email, Address to: rods@ria.army.mil

Fax. Send to: Area Code 309-782-2640 or DSN 793-
2640

Internet, Submit via the Army Electronic Product
Support (AEPS) system. To obtain a user ID and
Password, to access website aeps.ria.army.mil. Once
you obtain your user ID/Password, select Supply
Discrepancy Reports from the AEPS menu.

5. MILSTRIP Requisitioning.

a. MILSTRIP requisition authority is granted for items
identified by NSN and quantities (not to be exceeded) in this
contract. MILSTRIP requisitions will be submitted in accordance
with DD Form 1423, DI-MGMT-80408B.

b. Requisitions submitted under this contract shall contain
the following data:

- (1) Document Identifier Code Modifier (CC 3): A
- (2) Routing Identifier Code (CC 4-6): A84
- (3) Media and Status Code (CC 7): S
- (4) Supplementary Address (CC 45-50): Blank
- (5) Signal Code (CC 51): TBD
- (6) Fund Code (CC 52-53): TBD
- (7) Distribution Code (CC 54): S
- (8) Project Code (CC 57-59):
- (9) Priority (CC 60-61): Blank
03 Work Stoppage
06 Anticipated Work Stoppage
13 Routine
- (10) Advice (CC 65-66): 2J

6. Consumption of GFM. Consumption of GFM shall be reported in accordance with DD Form 1423. See DI-MGMT-80438B.

7. Excess GFM.

a. Inventory: In accordance with the FAR, subpart 45.508-1, immediately upon termination or completion of a contract, the Contractor shall perform and cause each subcontractor to perform a physical inventory, adequate for disposal purposes, of all GFM applicable to the contract.

b. Reporting: In accordance with the FAR, subpart 45.608, the Plant Clearance Office will determine the categories of screening required and initiate screening action.

c. Purchase or Retention: The FAR, subpart 45.604 and applicable Government restrictions apply.

DOCUMENT SUMMARY LIST

Item: BARREL, RIFLE
 NSN: 1005-01-471-5456
 Control Number/PRON: M121S271

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
<hr/>		
2. ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems-Requirements	13 Dec 00
<hr/>		
3a. NCSL Z540-1	General Requirements for	30 Aug 94

(ES7010)	Calibration Laboratories and Measuring and Test Equipment OR	
ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1
4. FAR PART 45 ACTBY INST, para 1,9	Federal Acquisition Regulation	April 1984 Cat 2
5a. N/A ACTBY INST, para 4a(1)	Statement of Work	N/A Cat 2
5b. DI-MGMT-80544A (DD Form 1423)	Transportation Discrepancy Report	08 Nov 1990 Cat 1
6a. N/A ACTBY INST, para 4a(2)	Statement of Work	N/A Cat 2
6b. DI-MGMT-80503 (DD Form 1423)	Report of Shipping (Item) and Packaging Discrepancy	30 Dec 1987 Cat 1
7a. N/A ACTBY INST, para 5	Statement of Work	N/A Cat 2
7b. DI-MGMT-80408B (DD Form 1423)	Request for Government Furnished Materiel	15 May 1998 Cat 1
8a. N/A ACTBY INST, para 6	Statement of Work	N/A Cat 2
8b. DI-MGMT-80438B (DD Form 1423)	Government Furnished Materiel (GFM) Consumption Report	15 May 1998 Cat 1

DOCUMENT SUMMARY LIST

Item: RECEIVER, CARTRIDGE
NSN: 1005-01-382-6795
Control Number/PRON: M121S293

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems-Requirements	13 Dec 00

3a. NCSL Z540-1

General Requirements for

30 Aug 94

(ES7010)

Calibration Laboratories and
Measuring and Test Equipment

ISO 10012-1
(ES7010)

OR
Quality Assurance Requirements
for Measuring Equipment, Part 1:
Metrological Confirmation System

1992

3b. DI-QCIC-81006
(DD Form 1423)

Special Inspection Equipment
Descriptive Documentation

11 Sep 89
Cat 1
