

SPECIAL PACKAGING INSTRUCTION (Continued)

NATIONAL STOCK NUMBER: 4240-00-207-6856
 SR NUMBER (PM): PL-19-1783

(D) - Packing shall be Level A or B.
 (E) - Unit pack container shall show no sign of leakage, as evidenced by a continuous stream of bubbles which appear at any surface when tested in accordance with MIL-H-51191.
 (F) - Heat seal seams. The heat seal seam of the unit pack container shall show no sign of separation when tested in accordance with MIL-H-51191.
 (G) - The preproduction (first article) and quality conformance inspection and testing requirements for level A unit packing shall be in accordance with MIL-H-51191; packing inspection shall be in accordance with para 5.9 of MIL-STD-2073-1A.

APPROXIMATE HOLE LOCATION FOR BASE

SCALE: NONE
 DRAWING FOR REFERENCE ONLY

PAGE NUMBER (out of total): 2
 PREPARED BY: Heater, AF, Electric Filter Unit, M3
 APPROVED FOR: 1 AUG 64

SPECIAL PACKAGING INSTRUCTION (AMCOM Supp 1 to AR 700-15)

NATIONAL STOCK NUMBER: 4240-00-207-6856
 SR NUMBER (PM): PL-19-1783

APPLICABLE FOR INTERPLANT SHIPMENT (A)
 HEATER, AF, Electric Filter Unit, M3

LEVEL A UNIT PACK REQUIREMENTS (MIL-STD-2073-1A)	CLASS	STYLE	TYPE	GRADE	CLASS	SIZE AND REMARKS (MIL-STD-2073-1A)
(1) 1/4" x 1/4" x 1/4"	WR	RSC	1	W66	WR	7/16 x 4 7/8 x 1/4
(2) 1/4" x 1/4" x 1/4"	WR	RSC-L	1	W66	WR	7/16 x 4 7/8 x 1/4
(3) 1/4" x 1/4" x 1/4"	WR	RSC	1	W66	WR	7/16 x 4 7/8 x 1/4
(4) 1/4" x 1/4" x 1/4"	WR	RSC	1	W66	WR	7/16 x 4 7/8 x 1/4
(5) 1/4" x 1/4" x 1/4"	WR	RSC	1	W66	WR	7/16 x 4 7/8 x 1/4
(6) 1/4" x 1/4" x 1/4"	WR	RSC	1	W66	WR	7/16 x 4 7/8 x 1/4
(7) 1/4" x 1/4" x 1/4"	WR	RSC	1	W66	WR	7/16 x 4 7/8 x 1/4
(8) 1/4" x 1/4" x 1/4"	WR	RSC	1	W66	WR	7/16 x 4 7/8 x 1/4

LEVEL B (OPTIONAL)
 LEVEL C (OPTIONAL)
 COMMERCIAL PACKAGING

UNIT PACK LOGISTICS DATA (Weights and Sizes Approximate)

UNIT PACK WEIGHT (lb)	UNIT PACK SIZE (LxWxH) (in)
6.30	7.3 x 5.1 x 6.5

Intermediate packaging and packing shall be in accordance with specification MIL-STD-2073-1 or as otherwise specified herein. (D)
 Marking shall be in accordance with MIL-STD-139
 Specifications, standards, and drawings listed herein of the same or other MIL-STD-2073-1 form part of this data sheet. The applicable drawing shall be the minimum size (AW MIL-STD-2073-1).
 Tolerances shall be in accordance with standard specifications. Quality performance and testing requirements shall be in accordance with MIL-STD-2073-1 or as specified herein. (E), (F), (G)

REMARKS/ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.

(A) - Interplant shipment. Packaging and marking for interplant shipment may only be used as indicated in MIL-H-51191.
 (B) - Base shall have two 17/64 inch diameter holes counterbored for flathead screws and located approximately as shown in sketch on page 2. Heater shall be attached to the base using two each 1/4 x 7/8, or 1/4 x 1 inch slotted flathead machine screws, lock washers and nuts, so that the heater is centered on the base within ± 1/8 inch.
 (C) - Liner shall be fabricated in accordance with PPP-B-636, Appendix. The liner shall be used to hold the plywood base in place. Liner shall be made like a tube with no end flaps.

Prepared by: NJ Metzger

ITEM DATA (AR 700-15)	AMCOM 81361	DATE
ITEM CODE - 318, 349, 378	SMCOP-SPT-P	34 Mar 89
ITEM SIZE - 7 1/4 x 3 x 6 inches	105	9 May 88
ITEM WEIGHT - 2.50 lbs	1	29 Aug 86

APPROVAL: 1 AUG 64

ATTACH 001

SECTION C

DISTRIBUTION STATEMENT A

Page 1 of 2

START NO: C29CAAXX

AMC/AMSC: 1G

TDP: 5-19-1782

TDPL DATE: 22 Feb 99

NSN: 4240-00-807-6856

NOMENCLATURE: Heater, M3

Unless otherwise specified herein or annotated as for reference only thereon, all documents cited on TDPL 5-19-1782 dated 22 Feb 99 are mandatory for use in the manufacture of the item(s) on this procurement. The following specific exceptions also apply:

Scope of Work; The contractor shall provide heaters that meet the requirements of spec MIL-PRF-51191E and interface control drawing 5-19-1782, rev R. Any other technical data is provided for information purposes only.

- A. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the issue of the DODISS which is current on date of contract solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which is current on date of contract solicitation.
- B. The TDP for this procurement has been screened (tiered) to identify where possible, Non-Government (commercial) Specifications and/or Standards (NSG), Commercial Item Descriptions (CID) as alternatives in lieu of cited Military Specifications and Standards, Federal Specifications and Standards and/or Purchase Descriptions. This screening has identified NGSs and/or CIDs that may be used in lieu of the cited Federal Specifications and Standards, Military Specifications and Standards, and Purchase Descriptions as indicated below:

CITED
MILITARY OR FEDERAL
SPECIFICATION/STANDARD
OR PURCHASE DESCRIPTION

SUBSTITUTE
COMMERCIAL
SPECIFICATION/STANDARD
OR CID

N/A

N/A

ATTACH 005

C. OZONE DEPLETING CHEMICALS: See Statement of Work - Ozone Depleting Chemicals

STATEMENT OF WORK - OZONE DEPLETING CHEMICALS

1a. The following specifications and standards may be listed and included as part of this Technical Data Package (TDP)/Scope of Work (SOW):

N/A

b. Other specifications and standards, which identify ODCs among alternative substances for use, are part of this TDP/SOW as follows:

N/A

c. The above specifications and standards allow optional use of Ozone Depleting Substances (ODS) or Ozone Depleting Chemicals (ODC). Preference should be given to the Non-ODS/ODC choices in compliance with Executive Order 12843, dated April 21, 1993, Procurement Requirements and Policies for Federal Agencies for Ozone Depleting Substances.

NOTICE: All shipments, except for interplant shipments, shall be packaged equivalent to the requirements of SPI P5-19-1782 as delineated in Section D of the contract.

02/26/99

ENGINEERING DATA MANAGEMENT SYSTEM

TECHNICAL DATA PACKAGE LIST

REQUEST/PRON ID: 9900210
DOCUMENT NUMBER: 5-19-1782
DOCUMENT CAGE: 81361
SPECIFICATION: MIL-PRF-51191
NOMENCLATURE: HEATER, AIR, ELECTRIC, FILTER UNIT, M3

PREFIX	DWG	DRAWING/DOCUMENT	-SHEET-	REV	DOCUMENT		DIST		
CAGE	CODE	SIZE	NUMBER	NO	OF	SYM	DATE	NOTE	STMT

PRODUCT DRAWINGS AND ASSOCIATED LISTS

19200	DP	A	12910415	001	001	-	01-JAN-01	GUARD ASSEMBLY (IN MIL-PRF-51191)	
81361	DP	E	5-19-1782	001	001	R	07-JUL-97	HEATER, AIR, ELECTRIC, FILTER UNIT, M3	A
96906	DU	A	MS27142	001		-	01-JAN-01	CONNECTOR, PLUG, ELECTRICAL	*
96906	DU	A	MS27144	001		-	01-JAN-01	CONNECTOR, PLUG, ELECTRICAL	*

ATTACH 003

PREFIX DWG DRAWING/DOCUMENT -SHEET- REV DOCUMENT
CAGE CODE SZE NUMBER NO OF SYM DATE

DOCUMENT NOMENCLATURE

DIST
NOTE STMT

PACKAGING DRAWINGS AND DOCUMENTS

PREFIX DWG DRAWING/DOCUMENT -SHEET- REV DOCUMENT
PAGE CODE SIZE NUMBER NO OF SYM DATE

DOCUMENT NOMENCLATURE

DIST
NOTE STMT

INSPECTION DRAWINGS AND DOCUMENTS

DRAWING NUMBER	AND CHG SUPPL QPL NO. NO. NO.	REV DOCUMENT SYM DATE	DOCUMENT NOMENCLATURE	DIST NOTE STMT
----------------	----------------------------------	--------------------------	-----------------------	-------------------

SPECIFICATIONS AND STANDARDS

MIL-PRF-51191	N	E 12-JUN-97	HEATER,AIR,ELECTRIC,FILTER UNIT,M3	
FED-STD-595	N	- 01-JAN-01	COLORS USED IN GOVERNMENT PROCUREMENT	REF *
DOD-D-1000	N	- 01-JAN-01	DRAWINGS, ENGINEERING AND ASSOCIATED LISTS	*
MIL-C-22750	Y	- 01-JAN-01	COATING, EPOXY-POLYAMIDE	REF # *
MIL-C-5501-5	N	- 01-JAN-01	CAP & PLUG,PROTECTIVE,DUST & MOISTURE SEAL	REF *
MIL-P-23377	Y	- 01-JAN-01	PRIMER COATING,EPOXY POLYAMIDE,CHEMICAL + SOLVENT RES	REF # *
MIL-STD-461	N	- 01-JAN-01	ELECTROMAGNETIC EMISSION & SUSCEPTIBILITY REQUIREMENTS	*
MIL-STD-462	N	- 01-JAN-01	ELECTROMAGNETIC INTRF CHARACTERISTICS,MEASUREMENT OF	*
AMCA-210	N	- 01-JAN-01	LABORATORY METHODS OF TESTING FANS FOR RATING PURPOSES	**
ASME-B1.1	N	- 01-JAN-01	UNIFIED INCH SCREW THREADS	**
ASME-B1.2	N	- 01-JAN-01	GAGES AND GAGING FOR UNIFIED INCH SCREW THREADS	**
ASME-B1.3H	N	- 01-JAN-01	SCREW THREAD GAGING SYSTEMS FOR DIMEN ACCEPTABILITY	**
UL-499	N	- 01-JAN-01	ELECTRIC HEATING APPLIANCES-UNDERWRITERS LABORATORIES	**

DOCUMENT NUMBER	CAGE	ECP/RFD/RFW NUMBER	NOR ID	DOCUMENT DATE	CONFIGURATION ITEM NOMENCLATURE
-----------------	------	-----------------------	-----------	------------------	------------------------------------

OUTSTANDING ENGINEERING CHANGES

TDPL LEGEND

DESCRIPTION OF SYMBOLS IN THE NOTE COLUMN

G = GO TO PREFIX CODE

IF THE PREFIX CODE IS DE, DRAWING IS PROVIDED FOR INFORMATION ONLY. CONTRACTOR IS RESPONSIBLE FOR DEVELOPING AND PROVIDING HIS OWN INSPECTION AND TEST EQUIPMENT.

ALL OTHER PREFIX CODES, EQUIPMENT TO BE FURNISHED AS GFE/GFM.
DRAWING/DOCUMENT SUPPLIED ONLY FOR SPECIFIC PART OR ASSEMBLY DRAWING.

REF = REFERENCE DRAWING/DOCUMENT

* = IF LISTED AS A SPECIFICATION IN THE HEADER OF THE TDPL, IGNORE THE * IN THE NOTE COLUMN, DOCUMENT IS SUPPLIED OTHERWISE, DOCUMENT NOT FURNISHED - TO BE OBTAINED FROM:

STANDARDIZATION DOCUMENT ORDER DESK
700 ROBBINS AVENUE
BUILDING 4, SECTION D
PHILADELPHIA, PA. 19111-5094

IF NOT AVAILABLE, IMMEDIATELY ADVISE THE PROCURING CONTRACTING OFFICER.

** = NOT FURNISHED. COMMERCIAL SPECIFICATIONS AND STANDARDS MAY BE OBTAINED FROM THE PUBLISHERS. THEY ARE NOT AVAILABLE FROM GOVERNMENT SOURCES.

= Specifications and standards containing OZONE depleting substances (ODSs) and/or CHLOROFLUOROCARBONS (CFCs). Additional information on these substances is available from the contracting officer (This is in accordance with P.L. 102-484).

OTHER SPECIAL NOTATIONS

A LETTER 'Y' UNDER THE QPL COLUMN OF THE SPECIFICATIONS AND STANDARDS SECTION INDICATES THAT A QUALIFIED PRODUCTS LIST (QPL) IS REQUIRED. THE NUMBER OF THE QPL IS THE SAME AS THE SPECIFICATION NUMBER

A 'DX' UNDER THE PREFIX CODE COLUMN OF THE PRODUCT DRAWINGS AND ASSOCIATED LISTS SECTION INDICATES THE DOCUMENT IS A SOURCE CONTROL DRAWING.

* END OF TDPL *

DOCUMENT SUMMARY LIST

Item: HEATER,M3
NSN: 4240-00-807-6856
Control Number/PRON: C29CAAXX

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."
- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94

3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1

The following export control warning notice is to be furnished with any DD Form 1692, DD Form 1693, DD Form 1694, and DD Form 1695 which is marked "WARNING: EXPORT CONTROLLED", as required by DoD Directive 5230.25.

WARNING: THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C. SEC 2751 et seq.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP 2401 et seq. VIOLATION OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. DISSEMINATE IN ACCORDANCE WITH THE PROVISIONS OF DoD DIRECTIVE 5230.25.

NOTICE TO ACCOMPANY THE DISSEMINATION OF EXPORT-CONTROLLED TECHNICAL DATA

1. Export of information contained herein, which includes, in some circumstances, release to foreign nationals within the United States, without first obtaining approval or license from the Department of State for items controlled by the International Traffic in Arms Regulation (ITAR), or the Department of Commerce for items controlled by the Export Administration Regulations (EAR), may constitute a violation of law.
2. Under 22 U.S.C. 2778 the penalty for unlawful export of items or information controlled under the ITAR is up to 2 years imprisonment, or a fine of \$100,000, or both. Under 50 U.S.C., Appendix 2401, the penalty for unlawful export of items or information controlled under the EAR is a fine of up to \$1,000,000, or five times the value of the exports, whichever is greater; or for an individual, imprisonment of up to 10 years, or a fine of up to \$250,000, or both.
3. In accordance with your certification that establishes you as a "certified US contractor," unauthorized dissemination of this information is prohibited and may result in disqualification as a certified US contractor, and may be considered in determining your eligibility for future contracts with the Department of Defense.
4. The US Government assumes no liability for direct patent infringement, or contributory patent infringement or misuse of technical data.
5. The US Government does not warrant the adequacy, accuracy, currency, or completeness of the technical data.
6. The US Government assumes no liability for loss, damage, or injury resulting from manufacture or use for any purpose of any product, article, system, or material involving reliance upon any or all technical data furnished in response to the request for technical data.
7. If the technical data furnished by the Government will be used for commercial manufacturing or other profit potential, a license for such use may be necessary. Any payments made in support of the request for data do not include or involve any license rights.
8. A copy of this notice shall be provided with any partial or complete reproduction of these data that are provided to qualified US contractors.

Enclosure 7

ATTACH 007

LIST OF ADDRESSES

(see block 14 of DD form 1423 for symbols that apply)

Commander
U.S. Army Industrial Operations Command
ATTN: AMSIO-_____
Rock Island, IL 61299-6000

Director
U.S. Army Armament Research, Development and Engineering Center
ATTN: AMSTA-AR-QAW-A
Rock Island, 61299-7300

Director
Armament and Chemical Acquisition, and Logistics Activity
ATTN: AMSTA-AC-PCH_____
Rock Island, IL 61299-7630

Commander
Soldier and Biological Chemical Command
ATTN: AMSSC-HB-CPT (RI)
Rock Island, IL 61299

Commander
Soldier and Biological Chemical Command
ATTN: AMCPM_____
Aberdeen Proving Ground, MD 21010-5423

Commander
Soldier and Biological Chemical Command
ATTN: SCBRD-ENP-A_____
Aberdeen Proving Ground, MD 21010-5423

Commander
U.S. Army Armament Research, Development and Engineering Center
ATTN: AMSTA_____
Building 19
Picatinny Arsenal, NJ 07806-5000

ADDRESS CODE DISTRIBUTION - for ECPs/RFDs/RFWs/VECPs
(Configuration Management)

1. Concurrent distribution of Engineering Change Proposals (ECPs), Request for Deviations (RFDs), Request for Waivers (RFWs) or Value Engineering Change Proposals (VECPs) shall be submitted by the Contractors as follows:

2. The contractor shall provide the original plus 1 copy to:

Commander, Soldier and Biological Chemical Command
ATTN: AMSSC-HB-CPT (RI)
Rock Island, IL 61299

3. Provide one copy to:

a. (Design agency)
Commander, Soldier and Biological Chemical Command
ATTN: SCBRD-ENP-A
Building E3549
Aberdeen Proving Ground, MD 21010-5423.

b (Contracting Officer)
Director, Armament and Chemical Acquisition, and Logistics Activity
ATTN: AMSTA-AC-PCH
Rock Island, IL 61299

c. Administrative contracting officer

5. For **VECPs only**, provide one copy to each Value Engineering Office:

a. Commander, Soldier and Biological Chemical Command
ATTN: SCBRD-ENL-P
Aberdeen Proving Ground, MD 21010-5423.

b. Cdr, Soldier and Biological Chemical Command
ATTN: ANSSC-HB (RI)
Rock Island, IL 61299.

6. When ECPs, RFDs or RFWs are determined to be Urgent, Critical and/or Schedule impacting, an action copy should be provided via data facsimile (FAX) to SCBRD-ENP-A (EW) at 410-436-3323 and to AMSSC-HB (RI) at 309-782-3126.

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: HEATER, M3
 TO CONTRACT/PR: C29CAAXX

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT		
	250 CODE REQUIRED		
10. FREQUENCY	11. AS OF DATE	15. TOTAL:	
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION		
16. REMARKS			

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3. *		ATTACHED	/ /
4. DI-CMAN-80639B			
5. MIL-STD-973			
6. AMSSC-HB-ADM(RI)	7. LT 8. - 9.**		
10. ASREQ	11. ---	15. TOTAL	0 / 0 / 0
12. ASREQ	13.		

16. REMARKS
 ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED	/ /
4. DI-CMAN-80640B			
5. MIL-STD-973			
6. AMSSC-HB-ADM(RI)	7. LT 8. - 9.**		
10. ASREQ	11. ---	15. TOTAL	0 / 0 / 0
12. ASREQ	13.		

16. REMARKS
 **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A003		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR WAIVER (RFW)		DISTRIBUTION	/ /
3.		ATTACHED	/ /
4. DI-CMAN-80641B			
5. MIL-STD-973			
6. AMSSC-HB-ADM(RI)	7. LT 8. - 9.**		

Illustrations/Photos

DesignCAD 2D or AutoCAD formats
Windows Metafile, Bitmax, JPEG
(i.e. WMF, BMP, JPG, GIF)

Files may be compressed using ZIP program.

WARNING: Large packages may cause delays in delivery using mail internet.

Email subject line must contain end item nomenclature.

email: holdenr@ria.army.mil

Postal: US ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)

ATTN: AMSSC-HB-ADM(RI), CDE QA CELL, BLDG. 62, ROCK ISLAND, IL 61299-7390



APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 03/22/1999