

SECTION C

DISTRIBUTION STATEMENT A

Page 1 of 2

START NO: C19CACXX

AMC/AMSC: 1G

TDP: 5-4-1002

TDPL DATE: 16 June 97

NSN: 4240-00-368-6361

NOMENCLATURE: Carrier, Hospital Headpiece, M12

Unless otherwise specified herein or annotated as for reference only thereon, all documents cited on TDPL 5-19-1827 dated 16 June 97 are mandatory for use in the manufacture of the item(s) on this procurement. The following specific exceptions also apply:

1. TDPL- Delete UU-P-553 and substitute A-A-1249
Delete MIL-P-116 and substitute MIL-STD-2073-1
Delete L-P-509 and substitute ASTM-D709

2. *Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the issue of the DODISS which is current on date of contract solicitation.*
Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which is current on date of contract solicitation.

3. The TDP for this procurement has been screened (tiered) to identify where possible, Non-Government (commercial) Specifications and/or Standards (NSG), Commercial Item Descriptions (CID) as alternatives in lieu of cited Military Specifications and Standards, Federal Specifications and Standards and/or Purchase Descriptions. This screening has identified NGSs and/or CIDs that may be used in lieu of the cited Federal Specifications and Standards, Military Specifications and Standards, and Purchase Descriptions as indicated below:

CITED
MILITARY OR FEDERAL
SPECIFICATION/STANDARD
OR PURCHASE DESCRIPTION

SUBSTITUTE
COMMERCIAL
SPECIFICATION/STANDARD
OR CID

N/A

N/A

OZONE DEPLETING CHEMICALS: See Statement of Work - Ozone Depleting Chemicals

STATEMENT OF WORK - OZONE DEPLETING CHEMICALS

1a. The following specifications and standards may be listed and included as part of this Technical Data Package (TDP)/Scope of Work (SOW):

MIL-P-116 MIL-STD-2073-1

b. Other specifications and standards, which identify ODCs among alternative substances for use, are part of this TDP/SOW as follows:

c. The above specifications and standards allow optional use of Ozone Depleting Substances (ODS) or Ozone Depleting Chemicals (ODC). Preference should be given to the Non-ODS/ODC choices in compliance with Executive Order 12843, dated April 21, 1993, AProcurement Requirements and Policies for Federal Agencies for Ozone Depleting Substances.

NAME (POC): Richard E. Franing OFFICE: AMSSC-HB-CPT (RI) PHONE: 28042

RESUBMITTAL: No RATIONALE: N/A

MYLARS REQUIRED: No GFM/GFE: No DATE: 26 Feb 99

DOCUMENT SUMMARY LIST

Item: CARRIER, HOSPITAL PROTECTIVE
NSN: 4240-00-368-6361
Control Number/PRON: C19CACXX

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."
- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".
- (6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
 Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
1c. DI-CMAN-80640B (seq A001)	Request for Deviation	13 Jan 95 Cat 2
1d. DI-CMAN-80641B (seq A002)	Request for Waiver	13 Jan 95 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94

**ADDRESS CODE DISTRIBUTION - for ECPs/RFDs/RFWs/VECPs
(Configuration Management)**

1. Concurrent distribution of Engineering Change Proposals (ECPs), Request for Deviations (RFDs), Request for Waivers (RFWs) or Value Engineering Change Proposals (VECPs) shall be submitted by the Contractors as follows:

2. The contractor shall provide the **original** plus 1 copy to:

Commander, Soldier and Biological Chemical Command
ATTN: AMSSC-HB-CPT (RI)
Rock Island, IL 61299

3. Provide one copy to:

a. (Design agency)

Commander, Soldier and Biological Chemical Command
ATTN: SCBRD-ENP-A
Building E3549
Aberdeen Proving Ground, MD 21010-5423.

b (Contracting Officer)

Director, Armament and Chemical Acquisition, and Logistics Activity
ATTN: AMSTA-AC-PCH
Rock Island, IL 61299

c. Administrative contracting officer

5. For **VECPs only**, provide one copy to each Value Engineering Office:

a. Commander, Soldier and Biological Chemical Command

ATTN: SCBRD-ENL-P
Aberdeen Proving Ground, MD 21010-5423.

b. Cdr, Soldier and Biological Chemical Command

ATTN: ANSSC-HB (RI)
Rock Island, IL 61299.

6. When ECPs, RFDs or RFWs are determined to be Urgent, Critical and/or Schedule impacting, an action copy should be provided via data facsimile (FAX) to SCBRD-ENP-A (EW) at 410-436-3323 and to AMSSC-HB (RI) at 309-782-3126. This transmission is to be immediately followed with the usual hard copy mailing.

LIST OF ADDRESSES

(see block 14 of DD form 1423 for symbols that apply)

Commander
U.S. Army Industrial Operations Command
ATTN: AMSIO-_____
Rock Island, IL 61299-6000

Director
U.S. Army Armament Research, Development and Engineering Center
ATTN: AMSTA-AR-QAW-A
Rock Island, 61299-7300

Director
Armament and Chemical Acquisition, and Logistics Activity
ATTN: AMSTA-AC-PCH_____
Rock Island, IL 61299-7630

Commander
Soldier and Biological Chemical Command
ATTN: AMSSC-HB-CPT (RI)
Rock Island, IL 61299

Commander
Soldier and Biological Chemical Command
ATTN: AMCPM_____
Aberdeen Proving Ground, MD 21010-5423

Commander
Soldier and Biological Chemical Command
ATTN: SCBRD-ENP-A_____
Aberdeen Proving Ground, MD 21010-5423

Commander
U.S. Army Armament Research, Development and Engineering Center
ATTN: AMSTA_____
Building 19
Picatinny Arsenal, NJ 07806-5000

CONTRACT DATA REQUIREMENTS LIST
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CARRIER, HOSPITAL PROTECTIVE
TO CONTRACT/PR: C19CACXK

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRAFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3.		ATTACHED	/ /
4. DI-CMAN-80639B			
5. MIL-STD-973			
6. AMSSC-HB-ADM(RI)	7. LT	8. -	9.**
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13.	

16. REMARKS
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED	/ /
4. DI-CMAN-80640B			
5. MIL-STD-973			
6. AMSSC-HB-ADM(RI)	7. LT	8. -	9.**
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13.	

16. REMARKS
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A003
 2. REQUEST FOR WAIVER (RFW)
 3.
 4. DI-CMAN-80641B
 5. MIL-STD-973
 6. AMSSC-HB-ADM(RI) 7. LT 8. - 9.**
 10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0
 12. ASREQ 13.
 16. REMARKS
 **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

 1. A004
 2. NOTICE OF REVISION (NOR)
 3.
 4. DI-CMAN-80642B
 5. MIL-STD-973
 6. AMSSC-HB-ADM(RI) 7. LT 8. - 9.**
 10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0
 12. ASREQ 13.
 16. REMARKS
 THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AND SUBMIT SAID NOR WITH THE ECP. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

ALL THE ABOVE MAY BE SUBMITTED TO:

COMMANDER
 U.S.ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)
 ATTN: AMSSC-HB(RI), CDE Quality Cell
 ROCK ISLAND, IL 61299-7390

Stephen J Hansen

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 03/01/1999