

CLIN 1 **M93 Filter Unit**

NSN: 4240-01-231-6515

**Ordering Period 1  
WITH FIRST ARTICLE**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		20%
26 and Over		60%

**Ordering Period 1  
WithOut First Article**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		20%
26 and Over		60%

CLIN 1 **M93 Filter Unit**

NSN: 4240-01-231-6515

**Ordering Period 2**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		20%
26 and Over		60%

**Ordering Period 3**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		20%
26 and Over		60%

CLIN 1 **M93 Filter Unit**

NSN: 4240-01-231-6515

**Ordering Period 4**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		20%
26 and Over		60%

**Ordering Period 5**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		20%
26 and Over		60%

CLIN 2 **M95 Filter Unit**  
 NSN: 4240-01-274-6355

**Ordering Period 1  
 WITH FIRST ARTICLE**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

**Ordering Period 1  
 WithOut First Article**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

CLIN 2 **M95 Filter Unit**  
 NSN: 4240-01-274-6355

**Ordering Period 2**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

**Ordering Period 3**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

CLIN 2 **M95 Filter Unit**  
 NSN: 4240-01-274-6355

**Ordering Period 4**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

**Ordering Period 5**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

CLIN 3 **M84 Filter Unit**  
 NSN: 4240-01-149-1719

**Ordering Period 1  
 WITH FIRST ARTICLE**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

**Ordering Period 1  
 WithOut First Article**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

CLIN 3 **M84 Filter Unit**  
 NSN: 4240-01-149-1719

**Ordering Period 2**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

**Ordering Period 3**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

CLIN 3 **M84 Filter Unit**  
 NSN: 4240-01-149-1719

**Ordering Period 4**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

**Ordering Period 5**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

CLIN 4 **Frame Access**  
NSN: 5340-01-196-3590

**Ordering Period 1  
WITH FIRST ARTICLE**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

**Ordering Period 1  
WithOut First Article**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

CLIN 4 **Frame Access**  
NSN: 5340-01-196-3590

**Ordering Period 2**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

**Ordering Period 3**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

CLIN 4 **Frame Access**  
NSN: 5340-01-196-3590

**Ordering Period 4**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

**Ordering Period 5**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		60%
26 and Over		20%

=====

CLIN 5 **Air Duct Adapter**

NSN: 4240-01-131-5206

**Ordering Period 1  
WITH FIRST ARTICLE**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		10%
26 - 50		20%
51 and Over		50%

**Ordering Period 1  
WithOut First Article**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		10%
26 - 50		20%
51 and Over		50%

=====

CLIN 5 **Air Duct Adapter**

NSN: 4240-01-131-5206

**Ordering Period 2**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		10%
26 - 50		20%
51 and Over		50%

**Ordering Period 3**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		10%
26 - 50		20%
51 and Over		50%

=====

CLIN 5 **Air Duct Adapter**

NSN: 4240-01-131-5206

**Ordering Period 4**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		10%
26 - 50		20%
51 and Over		50%

**Ordering Period 5**

Order Qty Range	Unit Price	Weighting
1 - 5		10%
6 - 10		10%
11 - 25		10%
26 - 50		20%
51 and Over		50%

The following export control warning notice is to be furnished with any DD Form 1692, DD Form 1693, DD Form 1694, and DD Form 1695 which is marked "WARNING: EXPORT CONTROLLED", as required by DoD Directive 5230.25.

\*\*\*\*\*

WARNING: THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C. SEC 2751 et seq.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP 2401 et seq. VIOLATION OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. DISSEMINATE IN ACCORDANCE WITH THE PROVISIONS OF DoD DIRECTIVE 5230.25.

\*\*\*\*\*

NOTICE TO ACCOMPANY THE DISSEMINATION OF EXPORT-CONTROLLED TECHNICAL DATA

1. Export of information contained herein, which includes, in some circumstances, release to foreign nationals within the United States, without first obtaining approval or license from the Department of State for items controlled by the International Traffic in Arms Regulation (ITAR), or the Department of Commerce for items controlled by the Export Administration Regulations (EAR), may constitute a violation of law.
2. Under 22 U.S.C. 2778 the penalty for unlawful export of items or information controlled under the ITAR is up to 2 years imprisonment, or a fine of \$100,000, or both. Under 50 U.S.C., Appendix 2401, the penalty for unlawful export of items or information controlled under the EAR is a fine of up to \$1,000,000, or five times the value of the exports, whichever is greater; or for an individual, imprisonment of up to 10 years, or a fine of up to \$250,000, or both.
3. In accordance with your certification that establishes you as a "certified US contractor," unauthorized dissemination of this information is prohibited and may result in disqualification as a certified US contractor, and may be considered in determining your eligibility for future contracts with the Department of Defense.
4. The US Government assumes no liability for direct patent infringement, or contributory patent infringement or misuse of technical data.
5. The US Government does not warrant the adequacy, accuracy, currency, or completeness of the technical data.
6. The US Government assumes no liability for loss, damage, or injury resulting from manufacture or use for any purpose of any product, article, system, or material involving reliance upon any or all technical data furnished in response to the request for technical data.
7. If the technical data furnished by the Government will be used for commercial manufacturing or other profit potential, a license for such use may be necessary. Any payments made in support of the request for data do not include or involve any license rights.
8. A copy of this notice shall be provided with any partial or complete reproduction of these data that are provided to qualified US contractors.

~~SECRET~~

Attachment 002

## DOCUMENT SUMMARY LIST

Item: Multiple  
NSN: Multiple NSNs  
Control Number: C19CAA01 - C19CAA05

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

### DOCUMENT CATEGORY:

**CATEGORY 0** - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

**CATEGORY 1** - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

**CATEGORY 2** - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

**CATEGORY 3** - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.  
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."
- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract, requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.  
 Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94

3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1

---

## LIST OF ADDRESSES

(see block 14 of DD form 1423 for symbols that apply)

Commander  
U.S. Army Industrial Operations Command  
ATTN: AMSIO-\_\_\_\_\_  
Rock Island, IL 61299-6000

Commander  
Soldier and Biological Chemical Command  
ATTN: AMSSC-HB-ADM (RI)  
Rock Island, 61299

Director  
Armament and Chemical Acquisition, and Logistics Activity  
ATTN: AMSTA-AC-PCH-B  
Rock Island, IL 61299-7630

Commander  
Soldier and Biological Chemical Chemical Command  
ATTN: AMSSC-HB-CPT (RI)  
Rock Island, IL 61299

Commander  
Soldier and Biological Chemical Command  
ATTN: AMCPM \_\_\_\_\_  
Aberdeen Proving Ground, MD 21010-5423

Commander  
Soldier and Biological Chemical Command  
ATTN: AMSSB-REM-P  
Aberdeen Proving Ground, MD 21010-5423

Commander  
U.S. Army Armament Research, Development and Engineering Center  
ATTN: AMSTA \_\_\_\_\_  
Building 19  
Picatinny Arsenal, NJ 07806-5000

**ADDRESS CODE DISTRIBUTION - for ECPs/RFDs/RFWs/VECPs  
(Configuration Management)**

1. Concurrent distribution of Engineering Change Proposals (ECPs), Request for Deviations (RFDs), Request for Waivers (RFWs) or Value Engineering Change Proposals (VECPs) shall be submitted by the Contractors as follows:

2. The contractor shall provide the **original** plus 1 copy to:

Commander, Soldier and Biological Chemical Command  
ATTN: AMSSC-HB-CPT (RI)  
Rock Island, IL 61299  
Email: karadshehs@ria.army.mil

3. Provide one copy to:

a. (Design agency)

Commander, Soldier and Biological Chemical Command  
ATTN: AMSSB-REN-P  
Building E3549  
Aberdeen Proving Ground, MD 21010-5423.  
Email: axnegron@apega.army.mil

b (Contracting Officer)

Director, Armament and Chemical Acquisition, and Logistics Activity  
ATTN: AMSTA-AC-PCH-B  
Rock Island, IL 61299  
Email: kleinj@ria.army.mil

c. Administrative contracting officer

5. For **VECPs only**, provide one copy to each Value Engineering Office:

a. Commander, Soldier and Biological Chemical Command

ATTN: SCBRD-ENL-P  
Aberdeen Proving Ground, MD 21010-5423.

b. Cdr, Soldier and Biological Chemical Command

ATTN: AMSSC-HB-CPT (RI)  
Rock Island, IL 61299.

6. When ECPs, RFDs or RFWs are determined to be Urgent, Critical and/or Schedule impacting, an action copy should be provided via data facsimile (FAX) to SCBRD-ENP-A (EW) at 410-436-3323 and to AMSSC-HB (RI) at 309-782-3126. This transmission is to be immediately followed with the usual hard copy mailing.

CONTRACT DATA REQUIREMENTS LIST  
DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: Collective Protection  
TO CONTRACT/PR: C19CAA01 - C19CAA05

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		15. TOTAL:
12. DATE OF 1ST SUBMISSION		13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS			

---

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3. *		ATTACHED	/ /
4. DI-CMAN-80639B			
5. MIL-STD-973			
6. AMSSC-HB-ADM(RI)	7. LT	8. -	9.**
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13.	

16. REMARKS  
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

---

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED	/ /
4. DI-CMAN-80640B			
5. MIL-STD-973			
6. AMSSC-HB-ADM(RI)	7. LT	8. -	9.**
10. ASREQ	11. ---		15. TOTAL 0/ 0/ 0
12. ASREQ		13.	

16. REMARKS  
\*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A003  
 2. REQUEST FOR WAIVER (RFW)  
 3.  
 4. DI-CMAN-80641B  
 5. MIL-STD-973  
 6. AMSSC-HB-ADM(RI)            7. LT   8. -    9.\*\*  
 10. ASREQ            11. ---                            15. TOTAL    0/ 0/ 0  
 12. ASREQ                            13.  
 16. REMARKS  
 \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

-----  
 1. A004  
 2. NOTICE OF REVISION (NOR)  
 3.  
 4. DI-CMAN-80642B  
 5. MIL-STD-973  
 6. AMSSC-HB-ADM(RI)            7. LT   8. -    9.\*\*  
 10. ASREQ            11. ---                            15. TOTAL    0/ 0/ 0  
 12. ASREQ                            13.  
 16. REMARKS  
 THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP APPROVAL. \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

-----  
 ALL THE ABOVE MAY BE SUBMITTED ELECTRONICALLY OR BY MAIL:  
 hornbackr@ria.army.mil  
 COMMANDER  
 U.S.ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)  
 ATTN: AMSSC-HB(RI),CDE Quality Cell  
 ROCK ISLAND,IL 61299-7390  
 -----

1. A005  
 2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.  
 3. AIE DESIGN DOCUMENTATION  
 4. DI-QCIC-81006  
 5. SECTION E  
 6. AMSSC-HB-ADM(RI)            7. XX   8. A    9. N/A  
 10. ONE/R            11.N/A                            15. TOTAL    0/ 2/0  
 12. \*\*                            13.WHEN REV.  
 16. REMARKS  
 \*BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2,10.4.1(f) AND 10.4.2.

IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID.SUBMIT FOR ALL TESTS AND ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP. UNLESS OTHERWISE SPECIFIED, INSPECTION EQUIPMENT INCLUDES STANDARD MEASURING AND TEST EQUIPMENT AND/OR COMMERCIAL OFF THE INSPECTION/TEST EQUIPMENT. \*\*BLOCK 12:SUBMIT 45 DAYS PRIOR TO FA,OR PRODUCTION,IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 45 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS. REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE. IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT ONLY EVIDENCE OF PRIOR APPROVALS.

All submissions should be presented in the following formats via e-mail or on PC compatible CD-ROM,100MB Iomega ZIP disks, or 3.5"high density floppy discs

Textual Information	MS Office compatible (i.e. doc.xls,rtf)
Technical Drawings	Windows Metafile,Bitmap,JPEG, DesignCAD 2D or AutoCAD formats
Illustrations/Photos	Windows Metafile,Bitmax,JPEG (i.e.WMF,BMP,JPG,GIF)

Files may be compressed using ZIP program.

WARNING: Large packages may cause delays in delivery using mail internet.

Email subject line must contain end item nomenclature.

email: holdenr@ria.army.mil

Postal:US ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND(SBCCOM)

ATTN:AMSSC-HB-ADM(RI), CDE QA CELL,BLDG.62,ROCK ISLAND,IL 61299-7390

---



---

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 01/25/1999