

TABLE 1

SCI T	WARR ANTY		NOMENCLATURE	DESCRIPTION	QTY REQUIR ED
3.4.1	Y	Y	BIT, SCREWDRIVER (0)	1/4 IN HEX DR, CROSSTIP, #0 TIP SIZE, STEEL, 1 IN OVERALL LENGTH NOMINAL	1
3.4.2	Y	Y	PLIERS, CANNON PLUG	8"-11" overall length, ability to grip irregularly shaped object (such as cannon plug or round pipe) from . from a minimum of .5"-.75" and a maximum of 2.5" in diameter; replaceable, non-marring vinyl jaw inserts	1
3.4.3			PLIERS, ARC JOINT	9"-11" overall length, serrated jaws, maximum jaw capacity 1.375", minimum of 5 adjustments, vinyl grip handles	1
3.4.4	N	N	BOX, SMALL PARTS		
3.4.5	N	N	BRUSH, PARTS CLEANING	ROUND,	
3.4.6	Y	Y	HANDLE, BREAKER BAR	1/4" square drive flex handle, chrome plated	1
3.4.7	Y	Y	HANDLE, BREAKER BAR	3/8" square drive flex handle, 9.5+.5" long, chrome plated	1
3.4.8	Y	Y	EXTENSION, SOCKET WRENCH	1/4" square drive, 14" long, chrome plated, 5/16" shank dia.	1
3.4.9	Y	Y	EXTENSION, SOCKET WRENCH,	3/8" square drive, 3+.25" long, chrome plated	1
3.4.10	Y	Y	EXTENSION, SOCKET WRENCH,	3/8" square drive, 6+.25" long, chrome plated	1
3.4.11	Y	Y	EXTENSION, SOCKET WRENCH	1/4" square drive, 6+.25" long, chrome plated, 5/16" shank dia.	1
3.4.12	Y	Y	EXTENSION, SOCKET WRENCH	1/4" square drive, 1-1/2" long, chrome plated, 5/16" shank dia.	1
3.4.13	Y	Y	EXTENSION, SOCKET WRENCH, FLEXIBLE, (6)	1/4 IN SQ DR, 6 IN OVERALL LENGTH, 5/16 CABLE DIA	1
3.4.14		N	FLASHLIGHT	USES 2 "AA" BATTERIES, HAS BLUE & GREEN FILTERS KTC FL2A-BG	1
3.4.15	Y	Y	HAMMER, HAND, DEADBLOW	16 OZ HEAD WEIGHT	1
3.4.16	Y	Y	HAMMER HAND, MACHINIST'S	ball peen, 8 oz weight, fiberglass handle, ergonomic grips	1
3.4.17	Y	Y	HANDLE, SOCKET WRENCH, RATCHET	3/8" square drive, non quick release, 7.625"+ - .500" long typical, chrome, able to change ratchet direction with hand holding the ratchet	1
3.4.18	Y	Y	HANDLE, SOCKET WRENCH, RATCHET	1/4" square drive, 4.375" to 5" long, chrome plated, able to change ratchet direction with hand holding the ratchet	1
3.4.19	Y	Y	HANDLE, SOCKET WRENCH, SPEEDER, BRACE TYPE	1/4 IN SQ DR, 16-1/2 IN overall length, steel overall, polished or satin <u>finish</u> acceptable	1
3.4.20	Y	N	KEY SET HEX HD SCREW	9 piece, hex sizes 1.5, 2, 2.5, 3, 4, 5, 6, 8	1

3.4.21	Y	N	KEY SET HEX HD SCREW	& 10 mm, ball end, L shaped, with plastic caddy that holds each key individually and has key sizes permanently marked on the caddy.	
3.4.22	Y	N	KEY, SOCKET HEAD SCREW (.035)	13 piece, hex sizes .05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8", ball end, L shaped with plastic caddy that holds each key individually and has key sizes permanently marked on the caddy.	1
3.4.23		Y	KNIFE, POCKET, MULTI-PURPOSE	.035 in wrenching size, "I" style, steel, 1-1/4 in long arm, 3/16 in short arm Multi-purpose pocket survival tool constructed of stainless steel. Overall length 5-1/8 inches closed, plus or minus 1/8 inch; non-glare satin finish. Plier's head shall retract and slide into the handle. Other components shall fold into the handles, and when opened, shall lock in the open position and be released by lock release mechanisms on outside of handles. Tool shall consist of the following components: drop point knife blade, file, three flat tip screwdrivers, needle-nose pliers with wire cutter and crimper, one Phillips tip screwdriver, serrated knife blade, can opener, bottle opener, ruler, lanyard eye, and belt attachable carrying case.	5
3.4.24	Y	Y	PLIERS, DIAGONAL CUTTING	Side cutters, 8 $\pm$ .5" long, with heavy duty cushion grip handles and hardened cutting edges	1
3.4.25	Y	Y	PLIERS, LONG NOSE,	Long nose pliers, 8 $\pm$ .5" long, professional quality, with cushion grips	1
3.4.26	Y	Y	PLIERS, LONG REACH	8 in overall length, steel, vinyl comfort grips, flat nose	1
3.4.27	Y	Y	PLIERS, SLIP JOINT	Slip joint pliers, rounded head, 6.75 $\pm$ .5" slip joint	1
3.4.28	Y	N	PULLER, RECOIL MECHANISM	SEE ATTACHED DRAWING	
3.4.29	Y		SCREWDRIVER SET, JEWLERS	6 PC	1
3.4.30	Y	Y	SCREWDROVER, CROSSTIP	SIZE 0, 2 in blade length	1
3.4.31			NOT USED		
3.4.32	Y	Y	SCREWDRIVER, CROSS TIP	SIZE 1, 3" long blade length nominal	1
3.4.33	Y	Y	SCREWDRIVER, CROSS TIP	SIZE 2, 4" long blade length nominal	1
3.4.34			NOT USED		
3.4.35			NOT USED		
3.4.36	Y	Y	SCREWDRIVER, FLAT TIP,	3/8" TIP, 8" long Blade length nominal	1
3.4.37			NOT USED		
3.4.38			NOT USED		
3.4.39			NOT USED		
3.4.40	Y	Y	SOCKET WRENCH, 1/2 INCH SQ DR, (27)	1/2 SQ DR, 27 MM WRENCH SIZE, 6 OR 12 PT, std length, chrome or satin	1
3.4.41	Y	Y	SOCKET WRENCH, 1/4 INCH SQ DR, (.156)	1/4 INCH SQ DR, 5/32IN WRENCH SIZE, STANDARD, 12 pt, chrome or satin	1
3.4.42	Y	Y	SOCKET WRENCH, 1/4 INCH SQ	1/4 INCH SQ DR, 3/16 IN WRENCH SIZE,	1

3.4.43	Y	Y	DR, (.187) SOCKET WRENCH, 1/4 INCH SQ DR, (.219)	STANDARD, 12 pt, chrome or satin 1/4 INCH SQ DR, 7/32 IN WRENCH SIZE, 1
3.4.44	Y	Y	SOCKET WRENCH, 1/4 INCH SQ DR, (.250)	STANDARD, 12 pt, chrome or satin 1/4 INCH SQ DR, 1/4 IN WRENCH SIZE, 1
3.4.45	Y	Y	SOCKET WRENCH, 1/4 INCH SQ DR, (.281)	STANDARD, 12 pt, chrome or satin 1/4 INCH SQ DR, 9/32 IN WRENCH SIZE, 1
3.4.46	Y	Y	SOCKET WRENCH, 1/4 INCH SQ DR, (.312)	STANDARD, 12 pt, chrome or satin 1/4 INCH SQ DR, 5/16 IN WRENCH SIZE, 1
3.4.47	Y	Y	SOCKET WRENCH, 1/4 INCH SQ DR, (.343)	STANDARD, 12 pt, chrome or satin 1/4 INCH SQ DR, 11/32 IN WRENCH SIZE, 1
3.4.48	Y	Y	SOCKET WRENCH, 1/4 INCH SQ DR, (.375)	STANDARD, 12 pt, chrome or satin 1/4 INCH SQ DR, 3/8 IN WRENCH SIZE, 1
3.4.49	Y	Y	SOCKET WRENCH, 1/4 INCH SQ DR, (.437)	STANDARD, 12 pt, chrome or satin 1/4 INCH SQ DR, 7/16 IN WRENCH SIZE, 1
3.4.50	Y	Y	SOCKET WRENCH, 1/4 INCH SQ DR, (.500)	STANDARD, 12 pt, chrome or satin 1/4 INCH SQ DR, 1/2 IN WRENCH SIZE, 1
3.4.51	Y	Y	SOCKET WRENCH, 1/4 INCH SQ DR, (.562)	STANDARD, 12 pt, chrome or satin 1/4 INCH SQ DR, 9/16 IN WRENCH SIZE, 1
3.4.52	Y	Y	SOCKET WRENCH, 1/4 INCH SQ DR, (10)	STANDARD LENGTH, 12 pt, chrome or satin 1/4 INCH SQ DR, 10 MM WRENCH SIZE, 1
3.4.53	Y	Y	SOCKET WRENCH, 1/4 INCH SQ DR, (13)	STANDARD LENGTH, 12 pt, chrome or satin 1/4 INCH SQ DR, 13 MM WRENCH SIZE, 1
3.4.54	Y	Y	SOCKET WRENCH, 3/8 INCH SQ DR, (.437)	3/8 INCH SQ DR, 7/16 INCH WRENCH SIZE, 12 PT, STD LENGTH, chrome or satin 3/8 INCH SQ DR, 7/16 INCH WRENCH SIZE, 12 PT, DEEP REACH, chrome or satin
3.4.55	Y	Y	SOCKET WRENCH, 3/8 INCH SQ DR, (.437), DEEP REACH	3/8 INCH SQ DR, 7/16 INCH WRENCH SIZE, 12 PT, DEEP REACH, chrome or satin 3/8 INCH SQ DR, 1/2 INCH WRENCH SIZE, 12 PT, STD LENGTH, chrome or satin
3.4.56	Y	Y	SOCKET, 3/8 IN SQ DR (0.500): 1/2 IN, 12 PT	3/8 INCH SQ DR, 9/16 INCH WRENCH SIZE, 12 PT, STD LENGTH, chrome or satin 3/8 INCH SQ DR, 9/16 INCH WRENCH SIZE, 12 PT, DEEP REACH, chrome or satin
3.4.57	Y	Y	SOCKET, 3/8 IN SQ DR (0.562): 9/16 IN, 12 PT	3/8 INCH SQ DR, 9/16 INCH WRENCH SIZE, 12 PT, DEEP REACH, chrome or satin 3/8 INCH SQ DR, 9/16 INCH WRENCH SIZE, 12 PT, STD LENGTH, chrome or satin
3.4.58	Y	Y	SOCKET WRENCH, 3/8 INCH SQ DR, (.562), DEEP REACH	3/8 INCH SQ DR, 5/8 IN WRENCHING SIZE, 1 STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH 3/8 INCH SQ DR, 11/16 IN WRENCHING SIZE, STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH
3.4.59	Y	Y	SOCKET, SOCKET WRENCH, 3/8 IN SQ DR (.626)	3/8 INCH SQ DR, 3/4 IN WRENCHING SIZE, STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH 3/8 INCH SQ DR, 13/16 IN WRENCHING SIZE, STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH
3.4.60	Y	Y	SOCKET, SOCKET WRENCH, 3/8 IN SQ DR (.688)	3/8 INCH SQ DR, 7/8 IN WRENCHING SIZE, STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH 3/8 INCH SQ DR, 7/8 IN WRENCHING SIZE, STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH
3.4.61	Y	Y	SOCKET, SOCKET WRENCH, 3/8 IN SQ DR (.750)	3/8 INCH SQ DR, 7/8 IN WRENCHING SIZE, STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH 3/8 INCH SQ DR, 7/8 IN WRENCHING SIZE, STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH
3.4.62	Y	Y	SOCKET, SOCKET WRENCH, 3/8 IN SQ DR (.813)	3/8 INCH SQ DR, 7/8 IN WRENCHING SIZE, STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH 3/8 INCH SQ DR, 7/8 IN WRENCHING SIZE, STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH
3.4.63	Y	Y	SOCKET, SOCKET WRENCH, 3/8 IN SQ DR (.875)	3/8 INCH SQ DR, 7/8 IN WRENCHING SIZE, STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH 3/8 INCH SQ DR, 7/8 IN WRENCHING SIZE, STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH

3.4.64	Y	Y	SOCKET, SOCKET WRENCH, 3/8 IN SQ DR (.938)	3/8 IN SQ DR, 15/16 IN WRENCHING SIZE, STEEL, 12 PT, CHROME OR SATIN FINISH, STANDARD LENGTH	1
3.4.65			HOLDER, BIT SCREWDRIVER	1/4 IN SQ DRIVE TO 1/4 IN HEX DRIVE	1
3.4.66	Y	Y	SOCKET, MALE HEX KEY, 1/4 IN SQ DR (0.094):	3/32 IN WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.67	Y	Y	SOCKET, MALE HEX KEY, 1/4 IN SQ DR (0.109):	7/64 IN WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.68	Y	Y	SOCKET, MALE HEX KEY, 1/4 IN SQ DR (0.125):	1/8 IN WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.69	Y	Y	SOCKET, MALE HEX KEY, 1/4 IN SQ DR (0.141):	9/64 IN WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.70	Y	Y	SOCKET, MALE HEX KEY, 1/4 IN SQ DR (0.156):	5/32 IN WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.71	Y	Y	SOCKET, MALE HEX KEY, 1/4 IN SQ DR (0.187):	3/16 IN WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.72	Y	Y	SOCKET, MALE HEX KEY, 1/4 IN SQ DR (0.219):	7/32 IN WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.73	Y	Y	SOCKET, MALE HEX KEY, 1/4 IN SQ DR (2.5):	2.5 MM WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.74	Y	Y	SOCKET, MALE HEX KEY, 1/4 IN SQ DR (3):	3 MM WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.75	Y	Y	SOCKET, MALE HEX KEY, 3/8 IN SQ DR (0.375):	3/8 IN WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.76	Y	Y	SOCKET, MALE HEX KEY, 3/8 IN SQ DR (4):	4 MM WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.77	Y	Y	SOCKET, MALE HEX KEY, 3/8 IN SQ DR (5):	5 MM WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.78	Y	Y	SOCKET, MALE HEX KEY, 3/8 IN SQ DR (6):	6 MM WRENCHING SIZE, BIT EXPOSURE 1", 1-7/8 IN OVERALL LENGTH	1
3.4.79	Y	Y	SOCKET, CROWSFOOT ATTACHMENT (.375)	1/4 IN SQ DR, 3/8 IN WRENCHING SIZE	1
3.4.80	Y	Y	SOCKET, CROWSFOOT ATTACHMENT (.500)	1/4 IN SQ DR, 1/2IN WRENCHING SIZE	1
3.4.81	Y	Y	SOCKET, CROWSFOOT ATTACHMENT (14)	3/8 IN SQ DR, 14 MM WRENCHING SIZE	1
3.4.82	Y	Y	Screwdriver Attachment, Socket Wrench, FLAT TIP	1/4 IN SQ DR, TIP SIZE #3 (.058 N TIP THICKNESS X .372 IN WIDE), TORQUE CAPCITY 100 IN LBS	2
3.4.83	Y	Y	SOCKET, SOCKET WRENCH, UNIVERSAL JOINT, 1/4 in SQ DR	1/4 IN SQ DR, chrome or satin	1
3.4.84	Y	Y	SOCKET, SOCKET WRENCH,	3/8 IN SQ DR, chrome or satin	1

3.4.85	Y	Y	UNIVERSAL JOINT, 3/8 IN SQ DR ADAPTER, SOCKET WRENCH, 1/4" MALE TO 3/8" FEMALE	3/8 IN DRIVE SOCKET WRENCH ADAPTER TO 1/4" DRIVE SOCKET, chrome or satin	1
3.4.86	Y	Y	ADAPTER, SOCKET WRENCH, 3/8" MALE TO 1/4" FEMALE	1/4 IN DRIVE SOCKET WRENCH ADAPTER TO 3/8" DRIVE SOCKET, chrome or satin	1
3.4.87	Y	Y	ADAPTER, SOCKET WRENCH, 1/2" MALE TO 3/8" FEMALE	1/2 IN DRIVE SOCKET WRENCH ADAPTER TO 3/8" DRIVE SOCKET, chrome or satin	1
3.4.88	Y	Y	WRENCH BOX (.219)	7/32 WRENCHING SIZE ONE END, 15/64 IN WRENCHING SIZE ON OPPOSITE END,	1
3.4.89	Y	Y	WRENCH BOX/OPEN (.187)	3/16 IN WRENCHING SIZE, 12 PT, OFFSET	1
3.4.90	Y	Y	WRENCH BOX/OPEN (.219)	7/32 IN WRENCHING SIZE, 12 PT OFFSET	1
3.4.91	Y	Y	WRENCH BOX/OPEN (.250)	1/4 IN WRENCHING SIZE, 12 PT OFFSET	1
3.4.92	Y	Y	WRENCH BOX/OPEN (.281)	9/32 IN WRENCHING SIZE, 12 PT OFFSET	1
3.4.93	Y	Y	WRENCH BOX/OPEN (.312)	5/16 IN WRENCHING SIZE, 12 pt offset, chrome or satin, 3.25 - 5.5" long	1
3.4.94	Y	Y	WRENCH BOX/OPEN (.344)	11/32 IN WRENCHING SIZE, 12 pt offset, chrome or satin, 3.25 - 5.75" long	1
3.4.95	Y	Y	WRENCH BOX/OPEN (.375)	3/8 IN WRENCHING SIZE, 12 pt offset, chrome or satin, 4.188 - 6.0" long	1
3.4.96	Y	Y	WRENCH BOX/OPEN (.437)	7/16 IN WRENCHING SIZE, 12 pt offset, chrome or satin, 4.969 - 7.0" long	1
3.4.97	Y	Y	WRENCH BOX/OPEN (.500)	1/2 IN WRENCHING SIZE, 12 pt offset, chrome or satin, 5.250 - 8.0" long	1
3.4.98	Y	Y	WRENCH BOX/OPEN (.562)	9/16 IN WRENCHING SIZE, 12 pt offset, chrome or satin, 5.75 - 9.0" long	1
3.4.99	Y	Y	WRENCH BOX/OPEN (.625)	5/8 IN WRENCHING SIZE, 12 pt offset, chrome or satin, 6.125 - 10.0" long	1
3.4.100	Y	Y	WRENCH BOX/OPEN (.687)	11/16 IN WRENCHING SIZE, 12 pt offset, chrome or satin, 6.5 - 11.0" long	1
3.4.101	Y	Y	WRENCH BOX/OPEN (.750)	3/4 IN WRENCHING SIZE, 12 pt offset, chrome or satin, 6.813 - 12.0" long	1
3.4.102	Y	Y	WRENCH BOX/OPEN (.812)	13/16 IN WRENCHING SIZE, 12 pt offset, chrome or satin, 7.125 - 13.0" long	1
3.4.103	Y	Y	WRENCH BOX/OPEN (.875)	7/8 IN WRENCHING SIZE, 12 pt offset, chrome or satin, 9.688 - 14.0" long	1
3.4.104	Y	Y	WRENCH BOX/OPEN (.937)	15/16 IN WRENCHING SIZE, 12 pt offset, chrome or satin, 10.5 - 15.0" long	1
3.4.105	Y	Y	WRENCH BOX/OPEN (10)	10 MM WRENCHING SIZE, 12 pt offset, chrome or satin, 116 - 175mm long	1
3.4.106	Y	Y	WRENCH BOX/OPEN (13)	13MM WRENCHING SIZE, 12 pt offset, chrome or satin, 143 - 213mm long	1
3.4.107	Y	Y	WRENCH BOX/OPEN (14)	14MM WRENCHING SIZE, 12 pt offset, chrome or satin, 148 - 229mm long	1
3.4.108	Y	Y	PLIERS, NEEDLE NOSE, ELECTRONIC	MIN LENGTH OF 8." LONG, MAX LENGTH OF 12" LONG. VINYL GRIPS, MINI NOSE, EXTRA LONG NECK	1
3.4.109	Y	Y	SCREWDRIVER, FLAT TIP,	9 9/16" LONG NOMINAL, .030X3/16" TIP,	1

			ELECTRONIC	ELECTRONIC THIN BLADE	
3.4.110	Y	Y	BIT SET, SCREWDRIVER	20PCS CONSISTING OF THE FOLLOWING: RATCHET, $\frac{1}{4}$ " SQUARE DRIVE; EXTENSION, $\frac{1}{4}$ " SQUARE DRIVE; SCREWDRIVER HANDLE (extension fits into handle, bits fit on end of extension); 12 ALLEN HEX ADAPTERS .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", $\frac{1}{4}$ ", 5/16"; 2 SLOTTED HEAD ADAPTERS $\frac{1}{4}$ ", 3/8"; 2 PHILLIPS HEAD ADAPTERS No 1, No 2; SQUARE DRIVE ADAPTER, $\frac{1}{4}$ " SQUARE DRIVE. Known Source: Chapman Screwdriver Bit Set, Part Number 4320	1
3.4.111	Y	Y	CROWFOOT ATTACHMENT, SOCKET WRENCH	11/16" WRENCH SIZE, 1.9" LENGTH NOMINAL, 3/8" SQUARE DRIVE.	1
3.4.112	Y	Y	PLIERS, WIRE TWIST,	12" $\pm$ 1" IN LENGTH, RIGHT HAND, WITH SIDE CUTTERS	1

4

3

2

1

**NOTES:**

1. APPLICABLE STANDARDS/SPECIFICATIONS:
  - A. ANSI Y14.5M-1994
  - B. MIL-STD-100
2. MATERIAL: STEEL, 4340 PER ASTM A29/29M.
3. PROTECTIVE FINISH: FINISH 5.3.2.3 OF MIL-STD-171.
4. HARDNESS: HEAT TREAT TO RC-40/48.
5. WELD PER SAE-AMS-STD-2219, CLASS 3
6. REMOVE ALL BURRS AND BREAK SHARP CORNERS.

**SECTION A-A**

SCALE 2/1

**SECTION B-B**

SCALE 2/1

**PART NO. 12984937**

**PMIC**

MECHANICAL PROPERTIES		THIRD ANGLE PROJECTION	
TP	TS	DRAWING APPROVAL	DRAWING APPROVAL
RE	RA	DESIGN APPROVAL	DESIGN APPROVAL
NEXT ASSY	USED ON	MAIL ENR	MAIL ENR
APPLICATION			

**DISTRIBUTION STATEMENT A**  
APPROVED FOR PUBLIC RELEASE;  
DISTRIBUTION IS UNLIMITED.

**12984937-1**

**12984937-2**

**12984937-3**

**12984937-4**

**12984937-5**

**12984937-6**

**12984937-7**

**12984937-8**

**12984937-9**

**12984937-10**

**12984937-11**

**12984937-12**

**12984937-13**

**12984937-14**

**12984937-15**

**12984937-16**

**12984937-17**

**12984937-18**

**12984937-19**

**12984937-20**

**12984937-21**

**12984937-22**

**12984937-23**

**12984937-24**

**12984937-25**

**12984937-26**

**12984937-27**

**12984937-28**

**12984937-29**

**12984937-30**

**12984937-31**

**12984937-32**

**12984937-33**

**12984937-34**

**12984937-35**

**12984937-36**

**12984937-37**

**12984937-38**

**12984937-39**

**12984937-40**

**12984937-41**

**12984937-42**

**12984937-43**

**12984937-44**

**12984937-45**

**12984937-46**

**12984937-47**

**12984937-48**

**12984937-49**

**12984937-50**

**12984937-51**

**12984937-52**

**12984937-53**

**12984937-54**

**12984937-55**

**12984937-56**

**12984937-57**

**12984937-58**

**12984937-59**

**12984937-60**

**12984937-61**

**12984937-62**

**12984937-63**

**12984937-64**

**12984937-65**

**12984937-66**

**12984937-67**

**12984937-68**

**12984937-69**

**12984937-70**

**12984937-71**

**12984937-72**

**12984937-73**

**12984937-74**

**12984937-75**

**12984937-76**

**12984937-77**

**12984937-78**

**12984937-79**

**12984937-80**

**12984937-81**

**12984937-82**

**12984937-83**

**12984937-84**

**12984937-85**

**12984937-86**

**12984937-87**

**12984937-88**

**12984937-89**

**12984937-90**

**12984937-91**

**12984937-92**

**12984937-93**

**12984937-94**

**12984937-95**

**12984937-96**

**12984937-97**

**12984937-98**

**12984937-99**

**12984937-100**

**12984937-101**

**12984937-102**

**12984937-103**

**12984937-104**

**12984937-105**

**12984937-106**

**12984937-107**

**12984937-108**

**12984937-109**

**12984937-110**

**12984937-111**

**12984937-112**

**12984937-113**

**12984937-114**

**12984937-115**

**12984937-116**

**12984937-117**

**12984937-118**

**12984937-119**

**12984937-120**

**12984937-121**

**12984937-122**

**12984937-123**

**12984937-124**

**12984937-125**

**12984937-126**

**12984937-127**

**12984937-128**

**12984937-129**

**12984937-130**

**12984937-131**

**12984937-132**

**12984937-133**

**12984937-134**

**12984937-135**

**12984937-136**

**12984937-137**

**12984937-138**

**12984937-139**

**12984937-140**

**12984937-141**

**12984937-142**

**12984937-143**

**12984937-144**

**12984937-145**

**12984937-146**

**12984937-147**

**12984937-148**

**12984937-149**

**12984937-150**

**12984937-151**

**12984937-152**

**12984937-153**

**12984937-154**

**12984937-155**

**12984937-156**

**12984937-157**

**12984937-158**

**12984937-159**

**12984937-160**

**12984937-161**

**12984937-162**

**12984937-163**

**12984937-164**

**12984937-165**

**12984937-166**

**12984937-167**

**12984937-168**

**12984937-169**

**12984937-170**

**12984937-171**

**12984937-172**

**12984937-173**

**12984937-174**

**12984937-175**

**12984937-176**

**12984937-177**

**12984937-178**

**12984937-179**

**12984937-180**

**12984937-181**

**12984937-182**

**12984937-183**

**12984937-184**

**12984937-185**

**12984937-186**

**12984937-187**

**12984937-188**

**12984937-189**

**12984937-190**

**12984937-191**

**12984937-192**

**12984937-193**

**12984937-194**

**12984937-195**

**12984937-196**

**12984937-197**

**12984937-198**

**12984937-199**

**12984937-200**

**12984937-201**

**12984937-202**

**12984937-203**

**12984937-204**

**12984937-205**

**12984937-206**

**12984937-207**

**12984937-208**

**12984937-209**

**12984937-210**

**12984937-211**

**12984937-212**

**12984937-213**

**12984937-214**

**12984937-215**

**12984937-216**

**12984937-217**

**12984937-218**

**12984937-219**

**12984937-220**

**12984937-221**

**12984937-222**

**12984937-223**

**12984937-224**

**12984937-225**

**12984937-226**

**12984937-227**

**12984937-228**

**12984937-229**

**12984937-230**

**12984937-231**

**12984937-232**

**12984937-233**

**12984937-234**

**12984937-235**

**12984937-236**

**12984937-237**

**12984937-238**

**12984937-239**

**12984937-240**

**12984937-241**

**12984937-242**

**12984937-243**

**12984937-244**

**12984937-245**

**12984937-246**

**12984937-247**

**12984937-248**

**12984937-249**

**12984937-250**

**12984937-251**

**12984937-252**

**12984937-253**

**12984937-254**

**12984937-255**

**12984937-256**

**12984937-257**

**12984937-258**

**12984937-259**

**12984937-260**

**12984937-261**

**12984937-262**

**12984937-263**

**12984937-264**

**12984937-265**

**12984937-266**

**12984937-267**

**12984937-268**

**12984937-269**

**12984937-270**

**12984937-271**

**12984937-272**

**12984937-273**

**12984937-274**

**12984937-275**

**12984937-276**

**12984937-277**

**12984937-278**

**12984937-279**

**12984937-280**

**12984937-281**

**12984937-282**

**12984937-283**

**12984937-284**

**12984937-285**

**12984937-286**

**12984937-287**

**12984937-288**

**12984937-289**

**12984937-290**

**12984937-291**

**12984937-292**

**12984937-293**

**12984937-294**

**12984937-295**

**12984937-296**

**12984937-297**

**12984937-298**

**12984937-299**

**12984937-300**

**12984937-301**

**12984937-302**

**12984937-303**

**12984937-304**

**12984937-305**

**12984937-306**

**12984937-307**

**12984937-308**

**12984937-309**

**12984937-310**

**12984937-311**

**12984937-312**

**12984937-313**

**12984937-314**

**12984937-315**

**12984937-316**

**12984937-317**

**12984937-318**

**12984937-319**

**12984937-320**

**12984937-321**

**12984937-322**

**12984937-323**

**12984937-324**

**12984937-325**

**12984937-326**

**12984937-327**

**12984937-328**

**12984937-329**

**12984937-330**

**12984937-331**

**12984937-332**

**12984937-333**

**12984937-334**

**12984937-335**

**12984937-336**

**12984937-337**

**12984937-338**

**12984937-339**

**12984937-340**

**12984937-341**

**12984937-342**

**12984937-343**

**12984937-344**

**12984937-345**

**12984937-346**

**12984937-347**

**12984937-348**

**12984937-349**

**12984937-350**

**12984937-351**

**12984937-352**

**12984937-353**

**12984937-354**

**12984937-355**

**12984937-356**

**12984937-357**

**12984937-358**

**12984937-359**

**12984937-360**

**12984937-361**

**12984937-362**

**12984937-363**

**12984937-364**

**12984937-365**

**12984937-366**

**12984937-367**

**12984937-368**

**12984937-369**

**12984937-370**

**12984937-371**

**12984937-372**

**12984937-373**

**12984937-374**

**12984937-375**

**12984937-376**

**12984937-377**

**12984937-378**

**12984937-379**

**12984937-380**

**12984937-381**

**12984937-382**

**12984937-383**

**12984937-384**

**12984937-385**

**12984937-386**

**12984937-387**

**12984937-388**

**12984937-389**

**12984937-390**

**12984937-391**

**12984937-392**

**12984937-393**

**12984937-394**

**12984937-395**

**12984937-396**

**12984937-397**

**12984937-398**

**12984937-399**

**12984937-400**

**12984937-401**

**12984937-402**

**12984937-403**

**12984937-404**

**12984937-405**

**12984937-406**

**12984937-407**

**12984937-408**

**12984937-409**

**12984937-410**

**12984937-411**

**12984937-412**

**12984937-413**

**12984937-414**

**12984937-415**

**12984937-416**

**12984937-417**

**12984937-418**

**12984937-419**

**12984937-420**

**12984937-421**

**12984937-422**

**12984937-423**

**12984937-424**

**12984937-425**

**12984937-426**

**12984937-427**

**12984937-428**

**12984937-429**

**12984937-430**

**12984937-431**

**12984937-432**

**12984937-433**

**12984937-434**

**12984937-435**

**12984937-436**

**12984937-437**

**12984937-438**

**12984937-439**

**12984937-440**

**12984937-441**

**12984937-442**

**12984937-443**

**12984937-444**

**12984937-445**

**12984937-446**

**12984937-447**

**12984937-448**

**12984937-449**

**12984937-450**

**12984937-451**

**12984937-452**

**12984937-453**

**12984937-454**

**12984937-455**

**12984937-456**

**12984937-457**

**12984937-458**

**12984937-459**

**12984937-460**

**12984937-461**

**12984937-462**

**12984937-463**

**12984937-464**

**12984937-465**

**12984937-466**

**12984937-467**

**12984937-468**

**12984937-469**

**12984937-470**

**12984937-471**

**12984937-472**

**12984937-473**

**12984937-474**

**12984937-475**

**12984937-476**

**12984937-477**

**12984937-478**

**12984937-479**

**12984937-480**

**12984937-481**

**12984937-482**

**12984937-483**

**12984937-484**

**12984937-485**

**12984937-486**

**12984937-487**

**12984937-488**

**12984937-489**

**12984937-490**

**12984937-491**

**12984937-492**

**12984937-493**

**12984937-494**

**12984937-495**

**12984937-496**

**12984937-497**

**12984937-498**

**12984937-499**

**12984937-500**

**12984937-501**

**12984937-502**

**12984937-503**

**12984937-504**

**12984937-505**

**12984937-506**

**12984937-507**

**12984937-508**

**12984937-509**

**12984937-510**

**12984937-511**

**12984937-512**

**12984937-513**

**12984937-514**

**12984937-515**

**12984937-516**

**12984937-517**

**12984937-518**

**12984937-519**

**12984937-520**

**12984937-521**

**12984937-522**

**12984937-523**

**12984937-524**

**12984937-525**

**12984937-526**

**12984937-527**

**12984937-528**

**12984937-529**

**12984937-530**

**12984937-531**

**12984937-532**

**12984937-533**

**12984937-534**

**12984937-535**

**12984937-536**

**12984937-537**

**12984937-538**

**12984937-539**

**12984937-540**

**12984937-541**

**12984937-542**

**12984937-543**

**12984937-544**

**12984937-545**

**12984937-546**

**12984937-547**

**12984937-548**

**12984937-549**

**12984937-550**

**12984937-551**

**12984937-552**

**12984937-553**

**12984937-554**

**12984937-555**

**12984937-556**

**12984937-557**

**12984937-558**

**12984937-559**

**12984937-560**

**12984937-561**

**12984937-562**

**12984937-563**

**12984937-564**

**12984937-565**

**12984937-566**

**12984937-567**

**12984937-568**