

ORDER FOR SUPPLIES OR SERVICES

1. CONTRACT PURCH ORDER/AGREEMENT NO. DAAE07-01-G-M002	2. DELIVERY ORDER/CALL NO. DG04	3. DATE OF ORDER/CALL (YYYYMMDD) 2004MAY03	4. REQUISITION/PURCH REQUEST NO. SEE SCHEDULE	5. PRIORITY DOA5
--	---	--	---	----------------------------

6. ISSUED BY TACOM-ROCK ISLAND AMSTA-LC-CAC-B ELIZABETH CRAWFORD (309)782-0698 ROCK ISLAND IL 61299-7630 EMAIL: CRAWFORDE@RIA.ARMY.MIL	CODE	W52H09	7. ADMINISTERED BY (if other than 6) DCMA CENTRAL PENNSYLVANIA-YORK PO BOX 15512 YORK PA 17405-1512	CODE	S4201A	8. DELIVERY FOB <input checked="" type="checkbox"/> DESTINATION <input type="checkbox"/> OTHER (See Schedule if other)
			SCD: B PAS: NONE ADP PT: HQ0337			

9. CONTRACTOR UNITED DEFENSE LP STEEL PRODUCTS DIVISION 1805 COLEMAN RD ANNISTON, AL. 36207-6859 NAME AND ADDRESS TYPE BUSINESS: Large Business Performing in U.S.	CODE	076M6	FACILITY	10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) SEE SCHEDULE	11. X IF BUSINESS IS <input type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMAN-OWNED
				12. DISCOUNT TERMS	13. MAIL INVOICES TO THE ADDRESS IN BLOCK See Block 15

14. SHIP TO SEE SCHEDULE	CODE		15. PAYMENT WILL BE MADE BY DFAS COLUMBUS CENTER NORTH ENTITLEMENT OPERATIONS PO BOX 182266 COLUMBUS OH 43218-2266	CODE	HQ0337	MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
------------------------------------	-------------	--	---	-------------	--------	---

16. TYPE OF ORDER	DELIVERY/ CALL	<input checked="" type="checkbox"/>	THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CONTRACT.
	PURCHASE		Reference your <input type="checkbox"/> Oral <input type="checkbox"/> Written Quotation _____, Dated _____, furnish the following on terms specified herein.
ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.			

NAME OF CONTRACTOR	SIGNATURE	TYPED NAME AND TITLE	DATE SIGNED (YYYYMMDD)
<input checked="" type="checkbox"/> If this box is marked, supplier must sign Acceptance and return the following number of copies:			

17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE
--

18. ITEM NO.	19. SCHEDULE OF SUPPLIES/SERVICE	20. QUANTITY ORDERED/ACCEPTED*	21. UNIT	22. UNIT PRICE	23. AMOUNT
	SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price KIND OF CONTRACT: Supply Contracts and Priced Orders Service Contracts				

* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.	24. UNITED STATES OF AMERICA BRIAN W. SCHMIDT /SIGNED/ SCHMIDTB@RIA.ARMY.MIL (309)782-0988 BY: _____ CONTRACTING/ORDERING OFFICER	25. TOTAL	\$25,731.00
		26. DIFFERENCES	

27a. QUANTITY IN COLUMN 20 HAS BEEN
 INSPECTED RECEIVED ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED

b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE	c. DATE (YYYYMMDD)	d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE
---	---------------------------	--

e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE	28. SHIP. NO.	29. D.O. VOUCHER NO.	30. INITIALS
---	----------------------	-----------------------------	---------------------

f. TELEPHONE NUMBER	g. E-MAIL ADDRESS	<input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL	32. PAID BY	33. AMOUNT VERIFIED CORRECT FOR
		31. PAYMENT		34. CHECK NUMBER

36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.

a. DATE (YYYYMMDD)	b. SIGNATURE AND TITLE OF CERTIFYING OFFICER	<input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL	35. BILL OF LADING NO.
---------------------------	---	---	-------------------------------

37. RECEIVED AT	38. RECEIVED BY (Print)	39. DATE RECEIVED (YYYYMMDD)	40. TOTAL CONTAINERS	41. S/R ACCOUNT NUMBER	42. S/R VOUCHER NO.
------------------------	--------------------------------	-------------------------------------	-----------------------------	-------------------------------	----------------------------

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 2 of 7**

PIIN/SIIN DAAE07-01-G-M002/DG04

MOD/AMD

Name of Offeror or Contractor: UNITED DEFENSE LP

SUPPLEMENTAL INFORMATION

1. This delivery order is being placed against the Basic Ordering Agreement DAAE07-01-G-M002 for 50 Cable Assemblies, NSN 6150-01-441-5504, PN 12462638 at a price of \$514.62 each for a total of \$25,731.00

2. United Defense Proposal letter dated March 19, 2004 is referenced and attached.

3. Delivery date: 16 weeks after date of award. Earlier deliveries will be accepted.

4. Packaging will be "Best Commercial"

5. Acceptance: Plant
Delivery: Destination

XU Transportation Officer
DDSP New Cumberland Facility
Building Mission Door 113 134
New Cumberland PA 17070-5001

Due to increased volume of supplies routed through the New Cumberland Site, request that contractor notify the Government POC, (Elizabeth A. Crawford at 309 782-0698 or via e-mail at Elizabeth.A.Crawford@us.army.mil at least 30 days before shipment with the estimated shipping date, carrier and total weight their shipment. Early coordination will assist in ensuring that the delivery company does not encounter unnecessary delays in off loading their shipments.

6. In accordance with FAR 52.216-23 "Execution and Commencement of Work"

a. The Contractor shall indicate acceptance of this delivery order by signing a copy of the delivery order by and individual authorized to bind the company and return them to the Contracting Officer not later than April 14, 2004.

b. Upon acceptance by both parties, the contractor shall proceed with performance of the work, including purchase of necessary materials. Thus, you are directed to immediately commence performance and to pursue such work with due diligence so that the supplies may be delivered in accordance with the delivery schedule.

7. All mandatory firm fixed price clauses and the optional firm fixed price clauses are incorporated as stated in DAAE07-01-G-M002.

*** END OF NARRATIVE A 001 ***

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN DAAE07-01-G-M002/DG04 MOD/AMD

Name of Offeror or Contractor: UNITED DEFENSE LP

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																									
0016	SUPPLIES OR SERVICES AND PRICES/COSTS NSN: 6150-01-441-5504 FSCM: 19207 PART NR: 12462638 SECURITY CLASS: Unclassified																													
0016AA	<p><u>PRODUCTION QUANTITY</u></p> <p>NOUN: CABLE ASSEMBLY,SPEC PRON: M141A459M1 PRON AMD: 03 ACRN: AA AMS CD: 070011</p> <p><u>Packaging and Marking</u></p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u></p> <table border="0"> <tr> <td>DOC</td> <td>SUPPL</td> <td></td> <td></td> <td></td> </tr> <tr> <td><u>REL CD</u></td> <td><u>MILSTRIP</u></td> <td><u>ADDR</u></td> <td><u>SIG CD</u></td> <td><u>MARK FOR</u> <u>TP CD</u></td> </tr> <tr> <td>001</td> <td>W52H094086H951</td> <td>W25G1U</td> <td>J</td> <td>1</td> </tr> <tr> <td><u>DEL REL CD</u></td> <td><u>QUANTITY</u></td> <td><u>DAYS AFTER AWARD</u></td> <td></td> <td></td> </tr> <tr> <td>001</td> <td>50</td> <td>0115</td> <td></td> <td></td> </tr> </table> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001</p> <p><u>CONTRACT/DELIVERY ORDER NUMBER</u> DAAE07-01-G-M002/DG04</p>	DOC	SUPPL				<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u> <u>TP CD</u>	001	W52H094086H951	W25G1U	J	1	<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DAYS AFTER AWARD</u>			001	50	0115			50	EA	\$ 514.62000	\$ 25,731.00
DOC	SUPPL																													
<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u> <u>TP CD</u>																										
001	W52H094086H951	W25G1U	J	1																										
<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DAYS AFTER AWARD</u>																												
001	50	0115																												

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 4 of 7

PIIN/SIIN DAAE07-01-G-M002/DG04

MOD/AMD

Name of Offeror or Contractor: UNITED DEFENSE LP

PACKAGING AND MARKING

<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
------------------------	--------------	-------------

1	52.211-4503 PACKAGING REQUIREMENTS (COMMERCIAL)	FEB/2004
---	---	----------

The preservation, packing, and marking requirements for the item identified above shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

PRESERVATION: COMMERCIAL
LEVEL OF PACKING: Commercial
QUANTITY PER UNIT PACKAGE: -1-

1 Packaging - Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year, provide for multiple handling, redistribution and shipment by any mode and meet or exceed the following requirements.

1.1 Cleanliness - Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.

1.2 Preservation - Items susceptible to corrosion of deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.

1.3 Cushioning - Items requiring protection from physical and mechanical damage (e.g., fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.

2 Unit Package. A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

3 Unit Package Quantity. Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

4 Intermediate Package - Intermediate packaging is required whenever one or more of the following conditions exists:

- a. the quantity is over one (1) gross of the same national stock number,
- b. use enhances handling and inventorying,
- c. the exterior surfaces of the unit pack is a bag of any type, regardless of size,
- d. the unit pack is less than 64 cubic inches,
- e. the weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

5. Packing:

5.1 Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

5.2 Shipping Containers - The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

6 Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

7 Marking:

7.1 All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Change Notice 2, Date 10 Feb 04, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

7.2 Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. The MSL will include both linear and 2D bar codes per the standard. The DD Form 250 or the commercial packing list shall have bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots; e.g., New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the standard, see paragraph 5.3.

7.3 Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 5 of 7

PIIN/SIIN DAAE07-01-G-M002/DG04

MOD/AMD

Name of Offeror or Contractor: UNITED DEFENSE LP

shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

7.4. Military Shipping Label. The following website (Computer Automated Transportation Tool, CAAT) provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: http://www.assettrak.com/catt/msl_irrd/mslirrdmain.htm. This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (<http://milpac.com>) and Easysoft Corporation (<http://easysoftcorp.com>). Insure that the "ship to" and "mark for" in-the-clear delivery address is complete including: consignee's name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

8. Hazardous Materials: In addition to the general instructions listed above;

8.1 Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

8.2 Packaging and marking for hazardous material shall comply with the requirements for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations

International Maritime Dangerous Goods Code (IMDG)

Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49

Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).

8.3 If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

8.4 A Product Material Safety Data Sheet (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

9 Heat Treatment and Marking of Wood Packaging Materials - All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

10 Quality Assurance - The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

11 SUPPLEMENTAL INSTRUCTIONS: -Packaging shall be in accordance with ASTM D 3951 and have successfully passed test levels of ASTM D 4169, distribution cycle 18, assurance level I, acceptance criterion 1 and 2. The temperate high humidity atmosphere conditions of ASTM D 4332 shall be used for element I of ASTM D4169. The warehouse stacking height shall be 16 ft. The shipping unit shall be the unit pack. Marking shall be in accordance with MIL-STD-129. Testing shall be witnessed by the Government Quality Assurance Representative. Packaged gross weight and size shall be included on the test report as well as a detailed description of the packaging. The contractor is exempted from testing if other data can be provided (see para. 5.6 of MIL STD-2073-1D) and is acceptable to the Government. Similar items do not require retesting.

End of Clause

(DS6421)

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 6 of 7**

PIIN/SIIN DAAE07-01-G-M002/DG04

MOD/AMD

Name of Offeror or Contractor: UNITED DEFENSE LP

INSPECTION AND ACCEPTANCE

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.246-2	INSPECTION OF SUPPLIES - FIXED-PRICE - ALTERNATE I	JUL/1985
2	52.246-11	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT	FEB/1999

The Contractor shall comply with the higher-level quality standard selected below, (If more than one standard is listed, the offeror shall indicate its selection by checking the appropriate block.)

Title	Number	Date	Tailoring
Quality Mgmt Systems-Requirements,	ISO 9001:2000,	13 Dec 2000	exclude para 7.3

(End of clause)

(EP6002)

3	52.246-4528 TACOM-RI	REWORK AND REPAIR OF NONCONFORMING MATERIAL	MAY/1994
---	-------------------------	---	----------

a. Rework and Repair are defined as follows:

(1) Rework - The reprocessing of nonconforming material to make it conform completely to the drawings, specifications or contract requirements.

(2) Repair - The reprocessing of nonconforming material in accordance with approved written procedures and operations to reduce, but not completely eliminate, the nonconformance. The purpose of repair is to bring nonconforming material into a usable condition. Repair is distinguished from rework in that the item after repair still does not completely conform to all of the applicable drawings, specifications or contract requirements.

b. Rework procedures along with the associated inspection procedures shall be documented by the Contractor and submitted to the Government Quality Assurance Representative (QAR) for review prior to implementation. Rework procedures are subject to the QAR's disapproval.

c. Repair procedures shall be documented by the Contractor and submitted on a Request for Deviation/Waiver, to the Contracting Officer for review and written approval prior to implementation.

d. Whenever the Contractor submits a repair or rework procedure for Government review, the submission shall also include a description of the cause for the nonconformances and a description of the action taken or to be taken to prevent recurrence.

e. The rework or repair procedure shall also contain a provision for reinspection which will take precedence over the Technical Data Package requirements and shall, in addition, provide the Government assurance that the reworked or repaired items have met reprocessing requirements.

(End of Clause)

(ES7012)

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-01-G-M002/DG04 **MOD/AMD**

Name of Offeror or Contractor: UNITED DEFENSE LP

CONTRACT ADMINISTRATION DATA

LINE	PRON/ AMS CD/ <u>ITEM</u>	<u>ACRN</u>	<u>STAT</u>	<u>ACCOUNTING CLASSIFICATION</u>	JOB ORDER <u>NUMBER</u>	<u>ACCOUNTING STATION</u>	<u>OBLIGATED AMOUNT</u>
0016AA	M141A459M1 070011	AA	2	97 X4930AC6G 6D	26FB S11116	W52H09 \$	25,731.00
TOTAL							\$ 25,731.00

<u>SERVICE NAME</u>	<u>TOTAL BY ACRN</u>	<u>ACCOUNTING CLASSIFICATION</u>	<u>ACCOUNTING STATION</u>	<u>OBLIGATED AMOUNT</u>
Army	AA	97 X4930AC6G 6D	26FB S11116	W52H09 \$ 25,731.00
TOTAL				\$ 25,731.00