

ORDER FOR SUPPLIES OR SERVICES										PAGE 1 OF 8		
1. CONTRACT PURCH ORDER/AGREEMENT NO. DAAE20-03-D-0071			2. DELIVERY ORDER/CALL NO. 0002		3. DATE OF ORDER/CALL (YYYYMMDD) 2004OCT06		4. REQUISITION/PURCH REQUEST NO. SEE SCHEDULE		5. PRIORITY DOA5			
6. ISSUED BY TACOM-ROCK ISLAND AMSTA-LC-CAC-C JOSE OLIVA (309)782-3411 ROCK ISLAND IL 61299-7630 EMAIL: OLIVAJ@RIA.ARMY.MIL			CODE W52H09	7. ADMINISTERED BY (if other than 6) DCMA SPRINGFIELD BLDG 1 ARDEC PICATINNY NJ 07806-5000				CODE S3101A	8. DELIVERY FOB <input checked="" type="checkbox"/> DESTINATION <input type="checkbox"/> OTHER (See Schedule if other)			
9. CONTRACTOR LC ENGINEERS, INC 1471 PINWOOD ST. RAHWAY, NJ. 07065-5503			CODE 1RHM0	FACILITY	10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) SEE SCHEDULE			11. X IF BUSINESS IS <input type="checkbox"/> SMALL <input checked="" type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMAN-OWNED	12. DISCOUNT TERMS			
NAME AND ADDRESS			SCD: B	PAS: NONE	ADP PT: HQ0337			13. MAIL INVOICES TO THE ADDRESS IN BLOCK See Block 15	TYPE BUSINESS: Small Disadvantaged Business Performing in U.S.			
14. SHIP TO SEE SCHEDULE			CODE	15. PAYMENT WILL BE MADE BY DFAS COLUMBUS CENTER NORTH ENTITLEMENT OPERATIONS PO BOX 182266 COLUMBUS OH 43218-2266				CODE HQ0337	MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2			
16. TYPE OF ORDER	DELIVERY/ CALL	<input checked="" type="checkbox"/>	THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CONTRACT.									
PURCHASE	Reference your	<input type="checkbox"/> Oral	<input type="checkbox"/> Written	Quotation	_____	, Dated	_____	furnish the following on terms specified herein.	ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.			
NAME OF CONTRACTOR			SIGNATURE			TYPED NAME AND TITLE			DATE SIGNED (YYYYMMDD)			
<input checked="" type="checkbox"/>	If this box is marked, supplier must sign Acceptance and return the following number of copies:											
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE												
18. ITEM NO.	19. SCHEDULE OF SUPPLIES/SERVICE				20. QUANTITY ORDERED/ ACCEPTED*	21. UNIT	22. UNIT PRICE	23. AMOUNT				
	SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price KIND OF CONTRACT: Supply Contracts and Priced Orders											
* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.			24. UNITED STATES OF AMERICA MAJOR MICHELLE SANNER /SIGNED/ SANNERM@RIA.ARMY.MIL (309)782-4931					25. TOTAL	\$3,979.36			
27a. QUANTITY IN COLUMN 20 HAS BEEN <input type="checkbox"/> INSPECTED <input type="checkbox"/> RECEIVED <input type="checkbox"/> ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED			BY: _____ CONTRACTING/ORDERING OFFICER									
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE					c. DATE (YYYYMMDD)	d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE						
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE					28. SHIP. NO.	29. D.O. VOUCHER NO.		30. INITIALS				
f. TELEPHONE NUMBER		g. E-MAIL ADDRESS			<input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL	32. PAID BY		33. AMOUNT VERIFIED CORRECT FOR				
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.					<input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL	31. PAYMENT		34. CHECK NUMBER				
a. DATE (YYYYMMDD)		b. SIGNATURE AND TITLE OF CERTIFYING OFFICER			35. BILL OF LADING NO.							
37. RECEIVED AT	38. RECEIVED BY (Print)		39. DATE RECEIVED (YYYYMMDD)		40. TOTAL CONTAINERS	41. S/R ACCOUNT NUMBER		42. S/R VOUCHER NO.				

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 2 of 8****PIIN/SIIN** DAAE20-03-D-0071/0002**MOD/AMD****Name of Offeror or Contractor:** LC ENGINEERS, INC

SUPPLEMENTAL INFORMATION

1. DELIVERY ORDER TWO TO THIS FIVE YEAR INDEFINITE DELIVERY INDEFINITE QUANTITY (IDIQ) CONTRACT IS FOR SEVEN (7) EACH ADAPTER, ASSEMBLY, NSN: 4920-01-463-3308, PART NUMBER: 12979218.
2. SEE SECTION B FOR THE DELIVERY SCHEDULE.
3. CLAUSE CS6100, CS6191, EF0001, EF6002 AND DS6419 HAVE BEEN ADDED TO THIS DELIVERY ORDER.
4. EARLY DELIVERIES ARE AUTHORIZED.
5. ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME.

*** END OF NARRATIVE A 001 ***

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN DAAE20-03-D-0071/0002 MOD/AMD

Name of Offeror or Contractor: LC ENGINEERS, INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																		
0009	SUPPLIES OR SERVICES AND PRICES/COSTS NSN: 4920-01-463-3308 FSCM: 19200 PART NR: 12979218 SECURITY CLASS: Unclassified																						
0009AB	<u>PRODUCTION QUANTITY</u> NOUN: ADAPTER ASSEMBLY,IN PRON: M1413196M1 PRON AMD: 02 ACRN: AA AMS CD: 060011LBCFT <u>Packaging and Marking</u> <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin <u>Deliveries or Performance</u> DOC SUPPL <table border="0"> <tr> <td><u>REL CD</u></td> <td><u>MILSTRIP</u></td> <td><u>ADDR</u></td> <td><u>SIG CD</u></td> <td><u>MARK FOR</u></td> <td><u>TP CD</u></td> </tr> <tr> <td>001</td> <td>W52H0941774527</td> <td>W25G1U</td> <td>J</td> <td></td> <td>2</td> </tr> </table> <table border="0"> <tr> <td><u>DEL REL CD</u></td> <td><u>QUANTITY</u></td> <td><u>DEL DATE</u></td> </tr> <tr> <td>001</td> <td>7</td> <td>28-FEB-2005</td> </tr> </table> FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001 <u>CONTRACT/DELIVERY ORDER NUMBER</u> DAAE20-03-D-0071/0002	<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>	001	W52H0941774527	W25G1U	J		2	<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DEL DATE</u>	001	7	28-FEB-2005	7	EA	\$ 568.48000	\$ 3,979.36
<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>																		
001	W52H0941774527	W25G1U	J		2																		
<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DEL DATE</u>																					
001	7	28-FEB-2005																					

Name of Offeror or Contractor: LC ENGINEERS, INC

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.210-4501 TACOM-RI	DRAWINGS/SPECIFICATION	MAR/1988

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with enclosed Technical Data Package Listing - TDPL 12979218 with revisions in effect as of 09/13/2004 (except as follows):

ENGINEERING EXCEPTIONS: THE FOLLOWING ENGINEERING EXCEPTIONS APPLY TO THIS PROCUREMENT ACTION (S):

ANY PRODUCT OR INSPECTION DOCUMENT WITHOUT DISTRIBUTION STATEMENT SHALL BE A.

TDPL:

DOCUMENT	ADD	DELETE	SUBSTITUTE
12323272	-	X	J-STD-001
MIL-M-81594	-	X	MIL-M-81513
MIL-R-83248	-	X	SAE-AMS-3216
ASTM B209	X	-	-
PPP-C-795	X	-	-

(End of Clause)

(CS6100)

2	52.210-4511 TACOM-RI	STATEMENT OF WORK - OZONE DEPLETING CHEMICALS	MAR/1994
---	-------------------------	---	----------

(a) (1) Specifications and standards, which identify ODCs among alternative substances for use, are part of this TDP/SOW as follows:

N/A

(2) The above specifications and standards allow the optional use of Ozone Depleting Substances (ODS) or Ozone Depleting Chemicals (ODC). Preference should be given to the Non-ODS/ODC choices in compliance with Executive Order 12843, dated April 21, 1993, "Procurement Requirements and Policies for Federal Agencies for Ozone Depleting Substances .

(b) Other specifications and standards containing ODS/ODC materials and included in this TDP/SOW for which a substitute is provided and must be used are as follows:

N/A

(c) Other specifications and standards included in this TDP/SOW that specify use of an ODS/ODC and have been approved for use are as follows:

N/A

(d) NOTE: Offerors are requested, although not obligated, to perform their own screening of the TDP specifications and standards or SOW and identify any additional potential ODS/ODC to the Contracting Officer.

(End of Clause)

(CS6191)

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 5 of 8

PIIN/SIIN DAAE20-03-D-0071/0002

MOD/AMD

Name of Offeror or Contractor: LC ENGINEERS, INC

PACKAGING AND MARKING

<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
------------------------	--------------	-------------

1	52.211-4501 PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	FEB/2004
---	---	----------

A. Military preservation, packing, and marking shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of MIL-STD-2073-1, Revision D, Date 15 Dec 99 including Notice 1, dated 10 May 02 and the Special Packaging Instruction contained in the TDP.

Preservation: MILITARY
Level of Packing: B
Quantity Per Unit Package: 001
SPI Number: P12979218, DATED 10 JUNE 2002

B. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

C. Marking: In addition to any special markings called out on the SPI;

C.1. All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Change Notice 2, Date 10 Feb 04, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

C.2. Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. The MSL will include both linear and 2D bar codes per the standard. The DD Form 250 or the commercial packing list shall have bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots; e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the standard, see paragraph 5.3.

C.3. Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

C.4. Military Shipping Label. The following website (Computer Automated Transportation Tool, CAAT) provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: http://www.asset-trak.com/catt/msl_irrd/mslirrdmain.htm. This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (<http://milpac.com>) and Easysoft Corporation (<http://easysoftcorp.com>). Insure that the "ship to" and "mark for" in-the-clear delivery address is complete including: consignee's name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

D. Heat Treatment and Marking of Wood Packaging Materials: All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

E. This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided the contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 6 of 8
	PIIN/SIIN DAAE20-03-D-0071/0002 MOD/AMD	

Name of Offeror or Contractor: LC ENGINEERS, INC

of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to the PCO and ACO. The Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

F. Hazardous Materials:

F.1. Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

F.2. Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements for the mode of transport and the applicable performance packaging contained in the following documents:

- International Air Transport Association (IATA) Dangerous Goods Regulations
- International Maritime Dangerous Goods Code (IMDG)
- Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
- Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments)

F.3. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations. Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

F.4. A Product Material Safety Data Sheet (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

G. SUPPLEMENTAL INSTRUCTIONS: N/A

(End of clause)

(DS6419)

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 7 of 8****PIIN/SIIN** DAAE20-03-D-0071/0002**MOD/AMD****Name of Offeror or Contractor:** LC ENGINEERS, INC

INSPECTION AND ACCEPTANCE

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.246-2	INSPECTION OF SUPPLIES - FIXED-PRICE	AUG/1996
2	52.246-11	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT	FEB/1999

The Contractor shall comply with the higher-level quality standard below. The Contractor shall be fully compliant prior to award of this contract. IF THE CONTRACTOR IS NOT COMPLIANT BY THE TIME OF AWARD, THEIR OFFER/QUOTE WILL BE CONSIDERED NON-RESPONSIVE/UNACCEPTABLE.

Title	Number	Date	Tailoring
Quality Management Systems Requirements	ISO 9001:2000	13 Dec 2000	TAILORED BY EXCLUDING PARAGRAPHS 7.3,7.4,7.5.1 AND 7.5.2

(End of clause)

(EP6002)

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 8 of 8

PIIN/SIIN DAAE20-03-D-0071/0002

MOD/AMD

Name of Offeror or Contractor: LC ENGINEERS, INC

CONTRACT ADMINISTRATION DATA

LINE	PRON/ AMS CD/ <u>ITEM</u>	<u>ACRN</u>	<u>STAT</u>	<u>ACCOUNTING CLASSIFICATION</u>		JOB ORDER <u>NUMBER</u>	<u>ACCOUNTING</u> <u>STATION</u>	<u>OBLIGATED</u> <u>AMOUNT</u>
0009AB	M1413196M1 060011LBCFT	AA	2	97 X4930AC9G 6D	26KB S11116		W52H09 \$	3,979.36
							TOTAL	\$ 3,979.36

<u>SERVICE</u> <u>NAME</u>	<u>TOTAL BY ACRN</u>	<u>ACCOUNTING CLASSIFICATION</u>		<u>ACCOUNTING</u> <u>STATION</u>	<u>OBLIGATED</u> <u>AMOUNT</u>
Army	AA	97 X4930AC9G 6D	26KB S11116	W52H09	\$ 3,979.36
					TOTAL \$ 3,979.36