

ORDER FOR SUPPLIES OR SERVICES

1. CONTRACT PURCH ORDER/AGREEMENT NO. DAAE20-03-P-0449	2. DELIVERY ORDER/CALL NO.	3. DATE OF ORDER/CALL (YYYYMMDD) 2003AUG26	4. REQUISITION/PURCH REQUEST NO. SEE SCHEDULE	5. PRIORITY DOA5
--	-----------------------------------	--	---	----------------------------

6. ISSUED BY TACOM-ROCK ISLAND AMSTA-LC-CSC-C BARBARA FOLEY (309)782-2547 ROCK ISLAND IL 61299-7630 EMAIL: FOLEYB@RIA.ARMY.MIL	CODE	W52H09	7. ADMINISTERED BY (if other than 6) DCMA BUFFALO T J DULSKI FEDERAL BUILDING ROOM 1103 111 WEST HURON ST BUFFALO NY 14202-2392 SCD: C PAS: NONE ADP PT: HQ0337	CODE	S3305A	8. DELIVERY FOB <input type="checkbox"/> DESTINATION <input checked="" type="checkbox"/> OTHER (See Schedule if other)
--	-------------	--------	--	-------------	--------	--

9. CONTRACTOR ONTARIO KNIFE COMPANY 26 EMPIRE STREET P.O. BOX 145 FRANKLINVILLE, NY. 14737-1099 TYPE BUSINESS: Other Small Business Performing in U.S.	CODE	2V376	FACILITY	10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) SEE SCHEDULE	11. X IF BUSINESS IS <input checked="" type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMAN-OWNED	
				12. DISCOUNT TERMS		
				13. MAIL INVOICES TO THE ADDRESS IN BLOCK See Block 15		

14. SHIP TO SEE SCHEDULE	CODE		15. PAYMENT WILL BE MADE BY DFAS COLUMBUS CENTER NORTH ENTITLEMENT OPERATIONS PO BOX 182266 COLUMBUS OH 43218-2266	CODE	HQ0337	MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
------------------------------------	-------------	--	---	-------------	--------	---

16. TYPE OF ORDER	DELIVERY/ CALL	THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CONTRACT.				
		Reference your <input type="checkbox"/> Oral <input checked="" type="checkbox"/> Written Quotation DAAE2003T0208, Dated 2003MAY13, furnish the following on terms specified herein.				
	PURCHASE	ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.				

NAME OF CONTRACTOR	SIGNATURE	TYPED NAME AND TITLE	DATE SIGNED (YYYYMMDD)
<input checked="" type="checkbox"/> If this box is marked, supplier must sign Acceptance and return the following number of copies:			

17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE
--

18. ITEM NO.	19. SCHEDULE OF SUPPLIES/SERVICE	20. QUANTITY ORDERED/ ACCEPTED*	21. UNIT	22. UNIT PRICE	23. AMOUNT
	SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price KIND OF CONTRACT: Supply Contracts and Priced Orders				

* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.	24. UNITED STATES OF AMERICA JERRY L YOWELL /SIGNED/ YOWELLJ@RIA.ARMY.MIL (309)782-6736 BY: _____ CONTRACTING/ORDERING OFFICER	25. TOTAL	\$32,874.00
		26. DIFFERENCES	

27a. QUANTITY IN COLUMN 20 HAS BEEN
 INSPECTED RECEIVED ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED

b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE		c. DATE (YYYYMMDD)	d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE		
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE		28. SHIP. NO.	29. D.O. VOUCHER NO.	30. INITIALS	
f. TELEPHONE NUMBER		32. PAID BY <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		33. AMOUNT VERIFIED CORRECT FOR	
g. E-MAIL ADDRESS		31. PAYMENT <input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		34. CHECK NUMBER	
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.					
a. DATE (YYYYMMDD)	b. SIGNATURE AND TITLE OF CERTIFYING OFFICER		35. BILL OF LADING NO.		
37. RECEIVED AT	38. RECEIVED BY (Print)	39. DATE RECEIVED (YYYYMMDD)	40. TOTAL CONTAINERS	41. S/R ACCOUNT NUMBER	42. S/R VOUCHER NO.

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 2 of 25

PIIN/SIIN DAAE20-03-P-0449

MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

SUPPLEMENTAL INFORMATION

1. REQUEST FOR QUOTATION REMAIN VALID FOR 90 DAYS.
2. DATAFAX NUMBER AMSTA-LC-CSC-C IS 309-782-0241.
3. REQUEST YOU CERTIFY TO CLAUSES: KF6014, KF7003, KF7057, KF7020 AND KA7702.
4. PLEASE PROVIDE YOUR DUNS NUMBER: _____
5. PLEASE PROVIDE YOUR CARD OR FSCM CODE: 2V376
6. A 100% EVALUATED OPTION PROVISION IS INCLUDED, WHICH IF EXERCISED, THE TOTAL QUANTITY FOR CLIN 0001 WOULD BE 7,200 EACH AND CLIN 0002 WOULD BE 2,000 EACH.
7. THE PRICE FOR THE BASIC QUANTITY WILL BE PROVIDED IN SECTION B OF THIS SOLICITATION AND IS FOB DESTINATION.
8. ORIGIN TRANSPORTATION CLAUSES APPLY TO THE OPTION QUANTITY ONLY.

*** END OF NARRATIVE A 001 ***

AWARD OF THIS REQUIREMENT WILL RESULT IN A UNILATERAL PURCHASE ORDER BETWEEN THE U.S. GOVERNMENT AND A SUCCESSFUL OFFEROR. A PURCHASE ORDER IS AN OFFER BY THE U.S. GOVERNMENT TO BUY THE SUPPLIES OR SERVICES SPECIFIED IN SECTION B. IT BECOMES CONTRACTUALLY BINDING WHEN THE SUCCESSFUL OFFEROR DEMONSTRATES TO THE GOVERNMENT THAT HE/SHE ACCEPTS THE OFFER. THE OFFEROR DEMONSTRATES THAT HE/SHE ACCEPTS THE OFFER BY DELIVERING THE SUPPLIES ON TIME AND WITHIN THE TERMS AND CONDITIONS OF THE PURCHASE ORDER.

FAILURE TO PERFORM AND DELIVER IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE PURCHASE ORDER CONSTITUTES NON-ACCEPTANCE. THEREFORE, IF THE DELIVERY DATE EXPIRES, SO DOES THE GOVERNMENT'S OFFER, AND THE PURCHASE ORDER IS NO LONGER EFFECTIVE. UNDER THESE CIRCUMSTANCES, THE GOVERNMENT IS UNDER NO OBLIGATION TO ACCEPT SUPPLIES/SERVICES OR TO HONOR INVOICES.

*** END OF NARRATIVE A 002 ***

YOU ARE NOTIFIED THAT AWARD WILL BE BASED ON PRICE ALONE.

*** END OF NARRATIVE A 003 ***

1. THE PURPOSE OF THIS AMENDMENT IS TO:
 - (A) CORRECT CLIN 0001AA INSPECTION AND ACCEPTANCE TO ORIGIN IN SCHEDULE B.
 - (B) ADD CLIN 0002AC FOR THE FIRST ARTICLE TEST REPORT.
2. THE CLOSING DATE OF 13 JUNE 2003 FOR THIS SOLICITATION IS EXTENDED TO 3:45 PM, CENTRAL DAYLIGHT TIME, 20 JUNE 2003.
3. ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.
4. THIS AMENDMENT MUST BE ACKNOWLEDGED.

*** END OF NARRATIVE A 004 ***

1. This contract award is a firm fixed priced for the following items:
 - a. Clin 0001AA: Scabbards, NSN: 1095-00-223-7164, Quantity 3,600 each @ \$4.69 each with an option price of \$4.69 each
 - b. Clin 0002AA: Bayonets, NSN:1095-00-073-9238, Quantity 1,00 each with First Article @ \$15.99 each with an option price of \$15.99

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

each

2. The following two clauses are added and apply to Clin 0002; Notice to Phosphate Coating Requirement, Clause Number AS7002 and Phosphate Coating Requirement, Clause Number CS 65100.
3. First Article Testing applies to Clin 0002AA, See Far Clause 52.209-4512 First Article Test (Contractor Testing).
4. All other terms and conditions remain the same.

*** END OF NARRATIVE A 005 ***

Regulatory Cite	Title	Date
-----------------	-------	------

1	HQ, DA NOTICE TO OFFERORS - USE OF CLASS I OZONE-DEPLETING SUBSTANCES	JUL/1993
---	---	----------

(a) In accordance with Section 326 of P.L. 102-484, the Government is prohibited from awarding any contract which includes a specification or standard that requires the use of a Class I ozone-depleting substance (ODS) identified in Section 602(a) of the Clean Air Act, 42 U.S.C. 7671a(a), or that can be met only through the use of such a substance unless such use has been approved, on an individual basis, by a senior acquisition official who determines that there is no suitable substitute available.

(b) To comply with this statute, the Government has conducted a best efforts screening of the specifications and standards associated with this acquisition to determine whether they contain any ODS requirements. To the extent that ODS requirements were revealed by this review they are identified in Section C with the disposition determined in each case.

(c) If offerors possess any special knowledge about any other ODSs required directly or indirectly at any level of contract performance, the U.S. Army would appreciate if such information was surfaced to the Contracting Officer for appropriate action. To preclude delay to the procurement, offerors should provide any information in accordance with FAR 52.214-6 or 52.215-14 as soon as possible after release of the solicitation and prior to the submission of offers to the extent practicable. It should be understood that there is no obligation on offerors to comply with this request and that no compensation can be provided for doing so.

(End of Clause)

(AA7020)

2	52.201-4501 NOTICE ABOUT TACOM-RI OMBUDSMAN TACOM-RI	APR/2002
---	---	----------

a. We have an Ombudsman Office here at TACOM-RI. Its purpose is to open another channel of communication with TACOM-RI contractors.

b. If you think that this solicitation:

1. has inappropriate requirements; or
2. needs streamlining; or
3. should be changed

you should first contact the buyer or the Procurement Contracting Officer (PCO).

c. The buyer's name, phone number and address are on the cover page of this solicitation.

d. If the buyer or PCO doesn't respond to the problem to your satisfaction, or if you want to make comments anonymously, you can contact the Ombudsman Office. The address and phone number are:

U.S. Army TACOM-RI
 AMSTA-AQ-AR (OMBUDSMAN)
 Rock Island IL 61299-7630
 Phone: (309) 782-3224
 Electronic Mail Address: ombudsman@ria.army.mil

e. If you contact the Ombudsman, please provide him with the following information:

- (1) TACOM-RI solicitation number;

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

- (2) Name of PCO:
- (3) Problem description:
- (4) Summary of your discussions with the buyer/PCO.

(End of clause)

(AS7006)

3	52.210-4500 TACOM-RI	NOTICE OF PHOSPHATE COATING REQUIREMENT	MAR/1988
---	-------------------------	---	----------

This solicitation and any resulting purchase order are subject to Federal Specification TT-C-490, Type I, Cleaning Methods for Ferrous Surfaces and Pretreatments for Organic Coatings.

(End of Clause)

(AS7002)

4	52.210-4516 TACOM-RI	COMMERCIAL EQUIVALENT ITEM(S)	JUN/1998
---	-------------------------	-------------------------------	----------

THE GOVERNMENT HAS A PREFERENCE TO SATISFY ITS NEEDS THROUGH THE ACQUISITION OF COMMERCIAL ITEMS. IF YOU KNOW OF ANY COMMERCIAL EQUIVALENT ITEM(S) FOR THOSE LISTED IN THIS SOLICITATION, PLEASE CONTACT THE CONTRACTING OFFICE. INFORMATION PROVIDED WILL BE CONSIDERED FOR FUTURE PROCUREMENTS.

(END OF CLAUSE)

(AS7003)

5	52.211-4506 TACOM-RI	INSTRUCTIONS REGARDING SUBSTITUTIONS FOR MILITARY AND FEDERAL SPECIFICATIONS AND STANDARDS	DEC/1997
---	-------------------------	--	----------

(a) Section I of this document contains DFARS clause 252.211-7005, Substitutions for Military Specifications and Standards, which allows bidders/quoters/offerors to propose Management Council approved Single Process Initiatives (SPIs) in their bids/quotes/offers, in lieu of military or Federal specifications and standards cited in this solicitation.

(b) An offeror proposing to use an SPI process under this solicitation shall identify the following for each proposed SPI as required by DFARS 252.211-7005 contained in Section I:

SPI	MILITARY/FEDERAL SPEC/STANDARD	LOCATION OF REQUIREMENT	FACILITY	ACO
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

(c) An offeror proposing to use an SPI process under this solicitation shall also provide a copy of the Department of Defense acceptance for each SPI process proposed.

(d) In the event an offeror does not identify any SPI in paragraph (b) above, the Government shall conclude that the bidder/quoter/offeror submits its bid/quote/proposal in accordance with the requirements of this solicitation.

(e) The price that is provided by the offeror in the Schedule in Section B will be considered as follows:

(1) If an SPI is identified in paragraph (b) above, the Government will presume that the price is predicated on the use of the proposed SPI.

(2) If there is no SPI identified in paragraph (b) above, the Government will presume the price is predicated on the requirements as stated in the solicitation.

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

(f) Bidders/quoters/offerors are cautioned that there is always the possibility that the Government could make a determination at the Head of the Contracting (HCA)/Program Executive Officer (PEO) level that the proposed SPI is not acceptable for this procurement. If such a determination is made, and the bid/quote/offer only identifies a price predicated on use of proposed SPI, the bid/quote/offer will be determined nonresponsive. Bidders/quoters/offerors who propose SPI processes are encouraged to provide a price below to reflect their price for the item manufactured in accordance with the requirements as stated in this solicitation to preclude possibly being determined nonresponsive:

CLIN _____	PRICE \$ _____

(End of clause)

(AS7008)

6	52.215-4503	NOTICE TO OFFERORS - ELECTRONIC BID/OFFER RESPONSE REQUIRED	FEB/2002
	TACOM-RI		

1. In accordance with Management Reform Memorandum (MRM) #2 from the Department of Defense (DoD), all Services are required to eliminate paper from their acquisition process by January 1, 2000 (see information at <http://www.acq.osd.mil/pcipt/>).

2. In response to this mandate, TACOM-RI has established the capability to receive bids, proposals, and quotes electronically. A hotlink from the TACOM-RI Solicitation Page has been activated to fully automate the response process (see <http://aais.ria.army.mil/aais/SOLINFO/index.htm>).

3. **IMPORTANT:** Bids/proposals/quotes in response to this solicitation are REQUIRED to be submitted in electronic format. Hard copy bids/offers/quotes WILL NOT BE ACCEPTED.

4. Your attention is drawn to the following clauses in Section L of this solicitation for instructions and additional information:

LS7011, Electronic Bids/Offers - TACOM-RI
(TACOM-RI 52.215-4510)

LS7013, Electronic Award Notice - TACOM-RI
(TACOM-RI 52.215-4511)

(End of clause)

(AS7004)

7	52.233-4503	AMC-LEVEL PROTEST PROGRAM	JUN/1998
	TACOM-RI		

(OCTOBER 1996)

If you have complaints about this procurement, it is preferable that you first attempt to resolve those concerns with the responsible contracting officer. However, you can also protest to Headquarters, AMC. The HQ, AMC-Level Protest Program is intended to encourage interested parties to seek resolution of their concerns within AMC as an Alternative Dispute Resolution forum, rather than filing a protest with General Accounting Office or other external forum. Contract award or performance is suspended during the protest to the same extent, and within the same time periods, as if filed at the GAO. The AMC protest decision goal is to resolve protests within 20 working days from filing. To be timely, protests must be filed within the periods specified in FAR 33.103. Send protests (other than protests to the contracting officer) to:

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 6 of 25****PIIN/SIIN** DAAB20-03-P-0449**MOD/AMD****Name of Offeror or Contractor:** ONTARIO KNIFE COMPANY

HQ Army Materiel Command
Office of Command Counsel
ATTN: AMCCC-PL
5001 Eisenhower Avenue
Alexandria, VA 22333-0001

Facsimile number (703) 617-4999/5680
Voice Number (703) 617-8176

The AMC-level protest procedures are found at:

<http://www.amc.army.mil/amc/cc/protest.html>

If Internet access is not available contact the contracting officer or HQ, AMC to obtain the AMC-Level Protest Procedures.

(END OF CLAUSE)

(AS7010)

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN DAAE20-03-P-0449 MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																		
0001	SUPPLIES OR SERVICES AND PRICES/COSTS NSN: 1095-00-223-7164 FSCM: 19204 PART NR: 8448476 SECURITY CLASS: Unclassified																						
0001AA	<u>PRODUCTION QUANTITY WITHOUT FIRST ARTICLE/OV</u> NOUN: SCABBARD,BAYONET-KN PRON: M131S503M1 PRON AMD: 02 ACRN: AA AMS CD: 070011HFAG4 <u>Packaging and Marking</u> <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin <u>Deliveries or Performance</u> DOC SUPPL <table border="0"> <tr> <td><u>REL CD</u></td> <td><u>MILSTRIP</u></td> <td><u>ADDR</u></td> <td><u>SIG CD</u></td> <td><u>MARK FOR</u></td> <td><u>TP CD</u></td> </tr> <tr> <td>001</td> <td>W52H093064A159</td> <td>W25G1U</td> <td>J</td> <td></td> <td>1</td> </tr> </table> <table border="0"> <tr> <td><u>DEL REL CD</u></td> <td><u>QUANTITY</u></td> <td><u>DEL DATE</u></td> </tr> <tr> <td>001</td> <td>3,600</td> <td>28-NOV-2003</td> </tr> </table> FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001 <u>CONTRACT/DELIVERY ORDER NUMBER</u> DAAE20-03-P-0449/0000	<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>	001	W52H093064A159	W25G1U	J		1	<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DEL DATE</u>	001	3,600	28-NOV-2003	3600	EA	\$ 4.69000	\$ 16,884.00
<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>																		
001	W52H093064A159	W25G1U	J		1																		
<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DEL DATE</u>																					
001	3,600	28-NOV-2003																					
0002	NSN: 1095-00-073-9238 FSCM: 19204 PART NR: 11010077 SECURITY CLASS: Unclassified																						
0002AA	<u>PRODUCTION QUANTITY WITH FIRST ARTICLE</u> NOUN: BAYONET-KNIFE PRON: M131S504M1 PRON AMD: 02 ACRN: AA AMS CD: 070011HFAG4	1000	EA	\$ 15.99000	\$ 15,990.00																		

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN DAAE20-03-P-0449 MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p><u>Packaging and Marking</u></p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin Government Approval/Disapproval Days: 45</p> <p><u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 W52H093064A158 W25G1U J 1 <u>DEL REL CD QUANTITY DEL DATE</u> 001 1,000 27-FEB-2004</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001</p> <p><u>CONTRACT/DELIVERY ORDER NUMBER</u> DAAE20-03-P-0449/0000</p>				
0002AC	<p><u>DATA ITEM</u></p> <p>NOUN: FIRST ARTICLE TEST REPORT</p> <p><u>Packaging and Marking</u></p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination Government Approval/Disapproval Days: 45</p> <p><u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 3 <u>DEL REL CD QUANTITY DEL DATE</u> 001 1 20-NOV-2003</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (ZZZ555) TACOM-ROCK ISLAND ATTN AMSTA-LC-CSC ROCK ISLAND IL 61299-7630</p>	1	LO	\$ ** NSP **	\$ ** NSP **

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN DAAE20-03-P-0449 MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0003	MARK FOR: AMSTA-LC-CSC-C/B. FOLEY <u>CONTRACT/DELIVERY ORDER NUMBER</u> DAAE20-03-P-0449/0000 SECURITY CLASS: Unclassified				
0003AA	<u>DATA ITEM</u> Contractor will prepare and deliver the technical data in accordance with the requirements, quantities and schedules set forth in Contract Data Requirements Lists (DD Form 1423), Exhibits A and B. A DD 250 is not required. (End of narrative B001) <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination	1	LO	\$ ** NSP **	\$ ** NSP **

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 11 of 25

PIIN/SIIN DAAE20-03-P-0449

MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

PART III-CERTIFICATION PROVISIONS

The Certification Provisions of MIL-W-63150 for Certificates of Conformance (COC) shall apply. Certificates of Conformance are required for Defect nos 301, 302 & 303".

NUMBER	CHARACTERISTICS	TEST DATA TO COMPLYe
301	Material	Dwg 11010078
302	Phosphate Coating	Dwg 11010078
303	Oil treatment	Dwg 11010078

PART IV TEST METHODS AND PROCEDURES-W-63150 for Certificates of STM-1 Salt Spray. This test shall be conducted in accordance with ASTM

B117 using 5% salt solution.

In Paragraph 5 delete QQ-S-634, QQ-S-637. SQAP-APPENDIX-RIA, and add MIL-W-63150, MIL-STD-171, ASTM B117 & DOD-P-16232.

"The following Government Acceptance Inspection Equipment (AIE) designs drawings, cited elsewhere in the technical data, are appropriate for use during performance of this contract to inspect the applicable characteristics

- o All AIE designs specified for critical Characteristics/Defects
- o Other -Lists by citing individual drawing numbers or equipment list(s).

NONE

All other Government AIE designs which are cited in the Technical Data Package List or in any of the documents in the technical data package are no longer being maintained by the Government, may not reflect the latest component configuration and are, therefore, included for information purposes only. Except for the AIE designs listed above, the contractor is responsible for the design and submission to the Government for review of all other AIE in accordance with Clause -N/A-_specified elsewhere in Section E of this contract."

(CS6100)

9 52.210-4501 PHOSPHATE COATING REQUIREMENT
TACOM-RI

MAR/2002

The following requirements regarding phosphate coating are applicable to this solicitation and any resultant contract in addition to those requirements set forth in specification MIL-DTL-16232G.

- a. Paragraph 3.1 of MIL-DTL-16232G refers to "Preproduction Inspection". The appropriate address to which phosphate coating procedures should be sent by the contractor is Commander, Tank-automotive and Armaments Command - Rock Island site, ATTN: AMSTA- -1-, Rock Island, IL 61299-7630. The contract number must be cited on all phosphate coating procedures being submitted to TACOM-RI for review and approval. Procedures shall include product name and manufacturer of all chemicals to be used. All processes, equipment, and controls used for phosphating shall be described in detail.
- b. Paragraph 3.2.5-c of MIL-DTL-16232G refers to the "Chromic acid rinse, (Classes 1, 2, and 3)." The final rinse shall be checked by a standard free and total acid titration along with a pH reading prior to starting production and at least every 8 hours thereafter.
- c. Paragraph 4.7.3 of MIL-DTL-16232G refers to "Weight per unit area of phosphate coatings." The frequency for testing coating weight is per lot "at least every 8 hours."
- d. Paragraph 4.7.5 of MIL-DTL-16232G refers to "Accelerated corrosion resistance." Accelerated corrosion resistance shall be determined in accordance with 4.7.5.1. The frequency for testing accelerated corrosion resistance per ASTM B117 is per lot "at least

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 13 of 25
	PIIN/SIIN DAAE20-03-P-0449	MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

the size, or whenever the unit pack is less than 64 cubic inches, or when the weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches. Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(4) Packing:

(i) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

(ii) Shipping Containers - The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

c. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall not exceed 4,000 pounds and should not exceed 52 inches in length or width, or 54 inches in height. The load shall be contained in a manner that will permit safe handling during shipment and storage.

d. Marking: All unit packages, intermediate packs, exterior shipping containers, and as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision N, Date 15 MAY 97, including bar coding, see AIM-BCL, Uniform Symbology Specification (USS)-39, Document Number X5-2. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material.

e. Hazardous Materials: In addition to the general instructions listed above, hazardous materials or items as defined in CFR Title 49 are also subject to all applicable Department of Transportation regulations for packaging/packing, marking, labeling, container certification, and transport as listed in Code of Federal Regulations Title 49, Parts 100-180. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

f. Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

g. SUPPLEMENTAL INSTRUCTIONS:

CLIN 0001AA - N/A

CLIN 0002AA - A protective sleeve/folder made of ASMT D 4727 (fiberboard) shall cover both sides of the blade and shall extend 1/4 inch beyond the tip of the blade. Secure edges of folder together with tap.

The SPI may be used as reference.

(End of clause)

(DS6413)

INSPECTION AND ACCEPTANCE

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(EA7001)

12	52.246-2	INSPECTION OF SUPPLIES - FIXED-PRICE	AUG/1996
13	52.246-11	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT	FEB/1999

The Contractor shall comply with the higher-level quality standard selected below, (If more than one standard is listed, the offeror shall indicate its selection by checking the appropriate block.)

CLIN 0001AA - Scabbard, Bayonet

	Title	Number	Date	Tailoring
(x)	Quality Management Systems - Requirements	ISO 9001:2000	13 DEC 2000	tailored by excluding paragraphs 7.2, 7.3, 7.4, 7.5.1 and 7.5.2
()	Quality Systems - Model for QA	ISO 9003	18 JUL 1994	untailored

CLIN 0002AA - Bayonet, Knife

(x)	Quality Management Systems - Requirements	ISO 9001:2000	13 Dec 2000	tailored by excluding paragraphs 7.2, 7.3, 7.4, 7.5.1 and 7.5.2.
()	Quality Systems - Model QA	ISO 9003	18 JUL 1994	untailored

(End of clause)

(EF6002)

14	52.209-4512 TACOM-RI	FIRST ARTICLE TEST (CONTRACTOR TESTING)	MAR/2001
----	-------------------------	---	----------

a. The first article shall consist of:

5 each of each component listed on TDPL 11010077 applies to Clin 0002 only

which shall be examined and tested in accordance with contract requirements, the item specification(s), Quality Assurance Provisions (QAPs) and all drawings listed in the Technical Data Package.

b. The first article shall be representative of items to be manufactured using the same processes and procedures and at the same facility as contract production. All parts and materials, including packaging and packing, shall be obtained from the same source of supply as will be used during regular production. All components, subassemblies, and assemblies in the first article sample shall have been produced by the Contractor (including subcontractors) using the technical data package applicable to this procurement.

c. The first article shall be inspected and tested by the contractor for all requirements of the drawing(s), the QAPs, and specification(s) referenced thereon, except for:

(1) Inspections and tests contained in material specifications provided that the required inspection and tests have been performed previously and certificates of conformance are submitted with the First Article Test Report.

(2) Inspections and tests for Military Standard (MS) components and parts provided that inspection and tests have been performed previously and certifications for the components and parts are submitted with the First Article Test Report.

(3) Corrosion resistance tests over 10 days in length provided that a test specimen or sample representing the same process has successfully passed the same test within 30 days prior to processing the first article, and results of the tests are submitted with

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 15 of 25
	PIIN/SIIN DAAE20-03-P-0449	MOD/AMD
Name of Offeror or Contractor: ONTARIO KNIFE COMPANY		

the First Article Test Report.

(4) Life cycle tests over 10 days in length provided that the same or similar items manufactured using the same processes have successfully passed the same test within 1 year prior to processing the first article and results of the tests are submitted with the First Article Test Report.

(5) Onetime qualification tests, which are defined as a one-time on the drawing(s), provided that the same or similar item manufactured using the same processes has successfully passed the tests, and results of the test are on file at the contractor's facility and certifications are submitted with the First Article Test Report.

d. The Contractor shall provide to the Contracting Officer at least 15 calendar days advance notice of the scheduled date for final inspection and test of the first article. Those inspections which are of a destructive nature shall be performed upon additional sample parts selected from the same lot(s) or batch(es) from which the first article was selected.

e. A First Article Test Report shall be compiled by the contractor documenting the results of all inspections and tests (including supplier's and vendor's inspection records and certifications, when applicable). The First Article Test Report shall include actual inspection and test results to include all measurements, recorded test data, and certifications (if applicable) keyed to each drawing, specification and QAP requirement and identified by each individual QAP characteristic, drawing/specification characteristic and unlisted characteristic. Evidence of the QAR's verification will be provided. One copy of the First Article Test Report will be submitted through the Administrative Contracting Officer to the Contracting Officer with a copy furnished to AMSTA-AR-QAW-C.

f. Notwithstanding the provisions for waiver of first article, an additional first article sample or portion thereof, may be ordered by the Contracting Officer in writing when (i) a major change is made to the technical data, (ii) whenever there is a lapse in production for a period in excess of 90 days, or (iii) whenever a change occurs in place of performance, manufacturing process, material used, drawing, specification or source of supply. When conditions (i), (ii), or (iii) above occurs, the Contractor shall notify the Contracting Officer so that a determination can be made concerning the need for the additional first article sample or portion thereof, and instructions provided concerning the submission, inspection, and notification of results. Costs of the additional first article testing resulting from any of the causes listed herein that were instituted by the contractor and not due to changes directed by the Government shall be borne by the Contractor.

(End of Clause)

(ES6016)

15	52.246-4503	ALTERNATIVES TO LOT ACCEPTANCE SAMPLING (INCLUDING STATISTICAL PROCESS CONTROL (SPC))	JAN/1999
	TACOM-RI		

(a) Offerors are encouraged to propose a defect prevention strategy in lieu of lot acceptance inspection and testing requirements cited in the technical data package. The Government recognizes that industry has developed numerous prevention based strategies which result in reduced process variation and promote continuous process improvement initiatives. Use of alternatives to lot acceptance sampling can provide offerors the latitude of implementing prevention based programs that are suitable to their particular mode of operation. Offerors are encouraged to submit their alternative proposals prior to award. Although the Government will entertain post award requests, there is no guarantee such requests will be accepted.

(b) Requests to use alternatives to lot acceptance sampling shall be provided to the Contracting Officer for review and approval or disapproval. Such requests shall include:

(1) Identification of the specific inspections and tests to be reduced or eliminated.

(2) A description of your prevention based program. This should include such topics as a training program and the performance of audits.

(3) A description of the tools used to monitor and control the specific processes being evaluated. This should include such topics as criteria for determining out of control conditions and procedures to be used when an out of control condition is detected.

(4) The results of a process performance study, and if available, the results of a process capability study.

(5) For SPC data to be used as an alternative to lot acceptance sampling, the following conditions shall be met:

(i) The process is in a state of statistical control using SPC control chart methods.

(ii) Variable data: for Critical characteristics a CPK \geq 2.00 (or equivalent capability) is achieved; for Major characteristics a CPK \geq 1.33 (or equivalent capability) is achieved.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 16 of 25
	PIIN/SIIN DAAE20-03-P-0449	MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

(iii) Attribute data: for Critical Characteristics a process average of 100% of the product conforming to the specification; for Major Characteristics a process average of 99.9937% of the product conforming to the specification.

(c) Proposals offered after award. The Contracting Officer is responsible for accepting or rejecting the alternate lot acceptance procedure submitted by the contractor. The contractor may submit an alternate lot acceptance procedure at any time during the performance of this contract. The Contracting Officer is responsible for accepting or rejecting the alternate procedure within 30 days of receipt. If the Government needs more time to evaluate the alternate procedure, the Contracting Officer shall notify the contractor in writing, giving the reasons and the anticipated decision date. The contractor may withdraw its proposal at anytime prior to its incorporation by contract modification. Because offerors may withdraw their proposal at anytime, the Contracting Officer's failure to timely accept or reject the proposal shall not constitute grounds for claim against the Government. Any proposed and accepted procedure must be incorporated by contract modification. If the alternate procedure is not accepted, the Contracting Officer shall provide the contractor with written notification, explaining the reasons for rejection.

(d) Any equitable adjustment resulting from approval of an alternate lot acceptance procedure described in paragraph (c) above will be handled in accordance with the Changes clause of this contract.

(e) Until notification is received, the contractor is required to perform under this contract in accordance with the requirements herein, including lot acceptance inspection and testing.

(End of clause)

(ES7019)

16	52.246-4528	REWORK AND REPAIR OF NONCONFORMING MATERIAL TACOM-RI	MAY/1994
----	-------------	---	----------

a. Rework and Repair are defined as follows:

(1) Rework - The reprocessing of nonconforming material to make it conform completely to the drawings, specifications or contract requirements.

(2) Repair - The reprocessing of nonconforming material in accordance with approved written procedures and operations to reduce, but not completely eliminate, the nonconformance. The purpose of repair is to bring nonconforming material into a usable condition. Repair is distinguished from rework in that the item after repair still does not completely conform to all of the applicable drawings, specifications or contract requirements.

b. Rework procedures along with the associated inspection procedures shall be documented by the Contractor and submitted to the Government Quality Assurance Representative (QAR) for review prior to implementation. Rework procedures are subject to the QAR's disapproval.

c. Repair procedures shall be documented by the Contractor and submitted on a Request for Deviation/Waiver, to the Contracting Officer for review and written approval prior to implementation.

d. Whenever the Contractor submits a repair or rework procedure for Government review, the submission shall also include a description of the cause for the nonconformances and a description of the action taken or to be taken to prevent recurrence.

e. The rework or repair procedure shall also contain a provision for reinspection which will take precedence over the Technical Data Package requirements and shall, in addition, provide the Government assurance that the reworked or repaired items have met reprocessing requirements.

(End of Clause)

(ES7012)

17	52.246-4531	ACCEPTANCE INSPECTION EQUIPMENT (AIE) TACOM-RI	MAR/2001
----	-------------	---	----------

(a) The contractor shall use a calibration system with traceability to a national or international standard for the AIE used on this contract.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 17 of 25
	PIIN/SIIN DAAE20-03-P-0449	MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

(b) The contractor shall provide all AIE (except for any AIE listed as available in Section H or Appendix I) necessary to assure conformance of material to the contract requirements.

(c) AIE shall be available for use on the First Article (FA) submission, if FA is required, or prior to use for acceptance of production material on this contract.

(d) Contractor furnished AIE shall be made (i) to the AIE designs specified in Section C, or (ii) to any other design provided the contractor's proposed AIE design is approved by the Government. Contractor's proposed AIE design for inspection of characteristics listed as "Critical, Special or Major" shall be submitted to the Government for review and approval as directed on the Contract Data Requirements List, DD Form 1423. Government approval of AIE design shall not be considered to modify the contract requirements.

(e) When the contractor submits it's proposed AIE on commercial off the shelf equipment, the contractor shall include the manufacturer's name and model number, and sufficient information to show capability of the proposed AIE to perform the inspection required. When submitting proposed AIE design documentation on commercial computer controlled test and measuring equipment include information on (1) test program listing (2) flowcharts showing accept and reject limits and computer generated test stimuli (3) calibration program listing (4) sample of the printout of an actual test and calibration (5) test plan to verify accuracy of inspection and correctness of accept or reject decision (6) identification of the equipment by model name and number.

(f) Resubmission of the contractor's proposed AIE design for Government approval on a follow on Government contract is not required, provided the inspection characteristic parameters specified in the technical data package and the previously Government approved AIE designs have not changed. In this situation, the contractor shall provide written correspondence in the place of the AIE designs that indicates the prior Government approval and states that no changes have occurred.

(g) The Government reserves the right to disapprove, at any time during the performance of this contract, any AIE that is not accomplishing its intended use in verifying an inspection or test characteristic.

(h) If the contractor changes the design after the initial approval, the modified design must be submitted for approval prior to use.

(End of clause)

(ES7002)

18	52.246-4532	DESTRUCTIVE TESTING	MAY/1994
	TACOM-RI		

a. All costs for destructive testing by the Contractor and items destroyed by the Government are considered as being included in the contract unit price.

b. Where destructive testing of items or components thereof is required by contract or specification, the number of items or components required to be destructively tested, whether destructively tested or not, shall be in addition to the quantity to be delivered to the Government as set forth in the Contract Schedule.

c. All pieces of the complete First Article shall be considered as destructively tested items unless specifically exempted by other provisions of this contract.

d. The Contractor shall not reuse any components from items used in a destructive test during First Article, lot acceptance or inprocess testing, unless specifically authorized by the Contracting Officer.

e. The Government reserves the right to take title to all or any items or components described above. The Government may take title to all or any items or components upon notice to the Contractor. The items or components of items to which the Government takes title shall be shipped in accordance with the Contracting Officer's instructions. Those items and components to which the Government does not obtain title shall be rendered inoperable and disposed of as scrap by the Contractor.

(End of Clause)

(ES7011)

DELIVERIES OR PERFORMANCE

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 18 of 25

PIIN/SIIN DAAE20-03-P-0449

MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

these addresses:

<http://www.arnet.gov/far/> or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(FA7001)

19	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
20	52.247-29	F.O.B. ORIGIN	JUN/1988
21	52.247-34	F.O.B. DESTINATION	NOV/1991
22	52.247-48	F.O.B. DESTINATION - EVIDENCE OF SHIPMENT	FEB/1999
23	52.247-61	F.O.B. ORIGIN - MINIMUM SIZE OF SHIPMENTS	APR/1984
24	52.247-65	F.O.B. ORIGIN, PREPAID FREIGHT - SMALL PACKAGE SHIPMENTS	JAN/1991
25	52.247-4531 TACOM-RI	COGNIZANT TRANSPORTATION OFFICER	MAY/1993

(a) The contract administration office designated at the time of contract award, or the office servicing the point of shipment if subsequently designated by the original office, will be the contact point to which the contractor will:

(1) Submit, as necessary, DD Form 1659, Application for U.S. Government Bill(s) of Lading/Export Traffic Release, in triplicate at least ten days prior to date supplies will be available for shipment;

(2) Obtain shipping instructions as necessary for F.O.B. Destination delivery; and

(3) Furnish necessary information for MILSTRIP/MILSTAMP or other shipment documentation and movement control, including air and water terminal clearances.

(4) For FMS, at least 10 days in advance of actual shipping date the contractor should request verification of 'Ship to' and 'Notification' address from the appropriate DCMAO.

(b) The contract administration office will provide to the contractor data necessary for shipment marking and freight routing.

(c) The contractor shall not ship directly to a Military air or water port terminal without authorization by the designated point of contact.

(End of Clause)

(FS7240)

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 19 of 25

PIIN/SIIN DAAE20-03-P-0449

MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

CONTRACT ADMINISTRATION DATA

LINE	PRON/ ITEM	AMS CD	OBLG ACRN	STAT	ACCOUNTING CLASSIFICATION	JOB ORDER NUMBER	ACCOUNTING STATION	OBLIGATED AMOUNT
0001AA	M131S503M1		AA	2	97 X4930AC6G 6D	26FB S11116	W52H09 \$	16,884.00
	070011HFAG4							
0002AA	M131S504M1		AA	2	97 X4930AC6G 6D	26FB S11116	W52H09 \$	15,990.00
	070011HFAG4							
							TOTAL \$	32,874.00

SERVICE NAME	TOTAL BY ACRN	ACCOUNTING CLASSIFICATION	ACCOUNTING STATION	OBLIGATED AMOUNT
Army	AA	97 X4930AC6G 6D	26FB S11116	W52H09 \$ 32,874.00
				TOTAL \$ 32,874.00

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

SPECIAL CONTRACT REQUIREMENTS

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(HA7001)

26	252.247-7023 DFARS	TRANSPORTATION OF SUPPLIES BY SEA - ALTERNATE III	MAY/2002
27	52.247-4545 TACOM-RI	PLACE OF CONTRACT SHIPPING POINT, RAIL INFORMATION	MAY/1993

The bidder/offeror is to fill in the 'Shipped From' address, if different from 'Place of Performance' indicated elsewhere in this section.

Shipped From:

For contracts involving F.O.B. Origin shipments furnish the following rail information:

Does Shipping Point have a private railroad siding? ____ YES ____ NO

If YES, give name of rail carrier serving it: _____

If NO, give name and address of nearest rail freight station and carrier serving it:

Rail Freight Station Name and Address: _____

Serving Carrier: _____

(End of Clause)

(HS7600)

CONTRACT CLAUSES

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(IA7001)

28	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
29	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 21 of 25
	PIIN/SIIN	DAAE20-03-P-0449	MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

30	52.222-19	CHILD LABOR - COOPERATION WITH AUTHORITIES AND REMEDIES	SEP/2002
31	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
32	52.232-18	AVAILABILITY OF FUNDS	APR/1984
33	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER - CENTRAL CONTRACTOR REGISTRATION	MAY/1999
34	52.242-10	F.O.B. ORIGIN - GOVERNMENT BILLS OF LADING OR PREPAID POSTAGE	APR/1984
35	52.243-1	CHANGES - FIXED PRICE	AUG/1987
36	52.246-1	CONTRACTOR INSPECTION REQUIREMENTS	APR/1984
37	252.204-7003 DFARS	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
38	252.225-7001 DFARS	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
39	252.225-7025 DFARS	RESTRICTION ON ACQUISITION OF FORGINGS	APR/2003
40	252.231-7000 DFARS	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
41	252.242-7000 DFARS	POSTAWARD CONFERENCE	DEC/1991
42	252.242-7003 DFARS	APPLICATION FOR U.S. GOVERNMENT SHIPPING	DEC/1991
43	252.243-7001 DFARS	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
44	252.244-7000 DFARS	SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS (DOD CONTRACTS)	MAR/2000
45	252.246-7000 DFARS	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003
46	52.213-4	TERMS AND CONDITIONS - SIMPLIFIED ACQUISITIONS (OTHER THAN COMMERCIAL ITEMS)	AUG/2003

Paragraph (b)(1)(viii) is deleted from this clause.

Information to be inserted in Paragraph (c):

<http://www.arnet.gov/far/>

or

www.acq.osd.mil/dp/dars

(IF8001)

47	52.217-6	EVALUATED OPTION FOR INCREASED QUANTITY	MAR/1990
----	----------	---	----------

a. This solicitation includes an evaluated option (See Section M).

b. The Government reserves the right to increase the quantity of item(s) Clin 0001 and/or Clin 0002 by a quantity of up to and including but not exceeding 100 percent as an evaluated option at the price(s) quoted below.

c. If the Contractor does not quote a price hereunder, the lowest price offered/bid in the Schedule for item(s) Clin 0001 and/or Clin 0002 shall be the price used for evaluation/award of any option quantities. All evaluation factors identified in the solicitation, except F.O.B. origin transportation costs, will be applied to the option quantity for evaluation purposes.

d. The Contracting Officer may exercise the evaluated option at any time preceding 30 days before the last delivery by giving written notice to the Contractor.

e. Delivery of the items added by exercise of this option shall continue immediately after, and at the same rate as delivery of like items called for under the contract, unless the parties agree otherwise.

f. Subject to the limitations contained in this clause, the Government may exercise this option on one or more occasions.

g. Offered Unit Prices for the Option Quantities are:

Unit Price

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

Evaluated Option
(F.O.B. Origin)

\$__4.69 each___ CLIN 0001AA

\$__15.99 each___ CLIN 0002AA

Varying prices may be offered for the option quantities actually ordered and the dates when ordered. In as much as the unit price for the basic quantity may contain starting, load, testing, tooling, transportation or other costs not applicable to option quantities, offerors are requested to take these factors into consideration while setting forth the unit price(s) for the option quantities. The option price is expected (but not required) to be lower than the unit price for the initial quantity.

(End of Clause)

(IF6080)

48 52.209-3 FIRST ARTICLE APPROVAL-CONTRACTOR TESTING, ALTERNATE I AND ALTERNATE II JAN/1997

(a) The Contractor shall test 5 unit(s) of Lot/Item 0002AA as specified in this contract. At least fifteen (15) calendar days before the beginning of first article tests, the Contractor shall notify the Contracting Officer, in writing, of the time and location of the testing so that the Government may witness the tests.

(b) The Contractor shall submit the first article test report within ** calendar days from the date of this contract to * marked 'FIRST ARTICLE TEST REPORT: Contract No.____,Lot/Item No.____.' Within thirty (30) calendar days after the Government receives the test report, the Contracting Officer shall notify the Contractor, in writing, of the conditional approval, approval, or disapproval of the first article. The notice of conditional approval or approval shall not relieve the Contractor from complying with all requirements of the specifications and all other terms and conditions of this contract. A notice of conditional approval shall state any further action required of the Contractor. A notice of disapproval shall cite reasons for the disapproval.

(c) If the first article is disapproved, the Contractor, upon Government request, shall repeat any or all first article tests. After each request for additional tests, the Contractor shall make any necessary changes, modifications, or repairs to the first article or select another first article for testing. All costs related to these tests are to be borne by the Contractor, including any and all costs for additional tests following a disapproval. The Contractor shall then conduct the tests and deliver another report to the Government under the terms and conditions and within the time specified by the Government. The Government shall take action on this report within the time specified in paragraph (b) above. The Government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule, or for any additional costs to the Government related to these tests.

(d) If the Contractor fails to deliver any first article report on time, or the Contracting Officer disapproves any first article, the Contractor shall be deemed to have failed to make delivery within the meaning of the Default clause of this contract.

(e) Unless otherwise provided in the contract, and if the approved first article is not consumed or destroyed in testing, the Contractor may deliver the approved first article as part of the contract quantity if it meets all contract requirements for acceptance.

(f) If the Government does not act within the time specified in paragraph (b) or (c) above, the Contracting Officer shall, upon timely written request from the Contractor, equitably adjust under the Changes clause of this contract the delivery or performance dates and/or the contract price, and any other contractual term affected by the delay.

(g) Before first article approval, the Contracting Officer may, by written authorization, authorize the Contractor to acquire specific materials or components or to commence production to the extent essential to meet the delivery schedules. Until first article approval is granted, only costs for the first article and costs incurred under this authorization are allocable to this contract for (1) progress payments, or (2) termination settlements if the contract is terminated for the convenience of the Government. If first article tests reveal deviations from contract requirements, the Contractor shall, at the location designated by the Government, make the required changes or replace all items produced under this contract at no change in the contract price.

(h) The Government may waive the requirement for first article approval test where supplies identical or similar to those called for in the schedule have been previously furnished by the Offeror/Contractor and have been accepted by the Government. The Offeror/Contractor may request a waiver.

(i) The Contractor shall produce both the first article and the production quantity at the same facility.

* (See instructions regarding submission of First Article clause)

** (See Schedule B)

(End of Clause)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-03-P-0449 MOD/AMD	Page 23 of 25
Name of Offeror or Contractor: ONTARIO KNIFE COMPANY		

(IF7116)

49 52.215-8 ORDER OF PRECEDENCE - UNIFORM CONTRACT FORMAT OCT/1997

Any inconsistency in this solicitation or contract shall be resolved by giving precedence in the following order: (a) the Schedule (excluding the specifications); (b) representations and other instructions; (c) contract clauses; (d) other documents, exhibits, and attachments; and (e) the specifications.

NOTE: The Order of Precedence within the specifications (paragraph (e) above) is: (1) Detailed specifications (including gage designs) for item(s) being procured; (2) Detailed specifications for material or operations; (3) General Specifications for class or items, and (4) General Specifications for class of materials.

(End of Clause)

(IF7003)

50 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES APR/1984

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of '(DEVIATION)' after the date of the clause.

(b) The use in this solicitation or contract of any DOD FAR SUPPLEMENT (48 CFR Chapter 2) clause with an authorized deviation is indicated by the addition of '(DEVIATION)' after the name of the regulation.

(End of clause)

(IF7016)

51 252.211-7005 SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS FEB/2003
DFARS

(a) Definition. ''SPI process,'' as used in this clause, means a management or manufacturing process that has been accepted previously by the department of defense under the Single Process Initiative (SPI) for use in lieu of specific military or Federal specification or standard at specific facilities. Under SPI, these processes are reviewed and accepted by a Management Council, which includes representatives from the Defense Contract Management Agency, the Defense Contract Audit Agency, and the military departments.

(b) Offerors are encouraged to propose SPI process in lieu of military or Federal specifications and standards cited in the solicitation. A listing of SPI process accepted at specific facilities is available via the Internet in Excel format at <http://www.dcmil.com/onebook/7.0/7.2/7.2.6/reports/modified.xls>

(c) An offeror proposing to use an SPI process in lieu of military or Federal specifications or standard cited in the solicitation shall--

(1) Identify the specific military or Federal specification or standard for which the SPI process has been accepted,

(2) identify each facility at which the offeror proposed to use the specific SPI process in lieu of military or Federal specifications or standards cited in the solicitation;

(3) Identify the contract line items, subline items, components, or elements affected by the SPI process; and

(4) If the proposed SPI process has been accepted at the facility at which it is proposed for use, but is not yet listed at the Internet site specified in paragraph (b) of this clause, submit documentation of Department of Defense acceptance of the SPI process.

(d) Absent a determination that an SPI process is not acceptable for this procurement, the Contractor shall use the following SPI processes in lieu of military or Federal specifications or standards:

(Offeror insert information for each SPI process)

SPI Process: _____

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 24 of 25

PIIN/SIIN DAAE20-03-P-0449

MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

Facility: _____

Military or Federal Specification or Standard: _____

Affected Contract Line Item Number, Subline Item Number, Component, or Element: _____

(e) If a prospective offeror wishes to obtain, prior to the time specified for receipt of offers, verification that an SPI process is an acceptable replacement for military or Federal specifications or standards required by the solicitation, the prospective offeror -

(1) May submit the information required by paragraph (d) of this clause to the Contracting Officer prior to submission of an offer;but

(2) Must submit the information to the Contracting Officer at least 10 working days prior to the date specified for receipt of offers.

(End of Clause)

(IA7009)

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 25 of 25**

PIIN/SIIN DAAE20-03-P-0449

MOD/AMD

Name of Offeror or Contractor: ONTARIO KNIFE COMPANY

LIST OF ATTACHMENTS

<u>List of Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number of Pages</u>	<u>Transmitted By</u>
Exhibit A	DD FORM 1423-CONTRACT DATA REQUIREMENTS LIST	16-DEC-2002	003	
Attachment 001	DOCUMENT SUMMARY LIST		002	
Attachment 002	TECH DATA AVAILABLE ON THE WEB			

The following documents are hereby attached by reference and form a part of this acquisition. These documents are available in electronic format on the internet at <http://aais.ria.army.mil/aais/SOLINFO/index.htm>. Vendors should ensure that they have the correct revisions in their possession prior to submitting a bid proposal/quote.

<u>List of Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number of Pages</u>
Attachment 1A	Instructions for Completing DD Form 1423	JUN 90	1 Pg
Attachment 2A	IOC Form 715-3	FEB 96	2 Pgs
Attachment 3A	AMCCOM Form 71-R	01OCT88	2 Pgs
Attachment 4A	Guidance on Documentation of Contract Data Requirements List (CDRL)		2 Pgs
Attachment 5A	Disclosure of Lobbying Activities (SF-LLL)		3 Pgs
Attachment 6A	Data Delivery Description - Engineering Change Proposal	JUL 01	9 Pgs
Attachment 7A	Data Delivery Description - Notice of Revision	JUL 01	2 Pgs
Attachment 8A	Data Delivery Description - Request for Deviation	JUL 01	4 Pgs

(End of Clause)

(JS7001)