

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. Contract ID Code
Firm-Fixed-Price

Page 1 Of 5

2. Amendment/Modification No.

P00002

3. Effective Date

2004MAY18

4. Requisition/Purchase Req No.

SEE SCHEDULE

5. Project No. (If applicable)

6. Issued By

TACOM-ROCK ISLAND
AMSTA-LC-CSC-C
TERESA STOTTLEMYRE (309)782-4626
ROCK ISLAND IL 61299-7630

EMAIL: STOTTLEMYRET@RIA.ARMY.MIL

Code W52H09

7. Administered By (If other than Item 6)

DCMA HARTFORD
130 DARLIN ST
EAST HARTFORD CT 06108-3234

Code S0701A

SCD A PAS S0701A4304APC ADP PT HQ0337

8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code)

COLT DEFENSE LLC
547 NEW PARK AVE
P O BOX 118
HARTFORD, CT. 06141-0118

TYPE BUSINESS: Other Small Business Performing in U.S.

Code 13629

Facility Code

9A. Amendment Of Solicitation No.

9B. Dated (See Item 11)

10A. Modification Of Contract/Order No.

W52H09-04-D-0086

10B. Dated (See Item 13)

2004APR28

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers

is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing items 8 and 15, and returning _____ copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting And Appropriation Data (If required)

NO CHANGE TO OBLIGATION DATA

13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS

KIND MOD CODE: C

It Modifies The Contract/Order No. As Described In Item 14.

A. This Change Order is Issued Pursuant To: _____ **The Changes Set Forth In Item 14 Are Made In**
The Contract/Order No. In Item 10A.

B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).

C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of: FAR 43.103(a)

D. Other (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the Issuing Office.

14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

SEE SECOND PAGE FOR DESCRIPTION

Contract Expiration Date: 2007SEP30

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print)

16A. Name And Title Of Contracting Officer (Type or print)

JERRY L YOWELL
YOWELLJ@RIA.ARMY.MIL (309)782-6736

15B. Contractor/Offeror

15C. Date Signed

16B. United States Of America

16C. Date Signed

(Signature of person authorized to sign)

By _____ /SIGNED/
(Signature of Contracting Officer)

2004MAY18

NSN 7540-01-152-8070

30-105-02

STANDARD FORM 30 (REV. 10-83)

PREVIOUS EDITIONS UNUSABLE

Prescribed by GSA FAR (48 CFR) 53.243

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-D-0086 MOD/AMD P00002	Page 2 of 5
---------------------------	---	--------------------

Name of Offeror or Contractor: COLT DEFENSE LLC

SECTION A - SUPPLEMENTAL INFORMATION

1. The purpose of this modification is to remove requirements for Special Packaging Instructions (SPI) 9390000, Rev C, dated 21 Aug 2003 and 12972700, Rev D, dated 21 Aug 2003 and replace them with SPI 9390000, Rev A, dated 11 Sep 96, attachment 004.
2. Packaging clause is updated to reflect this change.
3. All other terms and conditions remain the same.

*** END OF NARRATIVE A 003 ***

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 3 of 5
	PIIN/SIIN W52H09-04-D-0086	MOD/AMD P00002

Name of Offeror or Contractor: COLT DEFENSE LLC

SECTION D - PACKAGING AND MARKING

<u>Status</u>	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
D-1 CHANGED	52.211-4501	PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	FEB/2004
<p>A. Military preservation, packing, and marking shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of MIL-STD-2073-1, Revision D, Date 15 Dec 99 including Notice 1, dated 10 May 02 and the Special Packaging Instruction contained in the TDP.</p> <p>Preservation: MILITARY Level of Packing: B Quantity Per Unit Package: See Special Packaging Instructions SPI Number: 9390000, Rev A, dated 11 Sep 1996</p> <p>B. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.</p> <p>C. Marking: In addition to any special markings called out on the SPI;</p> <p>C.1. All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Change Notice 2, Date 10 Feb 04, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.</p> <p>C.2. Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. The MSL will include both linear and 2D bar codes per the standard. The DD Form 250 or the commercial packing list shall have bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots; e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the standard, see paragraph 5.3.</p> <p>C.3. Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".</p> <p>C.4. Military Shipping Label. The following website (Computer Automated Transportation Tool, CAAT) provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: http://www.assettrak.com/catt/msl_irrd/mslirrdmain.htm. This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (http://milpac.com) and Easysoft Corporation (http://easysoftcorp.com). Insure that the "ship to" and "mark for" in-the-clear delivery address is complete including: consignee's name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.</p> <p>D. Heat Treatment and Marking of Wood Packaging Materials: All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.</p> <p>E. This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided the contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method</p>			

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 4 of 5
	PIIN/SIIN W52H09-04-D-0086 MOD/AMD P00002	

Name of Offeror or Contractor: COLT DEFENSE LLC

of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to the PCO and ACO. The Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

F. Hazardous Materials:

F.1. Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

F.2. Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements for the mode of transport and the applicable performance packaging contained in the following documents:

- International Air Transport Association (IATA) Dangerous Goods Regulations
- International Maritime Dangerous Goods Code (IMDG)
- Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
- Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments)

F.3. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations. Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

F.4. A Product Material Safety Data Sheet (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

G. SUPPLEMENTAL INSTRUCTIONS: N/A

(End of clause)

(DS6419)

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 5 of 5****PIIN/SIIN** W52H09-04-D-0086**MOD/AMD** P00002**Name of Offeror or Contractor:** COLT DEFENSE LLC

SECTION J - LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Attachment 004	SPECIAL PACKAGING INSTRUCTIONS 9390000, REV A	11-SEP-1996	7PG	