



<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> DAAE20-96-C-0362 <b>MOD/AMD</b> P00061	<b>Page 2 of 3</b>
---------------------------	---	--------------------

**Name of Offeror or Contractor:** F N MANUFACTURING INC

SECTION A - SUPPLEMENTAL INFORMATION

1. THE PURPOSE OF THIS MODIFICATION IS TO CHANGE CLAUSE 52.245-4538 (ES6025), GOVERNMENT FURNISHED AMMUNITION AS FOLLOWS:

5.56MM BALL INCLUDING CERTIFIED - NSN 1305-01-155-5459 IS CHANGED TO 1305-01-457-4589  
DODIC A059 IS CHANGED TO AA33

2. ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.

\*\*\* END OF NARRATIVE A 063 \*\*\*

**CONTINUATION SHEET**

**Reference No. of Document Being Continued**

**Page 3 of 3**

**PIIN/SIIN** DAAE20-96-C-0362

**MOD/AMD** P00061

**Name of Offeror or Contractor:** F N MANUFACTURING INC

SECTION E - INSPECTION AND ACCEPTANCE

Status Regulatory Cite \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

E-1 CHANGED \*\*\* THIS REFERENCE (ES6025) IS NO LONGER VALID \*\*\*

a. Ammunition has been programmed to support contractual test requirements as follows:

ROUNDS	CARTRIDGE	NSN	DODIC	
1,813,427		5.56MM BALL	1305-01-457-4589	AA33
32,162		5.56MM HPT	1305-00-063-0319	A070
429,700		5.56MM BALL	1305-01-457-4589	AA33 CERTIFIED*

\*CERTIFIED TO MEET AN AVERAGE HORIZONTAL AND VERTICAL STANDARD DEVIATION OF 3.4 INCHES TO 4.0 INCHES AT 600 YARDS MEASURED IAW MIL-C-63989.

b. Requests for reference rounds shall be submitted by the contractor within 30 days of contract award.

c. Requests for all other ammunition shall be submitted no later than 45 days prior to desired delivery dates. The request shall be submitted by the contractor through the cognizant DCMAO to AMSTA-AC-NCPD with a copy furnished to AMSIO-SMA-D AND AMSTA-AC-PCW-C.

(ES6025)